

## REFERENCES

- Abbas, R; Fisher, JW. (1997) A physiologically based pharmacokinetic model for trichloroethylene and its metabolites, chloral hydrate, trichloroacetate, dichloroacetate, trichloroethanol, and trichloroethanol glucuronide in B6C3F1 mice. *Toxicol Appl Pharmacol* 147:15–30.
- Abbas, R; Seckel, CS; MacMahon, KL; et al. (1997) Determination of kinetic rate constants for chloral hydrate, trichloroethanol, trichloroacetic acid, and dichloroacetic acid—a physiologically based modeling approach. *Toxicologist* 36:32–33.
- Abbas, RR; Seckel, CS; Kidney, JK; et al. (1996) Pharmacokinetic analysis of chloral hydrate and its metabolism in B6C3F1 mice. *Drug Metab Dispos* 24:1340–1346.
- Abraham, DG; Patel, P; Cooper, AJL. (1995) Isolation from rat kidney of a cytosolic high molecular weight cysteine-S-conjugate  $\beta$ -lyase with activity toward leukotriene E<sub>4</sub>. *J Biol Chem* 270(1):180–188.
- Abraham, DG; Thomas, RJ; Cooper, AJL. (1995b) Glutamine transaminase K is not a major cysteine S-conjugate  $\beta$ -lyase of rat kidney mitochondria: Evidence that a high-molecular weight enzyme fulfills this role. *J Pharmacol Exp Ther* 48:855–860.
- ACS (American Cancer Society). (2008) What are the risk factors for cervical cancer? Available from: [http://www.cancer.org/docroot/CRI/content/CRI\\_2\\_4\\_2X\\_What\\_are\\_the\\_risk\\_factors\\_for\\_cervical\\_cancer\\_8.asp](http://www.cancer.org/docroot/CRI/content/CRI_2_4_2X_What_are_the_risk_factors_for_cervical_cancer_8.asp).
- Adachi, H; Kubota, I; Okamura, N; et al. (1989) Purification and characterization of human microsomal dipeptidase. *J Biochem* 105(6):957–961.
- Adami, HO; Chow, WH; Nyrene, O; et al. (1996) Excess risk of primary liver cancer in patients with diabetes mellitus. *J Natl Cancer Inst* 88:1472–1477.
- Adams, C; Keil, D; Meyers, K; et al. (2003) Lifetime exposure to trichloroethylene (TCE) modulates immune function. *Toxicologist* 72(S-1):375.
- Adgate, JL; Church, TR; Ryan, AD; et al. (2004b) Outdoor, indoor, and personal exposure to VOCs in children. *Environ Health Perspect* 112(14): 1386–1392.
- Adgate, JL; Eberly, LE; Stroebel, C; et al. (2004a) Personal, indoor, and outdoor VOC exposures in a probability sample of children. *J Expo Anal Environ Epidemiol*. 14(Suppl 1):S4–S13.
- ADHS (Arizona Department of Health Services). (1990) The incidence of childhood leukemia and testicular cancer in Pima County: 1970–1986. Prepared for the Arizona Department of Environmental Quality under the Water Quality Assurance Revolving Fund and by the Arizona Department of Health Services, Division of Disease Prevention, Office of Risk Assessment and Investigation, Office of Chronic Disease Epidemiology. September 17, 1990.
- ADHS (Arizona Department of Health Services)..(1995) Update of the incidence of childhood cancers and testicular cancer in Southwest Tucson, 1987–1991. Prepared by the Arizona Department of Health Services, Office of Risk Assessment and Investigations, Disease Prevention Services Arizona Department of Health Services. June, 6, 1995.
- ADHS (Arizona Department of Health Services). (1988) Report on mortality in Maricopa County 1966–1986.
- ADHS (Arizona Department of Health Services). (1990a) Incidence study of childhood cancer in Maricopa County: 1965–1986.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- ADHS (Arizona Department of Health Services). (1990b) Cancer incidence and mortality in an East Phoenix area overlaying groundwater contaminated with volatile organic compounds.
- ADHS (Arizona Department of Health Services). (1990c) The incidence of childhood leukemia and testicular cancer in Pima County: 1970–1986.
- ADHS (Arizona Department of Health Services). (1997) Case-referent study of childhood leukemia in Maricopa County, Arizona 1965–1990.
- Aickin, M; Chapin, CA; Flood, TJ; et al. (1992) Assessment of the spatial occurrence of childhood leukaemia mortality using standardized rate ratios with a simple linear Poisson model. *Int J Epidemiol* 21:649–655.
- Aickin, M. (2004) Bayes without priors. *J Clin Epidemiol* 57:4–13.
- Albanese, RA; Banks, HT; Evans, MV; et al. (2002) Physiologically based pharmacokinetic models for the transport of trichloroethylene in adipose tissue. *Bull Math Biol* 64:97–131.
- Albee, RR; Nitschke, KD; Mattsson, JL; et al. (1997) Dichloroacetylene: Effects on the rat trigeminal nerve somatosensory evoked potential. *Neurotoxicol Teratol* 19(1):27–37.
- Albee, RR; Spencer, PJ; Johnson, KA; et al. (2006) Lack of trigeminal nerve toxicity in rats exposed to trichloroethylene vapor for 13 weeks. *Int J Toxicol* 25(6):531–540.
- Alberati-Giani, D; Malherbe, P; Kohler, C; et al. (1995) Cloning and characterization of a soluble kynurenine aminotransferase from rat brain: Identity with kidney cysteine conjugate  $\beta$ -lyase. *J Neurochem* 64:1448–1455.
- Albert, DA; Albert, AN; Vernace, M; et al. (2005) Analysis of a cluster of cases of Wegener granulomatosis. *J Clin Rheumatol* 11:188–193.
- Alder, ID. (1993) Synopsis of the in vivo results obtained with the 10 known or suspected aneugens tested in the CEC collaborative study. *Mutat Res* 287(1):131–137.
- Alexander, DD; Kelsh, MA; Mink, PJ; et al. (2007) A meta-analysis of occupational trichloroethylene exposure and liver cancer. *Int Arch Occup Environ Health* 81(2):127–43.
- Alexander, DD; Mink, PJ; Adami, HO; et al. (2007) The non-Hodgkin lymphomas: a review of the epidemiologic literature. *Int J Cancer* 120 Suppl 12:1–39.
- Alexander, DD; Mink, PJ; Mandel, JH; et al. (2006) A meta-analysis of occupational trichloroethylene exposure and multiple myeloma or leukaemia. *Occup Med (Lond)* 56:485–493.
- Alimov, A; Kost-Alimova, M; Liu, J; et al. (2000) Combined LOH/CGH analysis proves the existence of interstitial 3p deletions in renal cell carcinoma. *Oncogene* 19:1392–1399.
- Allen, BC; Fisher, JW. (1993) Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal* 13(1):71–86.
- Allen, BC; Kavlock, RJ; Kimmel, CA; et al. (1994) Dose-response assessment for developmental toxicity. *Fundam Appl Toxicol* 23:487–495.
- Allen, DG; Pearse, G; Haseman, JK; et al. (2004) Prediction of rodent carcinogenesis: an evaluation of prechronic liver lesions as forecasters of liver tumors in NTP carcinogenicity studies. *Toxicol Pathol* 32:393–401.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Allen, JW; Collins, BW; Evansky, PA. (1994) Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. *Mutat Res* 323(1-2):81-88.
- Altuntas, TG; Park, SB; Kharasch, ED. (2004) Sulfoxidation of cysteine and mercapturic acid conjugates of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A). *Chem Res Toxicol* 17(3):435-445.
- Amacher, DE; Zelljadt, I. (1983) The morphological transformation of Syrian hamster embryo cells by chemicals reportedly nonmutagenic to *Salmonella typhimurium*. *Carcinogenesis* 4:291-295.
- Andelman, JB. (1985) Human exposure to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect.* 62:313-318.
- Anders, MW; Jakobson, I. (1985) Biotransformation of halogenated solvents. *Scand J Work Env Health.* 11(Suppl. 1):23-32.
- Andersen, ME. (1987) Tissue dosimetry in risk assessment, or what's the problem here anyway? In: *Drinking water and health, pharmacokinetics in risk assessment.* Vol. 8. Washington DC: National Academy Press.
- Andersen, ME; Gargas, ML; Clewell, HJ, 3<sup>rd</sup>; et al. (1987) Quantitative evaluation of the metabolic interactions between trichloroethylene and 1,1-dichloroethylene in vivo using gas uptake methods. *Toxicol Appl Pharmacol* 89:149-157.
- Andersson, L; Heraldsson, B; Johansson, C; et al. (2008) Methodological issues on the use of urinary alpha-1-microglobulin in epidemiological studies. *Nephrol Dial Transplant* 23:1252-1256.
- Anna, CH; Maronpot, RR; Pereira, MA; et al. (1994) ras proto-oncogene activation in dichloroacetic-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F1 mice. *Carcinogenesis* 15:2255-2261.
- Anttila, A; Pukkala, E; Sallmen, M; et al. (1995) Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med* 37:797-806.
- Aranyi, C; O'Shea, WJ; Graham, JA; et al. (1986) The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6:713-720.
- Arif, AA; Shah, SM. (2007) Association between personal exposure to volatile organic compounds and asthma among US adult population. *Int Arch Occup Environ Health* 80:711-719.
- Arito, H; Takahashi, M; Ishikawa, T. (1994) Effect of subchronic inhalation exposure to low-level trichloroethylene on heart rate and wakefulness-sleep in freely moving rats. *Jpn J Ind Health (Sangyo Igaku)* 36(1):1-8.
- Aryal, BK; Khuder, SA; Schaub, EA. (2001) Meta-analysis of systemic sclerosis and exposure to solvents. *Am J Ind Med* 40:271-274.
- Asal, NR; Geyer, JR; Risser, DR; et al. (1988) Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis and conclusions. *Cancer Detect Prev* 13:263-279.
- Asal, NR; Risser, DR; Kadamani, S; et al. (1988a) Risk factors in renal cell carcinoma: I. Methodology, demographics, tobacco, beverage use, and obesity. *Cancer Detect Prev* 11(3-6):359-377.
- Ashley, DL; Bonin, MA; Cardinali, FL; et al. (1994) Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1404.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Astrand, I; Ovrum, P. (1976) Exposure to trichloroethylene I. Uptake and distribution in man. Scand J Work Environ Health 2(4):199–211.

Astrand, I. (1975) Uptake of solvents in the blood and tissues of man. A review. Scand J Work Environ Health.1(4):199–218.

ATSDR (Agency for Toxic Substances and Disease Registry). (1990) Toxicological profile for 1,1-dichloroethane. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (1995) Toxicological profile for 1,1,1-trichloroethane. Update. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (1996a) Toxicological profile for 1,2-dichloroethene. Update. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (1996b) Biennial report to congress (1991 and 1992) U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA. Available online at [www.dhhs.gov](http://www.dhhs.gov).

ATSDR (Agency for Toxic Substances and Disease Registry). (1997) Toxicological Profile for Trichloroethylene. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA. Available online at <http://www.atsdr.cdc.gov/toxprofiles/tp19.html>.

ATSDR (Agency for Toxic Substances and Disease Registry). (1998) Volatile organic compounds in drinking water and adverse pregnancy outcomes. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2001) Final Report: evaluation of priority health conditions in a community with historical contamination by trichloroethylene. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, ATSDR. Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2003) Health Consultation. View-Master Factory Supply Well (a.k.a. Mattel Portland Operations) Beaverton, Washington County, Oregon. Prepared by Oregon Department of Human Services under Cooperative Agreement with the Agency for Toxic Substances and Disease Registry. October 20, 2003.

ATSDR (Agency for Toxic Substances and Disease Registry). (2003) Impact of trichloroethylene exposure on oral motor, speech and hearing in children. U.S. Department of Health and Human Services, July 2003, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2003b) Progress report: survey of specific childhood cancers and birth defects among children whose mothers were pregnant while living at U.S. Marine Corps Base Camp Lejeune, North Carolina, 1968–1985. U.S. Department of Health and Human Services, July 2003, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2003b) Survey of specific childhood cancers and birth defects among children whose mothers were pregnant while living at US Marine Corps Base Camp Lejeune, North Carolina, 1968–1985. U.S. Department of Health and Human Services, July 2003, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2004) Feasibility Investigation of Worker Exposure to Trichloroethylene at the View-Master Factory in Beaverton, Oregon. Prepared by the Oregon Department of Human Services. Report No. PB2005-102173. ,

*This document is a draft for review purposes only and does not constitute Agency policy.*

10/20/09

R-4

DRAFT—DO NOT CITE OR QUOTE

ATSDR (Agency for Toxic Substances and Disease Registry). (2006) Cancer and birth outcome analysis, Endicott Area, Town of Union, Broome County, New York. U.S. Department of Health and Human Services, May 2006, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2006) Health Consultation. Cancer and Birth Outcome Analysis, Endicott Area, Town of Union, Broome County, New York. Health Statistics Review. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry. May 26, 2006.

ATSDR (Agency for Toxic Substances and Disease Registry). (2007) Analyses of groundwater flow, contaminant fate and transport and distribution of drinking water at Tarawa Terrace and vicinity, U.S. Marine Corps Base Camp Lejeune, North Carolina: historical reconstruction and present-day conditions. U.S. Department of Health and Human Services, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2008) Health statistics review follow-up: cancer and birth outcome analysis. Endicott Area Investigation, Endicott Area, Town of Union, Broome County, New York. U.S. Department of Health and Human Services, May 2008, Atlanta, GA.

ATSDR (Agency for Toxic Substances and Disease Registry). (2009) Study on birth defects and childhood cancers. U.S. Department of Health and Human Services, Atlanta, GA. Available online at <http://www.atsdr.cdc.gov/sites/lejeune/update.html> (accessed September 17, 2009).

Aupérin, A; Asal, NR; Geyer, JR; et al. (1988) Risk factors in renal cell carcinoma. II. Medical history, occupation, multivariate analysis, and conclusions. *Cancer Detect Preven* 13:263–279.

Aupérin, A; Benhamou, S; Ory-Paoletti, C; et al. (1994) Occupational risk factors for renal cell carcinoma: a case-control study. *Occup Environ Med* 51:426–428.

Austin, EW; Parrish, JM; Kinder, DH; et al. (1996) Lipid peroxidation and formation of 8-hydroxydeoxyguanosine from acute doses of halogenated acetic acids. *Fund Appl Toxicol* 31:77–82.

Austin, H; Delzell, E; Grufferman, S; et al. (1987) Case-control study of hepatocellular carcinoma, occupation, and chemical exposures. *J Occup Med* 29:665–669.

Axelson, O; Selden, A; Andersson, K; et al. (1994) Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Environ* 36:556–562.

Baden, JM; Kelley, M; Mazze, RI; et al. (1979) Mutagenicity of inhalation anaesthetics: Trichloroethylene, divinyl ether, nitrous oxide, and cyclopropane. *Br J Anaesth* 51:417–421.

Bai, CL; Canfield, PJ; Stacey, NH. (1992a) Effects of hexachloro-1,3-butadiene and 1,1,2,2-tetrachloroethylene on individual serum bile acids. *Toxicol Ind Health* 8:191–203.

Bai, CL; Canfield, PJ; Stacey, NH. (1992b) Individual serum bile acids as early indicators of carbon tetrachloride- and chloroform-induced liver injury. *Toxicology* 75:221–234.

Bailly, M; Bain, C; Favrot, M-C; et al. (1995) Somatic mutations of von Hippel-Lindau (*VHL*) tumor-suppressor gene in European kidney cancer. *Int J Cancer* 63:660–664.

Bakke, B; Stewart, PA; Waters, MA. (2007) Uses of and exposure to trichloroethylene in U.S. Industry: a systematic literature review. *J Occup Environ Hgy* 4:375–390.

Ballestar, E; Esteller, M. (2002) The impact of chromatin in human cancer: linking DNA methylation to gene silencing. *Carcinogenesis* 23:1103–1109

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Balluz, L; Philen, R; Ortega, L; et al. (2001) Investigation of systemic lupus erythematosus in Nogales, Arizona. *Am J Epidemiol* 154:1029–1036.
- Band, PR; Le, ND; Fang, R; et al. (2000) Identification of occupational cancer risks in British Columbia. *J Occup Environ Med* 42:284–310.
- Banerjee, S; Van Duuren, BL. (1978) Covalent binding of the carcinogen trichloroethylene to hepatic microsomal proteins and to exogenous DNA *in vitro*. *Cancer Res* 38:776–780.
- Bang, KM; Kim, JH. (2001) Prevalence of cigarette smoking by occupation and industry in the United States. *Am J Ind Med* 40:233–239.
- Banki, K; Elfarra, AA; Lash, LH; et al. (1986) Metabolism of *S*-(2-chloro-1,1,2-trifluoroethyl)-1-cysteine to hydrogen sulfide and the role of hydrogen sulfide in *S*-(2-chloro-1,1,2-trifluoroethyl)-1-cysteine-induced mitochondrial toxicity. *Biochem Biophys Res Commun* 138:707–713.
- Banks, PM. (1992) Changes in diagnosis of non-Hodgkin's lymphomas over time. *Cancer Res* 52:5453s–5455s.
- Bannasch, P; Nehrbass, D; Kopp-Schneider, A. (2001) Significance of hepatic preneoplasia for cancer chemoprevention. *IARC Sci Publ* 154:223–240.
- Bannasch, P. (2001) Hormonal and hormone-like effects eliciting hepatocarcinogenesis. *Folia Histochem Cytobio* 139(Suppl 2):28–29.
- Bannerjee, S; van Duuren, BL. (1978) Covalent binding of the carcinogen trichloroethylene to hepatic microsomal proteins and to exogenous DNA *in vitro*. *Cancer Res* 38:776–780.
- Barak, Y; Sadovsky, Y; Shalom-Barak, T. (2008) PPAR signaling in placental development and function. *PPAR Res*. 2008; 2008: 142082. . Doi:10.1155/2008/142082. Bardodej, Z; Vyskocil, J. (1956) The problem of trichloroethylene in occupational medicine; trichloroethylene metabolism and its effect on the nervous system evaluated as a means of hygienic control. *AMA Arch Ind Health* 13(6):581–592.
- Barret, L; Faure, J; Guillard, B; et al. (1984) Trichloroethylene occupational exposure: elements for better prevention. *Int Arch Occup Environ Health* 53(4):283–289.
- Barret, L; Arsac, P; Vincent, M; et al. (1982) Evoked trigeminal nerve potential in chronic trichloroethylene intoxication. *J Toxicol Clin Toxicol* 19(4):419–423.
- Barret, L; Garrel, S; Danel, V; et al. (1987) Chronic trichloroethylene intoxication: a new approach by trigeminal-evoked potentials? *Arch Environ Health* 42(5):297–302.
- Barret, L; Torch, S; Leray, CL; et al. (1992) Morphometric and Biochemical Studies in Trigeminal Nerves of Rat after Trichloroethylene or Dichloroacetylene Oral Administration. *Neurotoxicology* 13:601–614.
- Barret, L; Torch, S; Usson, Y; et al. (1991) A morphometric evaluation of the effects of trichloroethylene and dichloroacetylene on the rat mental nerve. Preliminary results. *Neurosci Lett* 131(2):141–144.
- Barter, ZE.; Bayliss, MK; Beaune, PH; et al. (2007) Scaling factors for the extrapolation of *in vivo* metabolic drug clearance from *in vitro* data: reaching a consensus on values of human microsomal protein and hepatocellularity per gram of liver. *Curr Drug Metab* 8:33–45.
- Barton, HA; Bull, R; Schultz, I; et al. (1999) Dichloroacetate (DCA) dosimetry: interpreting DCA-induced liver cancer dose response and the potential for DCA to contribute to trichloroethylene-induced liver cancer. *Toxicol Lett* 106:9–21.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Barton, HA; Chiu, WA; Woodrow Setzer, R; et al. (2007) Characterizing uncertainty and variability in physiologically based pharmacokinetic models: state of the science and needs for research and implementation. *Toxicol Sci* 99:395–402.
- Barton, HA; Clewell, 3<sup>rd</sup>, HJ. (2000) Evaluating noncancer effects of trichloroethylene: dosimetry, mode of action, and risk assessment. *Environ Health Perspect Suppl* 10:323–334.
- Barton, HA; Flemming, CD; Lipscomb, JC. (1986) Evaluating human variability in chemical risk assessment: hazard identification and dose-response assessment for noncancer oral toxicity of trichloroethylene. *Toxicology* 111(1–3):271–87.
- Barton, H; Das, S. (1996) Alternatives for a risk assessment on chronic noncancer effects from oral exposure to trichloroethylene. *Regul Toxicol Pharmacol* 24:269–285.
- Barton, HA; Creech, JR; Godin, CS; et al. (1995) Chloroethylene mixtures: pharmacokinetic modeling and *in vitro* metabolism of vinyl chloride, trichloroethylene, and trans-1,2-dichloroethylene in rat. *Toxicol Appl Pharm* 130(2):237–247.
- Bartoniček V. (1962) Metabolism and excretion of trichloroethylene after inhalation by human subjects. *Brit J Ind Med* 19:134–141.
- Bartonicsek, V; Teisinger, J. (1962) Effect of tetraethyl thiuram disulphide (disulfiram) on metabolism of trichloroethylene in man. *Brit J Industr Med* 19:216–221.
- Bartosiewicz, M; Penn, S; Buckpitt, A. (2001) Applications of gene arrays in environmental toxicology: fingerprints of gene regulation associated with cadmium chloride, benzo(a)pyrene, and trichloroethylene. *Environ Health Perspect* 109:71–74.
- Bartsch, H; Malaveille, C; Barbin, A; et al. (1979) Mutagenic and alkylating metabolites of halo-ethylenes, chlorobutadienes and dichlorobutenes produced by rodent or human liver tissues. Evidence for oxirane formation by P450-linked microsomal mono-oxygenases. *Arch Toxicol*. 41(4):249–77.
- Beaudreuil, S; Lasfargues, G; Lauriere, L; et al. (2005) Occupational exposure in ANCA-positive patients: a case-control study. *Kidney Int* 67:1961–1966.
- Becker, N; Deeg, E; Nieters, A. (2004) Population-based study of lymphoma in Germany: rationale, study design and first results. *Leuk Res* 28:713–724.
- Beckstead, MJ; Weiner, JL; Eger, 2<sup>nd</sup>, EI; et al. (2000) Glycine and gamma-aminobutyric acid(A) receptor function is enhanced by inhaled drugs of abuse. *Mol Pharmacol*. 57:199–205.
- BEIR ([Committee on the] Biological Effects of Ionizing Radiation). (1988) Health risks of radon and other internally deposited alpha emitters. BEIR IV. Washington, DC: National Academy Press.
- Beland, FA. (1999) NTP technical report on the toxicity and metabolism studies of chloral hydrate (CAS No. 302-17-0). Administered by gavage to F344/N rats and B6C3F1 mice. *Toxic Rep Ser*. 59:1–66, A1–E7.
- Beliles, RP; Brucik, DJ; Mecler, FJ; et al. (1980) Teratogenic-mutagenic risk of workplace contaminants: Trichloroethylene, perchloroethylene, and carbon disulfide. U.S. Department of Health, Education and Welfare. Contract No. 210-77-0047.
- Benane, SG; Blackman, CF; House, DE. (1996) Effect of perchloroethylene and its metabolites on intercellular communication in clone 9 rat liver cells. *J Toxicol Environ Health* 48(5):427–37.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Benedetti, MS; Whomsley, R; Canning, M. (2007) Drug metabolism in the paediatric population and in the elderly. *Drug Discov Today* 12(15–16):599–610.
- Benichou J; Chow, WH; McLaughlin, JK; et al. (1998) Population attributable risk of renal cell cancer in Minnesota. *Am J Epidemiol* 148(5):424–430.
- Benson, R. (2004) Correspondence from Robert Benson (U.S. Environmental Protection Agency, Region 8, Denver, CO 80202) to Dr. P.D. Johnson (University of Arizona, UAC, Tucson, AZ 85721), December 27, 2004.
- Beppu, K. (1968) Transmission of the anesthetic agents through the placenta in painless delivery and their effects on newborn infants. *Keio J Med* 17(2):81–107.
- Berger, J; Daxenbichler, G. (2002) DNA methylation of nuclear receptor genes—possible role in malignancy. *J Steroid Biochem Mol Bio* 180:1–11.
- Berger, T; Horner, CM. (2003) *In vivo* exposure of female rats to toxicants may affect oocyte quality. *Reprod Toxicol* 17:273–281.
- Bergeron, A; Jorquera, R; Tanguay, RM. (2003) [Hereditary tyrosinemia: an endoplasmic reticulum stress disorder?]. *Med Sci (Paris)* 19:976–980.
- Bergman, K. (1983) Interaction of trichloroethylene with DNA in vitro and with RNA and DNA of various mouse tissues in vivo. *Arch Toxicol* 54:181–193.
- Berman, E; Schlicht, M; Moser, VC; et al. (1995) A Multidisciplinary Approach to Toxicological Screening: I. Systemic Toxicity. *J Toxicol Environ Health* 45:127–143.
- Bernad, PG; Newell, S; Spyker, DA. (1987) Neurotoxicity and behavior abnormalities in a cohort chronically exposed to trichloroethylene. Abstract. *Vet Hum Toxicol* 29(6):475.
- Bernauer, U; Birner, G; Dekant, W; et al. (1996) Biotransformation of trichloroethene: dose-dependent excretion of 2,2,2-trichloro-metabolites and mercapturic acids in rats and humans after inhalation. *Arch Toxicol* 70(6):338–346.
- Bernillon, P; Bois, FY. (2000) Statistical issues in toxicokinetic modeling: a Bayesian perspective. *Environ Health Perspect* 108(Suppl. 5):883–893.
- Béroud, C; Joly, D; Gallou, C; et al. (1998) Software and database for the analysis of mutation in the *VHL* gene. *Nucleic Acids Res* 26:256–258.
- Bhunya, SP; Jena, GB. (1996) The evaluation of clastogenic potential of trichloroacetic acid (TCA) in chick in vivo test system. *Mutat Res.* 367(4):254–259.
- Bhunya, SP; Behera, BC. (1987) Relative genotoxicity of trichloroacetic acid (TCA) as revealed by different cytogenetic assays: bone marrow chromosome aberration, micronucleus and sperm-head abnormality in the mouse. *Mutat Res* 188:215–221.
- Bignami, M; Conti, G; Conti, L; et al. (1980) Mutagenicity of halogenated aliphatic hydrocarbons in *Salmonella typhimurium*, *Streptomyces coelicolor* and *Aspergillus nidulans*. *Chem Biol Interact.* 30(1):9–23.
- Birner, G; Vamvakas, S; Dekant, W; et al. (1993) Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: implications for the risk of trichloroethene exposure. *Environ Health Perspect.* 99:281–284.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Birner, G; Bernauer, U; Werner, M; et al. (1997) Biotransformation, excretion and nephrotoxicity of haloalkene-derived cysteine S-conjugates. *Arch Toxicol* 72(1):1–8.
- Birner, G; Rutkowska, A; Dekant, W. (1996) N-acetyl-S-(1,2,2-trichlorovinyl)-L-cysteine and 2,2,2-trichloroethanol: two novel metabolites of tetrachloroethene in humans after occupational exposure. *Drug Metab Dispos* 24:41–48.
- Birner, G; Richling, C; Henschler, D; et al. (1994) Metabolism of tetrachloroethene in rats: identification of N epsilon-(dichloroacetyl)-L-lysine and N epsilon-(trichloroacetyl)-L-lysine as protein adducts. *Chem Res Toxicol* 7(6):724–732.
- Birner, G; Werner, M; Rosner, E; et al. (1998) Biotransformation, excretion, and nephrotoxicity of the hexachlorobutadiene metabolite (E)-N-acetyl-S-(1,2,3,4, 4-pentachlorobutadienyl)-L-cysteine sulfoxide. *Chem Res Toxicol* 11(7):750–777.
- Blackburn, AC; Coggan, M; Tzeng, HF; et al. (2001) GSTZ1d: a new allele of glutathione transferase zeta and maleylacetoacetate isomerase. *Pharmacogenetics* 11:671–678.
- Blackburn, AC; Tzeng, HF; Anders, MW; et al. (2000) Discovery of a functional polymorphism in human glutathione transferase zeta by expressed sequence tag database analysis. *Pharmacogenetics* 10:49–57.
- Blackshaw, AW. (1970) Histochemical localization of testicular enzyme. In Johnson AD; Gomes, WR; Vandermark, NL; eds. *The Testes*. New York: Academic Press, pp 73–173.
- Blain, L; Lachapelle, P; Molotchnikoff, S. (1994) Electroretinal responses are modified by chronic exposure to trichloroethylene. *Neurotoxicology* 15(3):627–631.
- Blair, A; Hartge, P; Stewart, PA; et al. (1998) Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. *Occup Environ Med* 55:161–171.
- Blair, A; Linos, A; Stewart, PA; et al. (1993) Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med* 23:301-312.
- Blair, A; Stewart, P; Lubin, JH; et al. (2007) Methodological issues regarding confounding and exposure misclassification in epidemiological studies of occupational exposures. *Am J Ind Med* 50:199–207.
- Blake, JE; Compton, KV; Schmidt, W; et al. (1988) Accuracy of death certificates in the diagnosis of alcoholic liver cirrhosis. *Alcohol Clin Exp Res* 12:168–172.
- Blake, MJ; Castro, L; Leeder, JS; et al. (2005) Ontogeny of drug metabolizing enzymes in the neonate. *Semin Fetal Neonatal Med* 10(2):123–138.
- Blechzc, BRA; Gores, GJ. (2008) Cholangiocarcinoma. *Clin Liver Disease* 12:131–150.
- Bloemen, L; Tomenson, J. (1995) Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene [Letter]. *Arch Toxicol* 70:129–130.
- Bloemen, LJ; Monster, AC; Kezic, S; et al. (2001) Study on the cytochrome P-450- and glutathione-dependent biotransformation of trichloroethylene in humans. *Int Arch Occup Environ Health* 74:102–108.
- Blossom, SJ; Doss, JC; Gilbert, KM. (2007) Chronic exposure to a trichloroethylene metabolite in autoimmune-prone MRL+/+ mice promotes immune modulation and alopecia. *Toxicol Sci* 95(2):401–411.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Blossom, SJ; Doss, JC; Hennings, LJ; et al. (2008) Developmental exposure to trichloroethylene promotes CD4(+) T cell differentiation and hyperactivity in association with oxidative stress and neurobehavioral deficits in MRL+/+ mice. *Toxicol Appl Pharmacol* 231(3):344–353.
- Blossom, SJ; Doss, JC. (2007) Trichloroethylene alters central and peripheral immune function in autoimmune-prone MRL+/+ mice following continuous developmental and early life exposure. *J Immunotoxicol* 4:129–141.
- Blossom, SJ; Gilbert, KM. (2006) Exposure to a metabolite of the environmental toxicant, trichloroethylene, attenuates CD4+ T cell activation-induced cell death by metalloproteinase-dependent FasL shedding. *Toxicol Sci* 92:103–114.
- Blossom, SJ; Pumford, NR; Gilbert, KM. (2004) Activation and attenuation of apoptosis of CD4+ T cells following in vivo exposure to two common environmental toxicants, trichloroacetaldehyde hydrate and trichloroacetic acid. *J Autoimmun* 23:211–220.
- Board, PG; Chelvanayagam, G; Jermini, LS; et al. (2001) Identification of novel glutathione transferases and polymorphic variants by expressed sequence tag database analysis. *Drug Metab Dispos* 29:544–547.
- Boffetta, P; de Vocht, F. (2007) Occupation and the risk of non-Hodgkin lymphoma. *Cancer Epidemiol Biomarkers Prev* 16:369–372.
- Bogen, KT. (1990) *Uncertainty in environmental health risk assessment*. London: Taylor & Francis.
- Bogen, KT; Colston, BW, Jr; MaChicao, LK. (1992) Dermal absorption of dilute aqueous chloroform, trichloroethylene, and tetrachloroethylene in hairless guinea pigs. *Fund Appl Toxicol* 18(1):30–39.
- Boice, JD, Jr.; Marano, DE; Fryzek, JP; et al. (1999) Mortality among aircraft manufacturing workers. *Occup Environ Med* 56:581–597.
- Boice, JD; Marano, DE; Cohen, SS; et al. (2006) Mortality among Rocketdyne worker who tested rocket engines, 1948–1999. *J Occup Environ Med* 48:1070–1092. .
- Boice, JD; Marano, DE; Fryzek, JP; et al. (1999) Mortality among aircraft manufacturing workers. *Occup Environ Med* 56:581–597.
- Bois, FY. (2000a) Statistical analysis of Fisher et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect* 108(Suppl 2):275–282.
- Bois, FY. (2000b) Statistical analysis of Clewell et al. PBPK model of trichloroethylene kinetics. *Environ Health Perspect* 108(Suppl 2):307–316.
- Bolt, H; Lammert, M; Selinski, S; et al. (2004) Urinary  $\alpha$ 1-microglobulin excretion as biomarker of renal toxicity in trichloroethylene-exposed persons. *Int Arch Occup Environ Health* 77:186–190.
- Bolt, HM; Filser, JG. (1977) Irreversible binding of chlorinated ethylenes to macromolecules. *Environ Health Persp* 21:107–112.
- Bonatti, S; Cavalieri, Z; Viaggi, S; et al. (1992) The analysis of 10 potential spindle poisons for their ability to induce CREST-positive micronuclei in human diploid fibroblasts. *Mutagenesis*. 7(2):111–4
- Bong, M; Laskowska-Klita, T; Szymczyk, T. (1985) Effect of the benzene fraction of petroleum on protein content in rat liver and kidney. *Bull Environ Contam Toxicol* 34(1):45–54.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Boublik, T; Fried, V; Hala, E. (1984) The vapour pressures of pure substances. Second Revised Edition. Amsterdam: Elsevier.
- Bove, FJ; Fulcomer, MC; Klotz, JB; et al. (1995) Public drinking water contamination and birth outcomes. *Am J Epidemiol* 141(9):850–862.
- Bove, FJ. (1996) Public drinking water contamination and birthweight, prematurity, fetal deaths, and birth defects. *Toxicol Ind Health* 12(2):255–266.
- Bovenzi, M; Barbone, F; Pisa, FE; et al. (2004) A case-control study of occupational exposures and systemic sclerosis. *Int Arch Occup Environ Health* 77:10–16.
- Boyer, AS; Finch, WT; Runyan, RB. (2000) Trichloroethylene inhibits development of embryonic heart valve precursors in vitro. *Toxicol Sci* 53:109–117.
- Boyes, WK; Bercegeay, M; Ali, JS; et al. (2003) Dose-based duration adjustments for the effects of inhaled trichloroethylene on rat visual function. *Toxicol Sci* 76(1):121–130.
- Boyes, WK; Bercegeay, M; Krantz, T; et al. (2005) Momentary brain concentration of trichloroethylene predicts the effects on rat visual function. *Toxicol Sci* 87(1):187–196.
- Boyes, WK; Bushnell, PJ; Crofton, KM; et al. (2000) Neurotoxic and pharmacokinetic responses to trichloroethylene as a function of exposure scenario. *Environ Health Perspect* 108(Suppl 2):317–322.
- Braissant, O; Wahli, W. (1998) Differential expression of peroxisome proliferator-activated receptor- $\alpha$ , - $\beta$ , and - $\gamma$  during rat embryonic development. *Endocrinology* 139(6):2748–2754.
- Brauch, H; Weirich, G; Hornauer, MA; et al. (1999) Trichloroethylene exposure and specific somatic mutations in patients with renal cell carcinoma. *J Natl Cancer Inst* 91:854:861.
- Brauch, H; Weirich, G; Klein, B; et al. (2004) VHL mutations in renal cell cancer: does occupational exposure to trichloroethylene make a difference? *Toxicol Lett* 151(1):301–310.
- Briving, C; Jacobson, I; Hamberger, A; et al. (1986) Chronic effects of perchloroethylene and trichloroethylene on the gerbil brain amino acids and glutathione. *Neurotoxicology* 7(1):101–108.
- Brodsky, WY; Uryvaeva, IV. (1977) Cell polyploidy: its relation to tissue growth and function. *Int Rev Cytol* 50: 275–332.
- Bronley-DeLancey, A; McMillan, DC; McMillan, JM; et al. (2006) Application of cryopreserved human hepatocytes in trichloroethylene risk assessment: relative disposition of chloral hydrate to trichloroacetate and trichloroethanol. *Environ Health Persp* 114(8):1237–1242.
- Bronzetti, G; Corsi, C; Nieri, R. (1980) Use of the D7 strain of *S. cerevisiae* in the determination of environmental risk. 1. Genetic effects of trichloroethylene. *Boll Soc Ital Biol Sper* 56(12):1315–21.
- Bronzetti, G; Galli, A; Corsi, C; et al. (1984) Genetic and biochemical investigation on chloral hydrate in vitro and in vivo. *Mutat Res.* 141(1):19–22.
- Bross, G; DiFranceisco, D; Desmond, ME. (1983) The effects of low dosages of trichloroethylene on chick development. *Toxicology* 28:283–294.
- Brown, HS; Bishop, DR; Rowan, CA. (1984) The role of skin absorption as a route of exposure for volatile organic compounds in drinking water. *Am J Pub Health* 74(5):479–484.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Brown, RP; Delp, MD; Lindstedt, SL; Rhomberg, LR; Beliles, RP. (1997) Physiological parameter values for physiologically based pharmacokinetic models. *Toxicol Ind Health* 13:407–484.
- Brownson, RC. (1988) A case-control study of renal cell carcinoma in relation to occupation, smoking, and alcohol consumption. *Arch Environ Health* 43:238–241.
- Brüning, T; Lammert, M; Kempkes, M; et al. (1997) Influence of polymorphisms of GSTM1 and GSTT1 for risk of renal cell cancer in workers with long-term high occupational exposure to trichloroethene. *Arch Toxicol* 71(9):596–599.
- Brüning, T; Mann, H; Melzer, H; et al. (1999a) Pathological excretion patterns of urinary proteins in renal cell cancer patients exposed to trichloroethylene. *Occup Med* 29:299–305.
- Brüning, T; Pesch, B; Wiesenhütter, B; et al. (2003) Renal cell cancer risk and occupational exposure to trichloroethylene: results of a consecutive case-control study in Arnsberg, Germany. *Am J Ind Med* 43:274–285.
- Brüning, T; Sundberg, AGM; Birner, G; et al. (1999b) Glutathione transferase alpha as a marker for tubular damage after trichloroethylene exposure. *Arch Toxicol* 73:246–254.
- Brüning, T; Vamvakas, S; Makropoulos, V; et al. (1998) Acute intoxication with trichloroethene: clinical symptoms, toxicokinetics, metabolism, and development of biochemical parameters for renal damage. *Toxicol Sci* 41(2):157–165.
- Brüning, T; Weirich, G; Hornauer, MA; et al. (1997a) Renal cell carcinomas in trichloroethene (TRI) exposed persons are associated with somatic mutations in the von Hippel-Lindau (*VHL*) tumour suppressor gene. *Arch Toxicol* 71:332–335.
- Brzezinski, MR; Boutelet-Bochan, H; Person, RE; et al. (1999) Catalytic activity and quantitation of cytochrome P-450 2E1 in prenatal human brain. *J Pharmacol Exp Ther* 289(3):1648–1653.
- Buben, JA; O'Flaherty, EJ. (1985) Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: a dose-effect study. *Toxicol Appl Pharmacol* 78:105–122.
- Buckpitt, A; Chang, A-M; Weir, A; et al. (1995) Relationship of cytochrome P450 activity to Clara cell cytotoxicity. *Mol Pharmacol* 47:74–81.
- Bull, RJ; Sanchez, IM; Nelson, MA; et al. (1990) Liver tumor induction in B6C3F1 mice by dichloroacetate and trichloroacetate. *Toxicology* 63:341–359.
- Bull, RJ. (2004) Trichloroethylene and liver tumors in mice. In: Proceedings of new scientific research related to the health effects of trichloroethylene, 26–27 February 2004, Washington DC. Washington, DC:U.S. Environmental Protection Agency. Available online at <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=75934> [accessed 3 August 2006].
- Bull, RJ. (2000) Mode of action of liver tumor induction by trichloroethylene and its metabolites, trichloroacetate and dichloroacetate. *Environ Health Persp* 108(Suppl 2):241–259.
- Bull, RJ; Orner, GA; Cheng, RS; et al. (2002) Contribution of dichloroacetate and trichloroacetate to liver tumor induction in mice by trichloroethylene. *Toxicol Appl Pharmacol* 182:55–65.
- Bunce, NJ; Schneider, UA. (1994) Chemical lifetimes of chlorinated aliphatic priority pollutants in the Canadian troposphere. *J Photochem Photobiol A Chem A: Chemistry* 81:93–101.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Burg, JA; Gist, GL. (1997) The potential impact on women from environmental exposures. *J Womens Health* 6(2):159–161.
- Burg, JR; Gist, GL; Allred, SL; et al. (1995) The National Exposure Registry – Morbidity analyses of noncancer outcomes from the trichloroethylene subregistry baseline data. *Int J Occup Med Toxicol* 4(2):237–257.
- Burg, JR; Gist, GL. (1999) Health effects of environmental contaminant exposure: an intrafile comparison of the Trichloroethylene Subregistry. *Arch Environ Health* 54(4):231–241.
- Burmester, DE. (1982) The new pollution-groundwater contamination. *Environment* 24(2):6–36.
- Butler, T.C. (1949) Metabolic transformations of trichloroethylene. Presented in part at the 39th Annual Meeting of the American Society for Pharmacology and Experimental Therapeutics, April 22, 1949. *Fed Proc* 8:278.
- Buxton, P.H.; Hayward, M. (1967) Polyneuritis cranialis associated with industrial trichloroethylene poisoning. *J Neurol Neurosurg Psych* 30:511.
- Byers, VS; Levin, AS; Ozonoff, DM; et al. (1988) Association between clinical symptoms and lymphocyte abnormalities in a population with chronic domestic exposure to industrial solvent-contaminated domestic water supply and a high incidence of leukaemia. *Cancer Immunol Immunother* 27(1):77–81.
- Cai, H; Guengerich, P. (2001) Reaction of trichloroethylene oxide with proteins and DNA: instability of adducts and modulation of functions. *Chem Res Toxicol* 14:54–61.
- Cai, H; Guengerich, P. (1999) Mechanism of aqueous decomposition of trichloroethylene oxide. *J Am Chem Soc* 121:11656–11663.
- Cai, P; Konig, R; Boor, PJ; et al. (2008) Chronic exposure to trichloroethene causes early onset of SLE-like disease in female MRL +/+ mice. *Toxicol Appl Pharmacol* 228:68–75.
- Cai, P; Konig, R; Khan, MF; et al. (2007) Differential immune responses to albumin adducts of reactive intermediates of trichloroethene in MRL+/+ mice. *Toxicol Appl Pharmacol* 220:278–283.
- Cai, P; Konig, R; Khan, MF; et al. (2006) Autoimmune response in MRL+/+ mice following treatment with dichloroacetyl chloride or dichloroacetic anhydride. *Toxicol Appl Pharmacol* 216:248–255.
- Cai, H; Guengerich, FP. (2001) Reaction of trichloroethylene and trichloroethylene oxide with cytochrome P450 enzymes: Inactivation and sites of modification. *Chem Res Toxicol* 14:451–458.
- Cakmak, A; Ekici, A; Ekici, M; et al. (2004) Respiratory findings in gun factory workers exposed to solvents. *Respirat Med* 98:52–56.
- Caldwell, JC; Keshava, N; Evans, MV. (2008b) Difficulty of mode of action determination for trichloroethylene: an example of complex interactions of metabolites and other chemical exposures. *Environ Mol Mutagen* 49(2):142–54.
- Caldwell, JC; Keshava, N. (2006) Key issues in the modes of action and effects of trichloroethylene metabolites for liver and kidney tumorigenesis. *Environ Health Perspect* 114:1457–1463.
- Caldwell, PT; Thorne, PA; Johnson, PD; et al. (2008) Trichloroethylene disrupts cardiac gene expression and homeostasis in rat myocytes. *Toxicol Sci* 104(1):135–143.
- Callen, DF; Wolf, CR; Philpot, RM. (1980) Cytochrome P-450-mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res* 77:55–63.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Calvisi, DF; Ladu, S; Gorden, A; et al, SS. (2007) Mechanistic and prognostic significance of aberrant methylation in the molecular pathogenesis of human hepatocellular carcinoma. *J Clin Invest* 117(9):2713–2711.

Cao, K; Hollenbach, J; Shi, X; et al. (2001) Analysis of the frequencies of HLA-A, B, and C alleles and haplotypes in the five major ethnic groups of the United States reveals high levels of diversity in these loci and contrasting distribution patterns in these populations. *Hum Immunol* 62(9):1009–30.

Carney, EW; Thorsrud, BA; Dugard, PH; et al. (2006) Developmental toxicity studies in Crl:CD (SD) rats following inhalation exposure to trichloroethylene and perchloroethylene. *Birth Defects Research (Part B)* 77:405–412.

Carpenter, SP; Lasker, JM; Raucy, JL. (1996) Expression, induction, and catalytic activity of the ethanol-inducible cytochrome P450 (CYP2E1) in human fetal liver and hepatocytes. *Mol Pharmacol* 49(2):260–268.

Carrieri, M; Magosso, D; Piccoli, P; et al. (2007) Acute nonfatal intoxication with trichloroethylene. *Arch Toxicol* 81:529–32.

Carter, JH; Carter, HW; DeAngelo, AB. (1995) Biochemical pathologic and morphometric alterations induced in male B6C3F1 mouse liver by short-term exposure to dichloroacetic acid. *Toxicol Lett* 81:55–71.

Carter, JH; Carter, HW; Deddens, JA; et al. (2003) A 2-year dose-response study of lesion sequences during hepatocellular carcinogenesis in the male B6C3F1 mouse given the drinking water chemical dichloroacetic acid. *Environ Health Perspect* 111(1):53–64.

CDHS (California Department of Health Services). (1986) Organic chemical contamination of large public water systems in California. California Department of Health Services, Sacramento, CA.

Chakrabarti, SK; Tuchweber, B. (1988) Studies of acute nephrotoxic potential of trichloroethylene in Fischer 344 rats. *J Toxicol Environ Health* 23:147–158.

Chalupa, B.; Synkova, J.; Sevcik, M. (1960) The assessment of electroencephalographic changes in memory disturbances in acute intoxications with industrial poisons. *Brit J Ind Med* 17:238.

Chang, LW; Daniel, FB; DeAngelo, AB. (1992) Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chlorinated acetic acids and chlorinated acetaldehydes. *Environ Mol Mutagen* 20L:277–288.

Chang, Y-M; Tai, C-F; Yang, S-C; et al. (2003) A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. *Ann Epidemiol* 13:652–660.

Chang, Y-M; Tai, C-F; Yang, S-C; et al. (2005) Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. *J Occup Health* 47:171–180.

Chang, LW; Daniel, FB; DeAngelo, AB. (1992) Analysis of DNA strand breaks induced in rodent liver in vivo, hepatocytes in primary culture, and a human cell line by chloroacetic acids and chloroacetaldehydes. *Environ Mol Mutagen* 20:277–288.

Channel, SR; Latendresse, JR; Kidney, JK; et al. (1998) A subchronic exposure to trichloroethylene causes lipid peroxidation and hepatocellular proliferation in male B6C3F1 mouse liver. *Toxicol Sci* 43:145–154.

Chapin, RE; Norton, RM; Popp, JA; et al. (1982) The effect of 2,5-hexanedione on reproductive hormones and testicular enzyme activities in the F344 rat. *Toxicol Appl Pharmacol* 62:262–272.

Chapin, RE; Sloane, RA. (1996) Reproductive assessment by continuous breeding: evolving study design and summaries of eighty-eight studies. *Environ Health Perspect* 104(Suppl. 2):1–7.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Charbonneau Mm Couture, J; Plaa, GL. (1991) Inhalation versus oral administration of acetone: effect of the vehicle on the potentiation of CCL4- induced liver injury. *Toxicol Lett* 57:47–54.

Charbotel, B; Fevotte, J; Hours, M; et al. (2005) Case-control study on renal cell cancer and occupational trichloroethylene exposure, in the Arve valley (France). Final report. Submitted to U.S. EPA by Paul Dugard, Ph.D., Halogenated Solvents Industry Alliance. #8EHQ-1105-16030.

Charbotel, B; Fevotte, J; Hours, M; et al. (2006) Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part II: Epidemiological aspects. *Ann Occup Hyg* 50(8):777–787.

Charbotel, B; Fevotte, J; Martin, JL; et al. (2009) Cancer du rein et expositions au trichloroethylene: les valeurs limites d'exposition professionnelle françaises en vigueur sont-elles adaptées. *Rev Epidemiol Sante Publique* 57:41–47.

Charbotel, B; Gad, S; Caïola, D; et al. (2007) Trichloroethylene exposure and somatic mutations of the VHL gene in patients with Renal Cell Carcinoma. *J Occup Med Toxicol* 2:13.

Chemical Marketing Reporter (1997) Chemical profile trichloroethylene. Dec 8, 1997. NY, NY: Schnell Pub Co.

Chen, C; Cheung, ST; So, S; et al. (2002) Gene expression patters in human liver cancers. *Mol Biol Cell* 13:1929–1939.

Chen, CW; (2000) Biologically based dose-response model for liver tumors induced by trichloroethylene. *Environ Health Perspect* 108(Suppl 2):335–342.

Chen, SJ; Wang, JL; Chen, JH; et al. (2002) Possible involvement of glutathione and p53 in trichloroethylene- and perchloroethylene-induced lipid peroxidation and apoptosis in human lung cancer cells. *Free Radic Biol Med* 33(4):464–472.

Chen, Y ; Cai, J ; Anders, MW ; et al. (2001) Role of mitochondrial dysfunction in S-(1,2-dichlorovinyl)-L-cysteine-induced apoptosis. *Toxicol Appl Pharmacol* 170:172–180.

Cherrie, JW; Kromhout, H; Semple, S. (2001) The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer. *J Cancer Res Clin Oncol* 127:400–404.

Chia, SE; Goh, VH; Ong, CN. (1997) Endocrine profiles of male workers with exposure to trichloroethylene. *Am J Ind Med* 32(3):217–222.

Chia, SE; Ong, CN; Tsakok, MF; et al. (1996) Semen parameters in workers exposed to trichloroethylene. *Reprod Toxicol* 10(4):295–299.

Chieco, P; Moslen, MT; Reynolds, ES. (1981) Effect of administration vehicle on oral 1,1-dichloroethane toxicity. *Toxicol Appl Pharm* 57:146–155.

Chiesa, R; Donato, F; Tagger, A; et al. (2000) Etiology of hepatocellular carcinoma in Italian patients with and without cirrhosis. *Cancer Epidemiol Biomarkers Prev* 9:213–216.

Chiu, BC; Weisenburger, DD. (2003) An update of the epidemiology of non-Hodgkin's lymphoma. *Clin Lymphoma* 4:161–168.

Chiu, WA; Bois, FY. (2007) An approximate method for population toxicokinetic analysis with aggregated data. *J Agric Biol Environ Stat* 12:346–363.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Chiu, WA; Okino, MS; Lipscomb, JC; et al. (2006) Issues in the pharmacokinetics of trichloroethylene and its metabolites. *Environ Health Perspect* 114:1450–1456.

Chiu, WA; White, P. (2006) Steady-state solutions to PBPK models and their applications to risk assessment I: Route-to-route extrapolation of volatile chemicals. *Risk Anal* 26:769–780.

Chiu, WA. (2006) Statistical issues in physiologically-based pharmacokinetic modeling. *Toxicokinetics and Risk Assessment*, ed. Lipscomb, JC, Ohanian, EV. New York: Informa Healthcare. p. 269–284.

Chiu, WA; Micallef, S.; Monster, AC; et al. (2007) Toxicokinetics of inhaled trichloroethylene and tetrachloroethylene in humans at 1 ppm: empirical results and comparisons with previous studies. *Toxicol Sci* 95:23–36.

Chiu, WA; Okino, MS; Lipscomb, JC; et al. (2006) Issues in the pharmacokinetics of trichloroethylene and its metabolites. *Environ Health Perspect* 114:1450–1456.

Chiu, WA; Okino, MS; Evans, MV. (2009) Characterizing uncertainty and population variability in the toxicokinetics of trichloroethylene and metabolites in mice, rats, and humans using an updated database, physiologically based pharmacokinetic (PBPK) model, and Bayesian approach. *Toxicol Appl Pharmacol*. doi:10.1016/j.taap.2009.07.032. (In Press)

Chow, WH; Devesa, SS. (2008) Contemporary epidemiology of renal cell cancer. *Cancer J*. 14(5):288–301.

Chow, WH; Gridley, G; McLaughlin, JK; et al. (1994) Protein intake and risk of renal cell cancer. *J Natl Cancer Inst* 86:1131–1139.

Cicmanec, JL; Condie, LW; Olson, GR; et al. (1991) 90-Day toxicity study of dichloroacetate in dogs. *Fundam Appl Toxicol* 17:376–389.

Clapp, RW; Hoffman, K. (2008) Cancer mortality in IBM Endicott IBM workers, 1969–2001; an update on a NY production plant. *Environ Health* 7:13.

Clay, P (2008) Assessment of the genotoxicity of trichloroethylene and its metabolite, S-(1,2-dichlorovinyl)-L-cysteine (DCVC), in the comet assay in rat kidney. *Mutagenesis* 23(1):27–33.

Clegg, ED; Cook, JC, Chapin, RE; et al. (1997) Leydig cell hyperplasia and adenoma formation: mechanisms and relevance to humans. *Reprod Toxicol* 11(1):107–121.

Clewell, HJ; Anderson, ME. (2004) Applying mode-of-action and pharmacokinetic considerations in contemporary cancer risk assessments: an example with trichloroethylene. *Crit Rev Toxicol* 34(5):385–445.

Clewell, HJ, 3<sup>rd</sup>; Gentry, PR; Covington, TR; et al. (2000) Development of a physiologically based pharmacokinetic model of trichloroethylene and its metabolites for use in risk assessment. *Environ Health Persp* 108(Suppl 2):283–305.

Clewell, HJ, 3<sup>rd</sup>; Andersen, ME; Barton, HA. (2002) A consistent approach for the application of pharmacokinetic modeling in cancer and noncancer risk assessment. *Environ Health Perspect* 110:85–93.

Coberly, S; Oudiz, DJ; Overstreet, JW; et al. (1992) Effects of maternal exposure to trichloroethylene (TCE) on cell proliferation in the mouse preimplantation embryo. *Reprod Toxicol* 6:241–245.

Cohn, P; Klotz, J; Bove, F; et al. (1994) Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect* 102(6–7):556–561.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Cojocel, C; Beuter, W; Muller, W; et al. (1989) Lipid peroxidation: a possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology* 55:131–141.
- Collier, JM; Selmin, O; Johnson, PD; et al. (2003) Trichloroethylene effects on gene expression during cardiac development. *Birth Defects Res A Clin Mol Teratol* 67:488–495.
- Colt, JS; Blair, A. (1998) Parental occupational exposures and risk of childhood cancer. *Environ Health Perspect* 106(Suppl 3):909–925.
- Commandeur, JN; Vermeulen, NP. (1990) Identification of *N*-acetyl(2,2-dichlorovinyl)- and *N*-acetyl(1,2-dichlorovinyl)-L-cysteine as two regioisomeric mercapturic acids of trichloroethylene in the rat. *Chem Res Toxicol* 3(3):212–218.
- Cook, JC; Klinefelter, GR; Hardisty, JF; et al. (1999) Rodent Leydig cell tumorigenesis: a review of the physiology, pathology, mechanisms, and relevance to humans. *Crit Rev Toxicol* 29:169–261.
- Cooper, GS; Miller, FW; Pandey, JP. (1999) The role of genetic factors in autoimmune disease: implications for environmental research. *Environ Health Perspect* 107(Suppl 5):693–700.
- Cooper, GS; Parks, CG; Treadwell, EL; et al. (2004) Occupational risk factors for the development of systemic lupus erythematosus. *J Rheumatol* 31:1928–1933.
- Cooper, GS, Stroehla, BC. (2003) The epidemiology of autoimmune diseases. *Autoimmun Rev* 2:119–125.
- Cooper, AJ. (2004) The role of glutamine transaminase k (GTK) in sulfur and alpha-keto acid metabolism in the brain, and in the possible bioactivation of neurotoxicants. *Neurochem Int* 44(8):557–577.
- Coopman, VAE; Cordonnier, JACM; De Letter, EA; et al. (2003) Tissue distribution of trichloroethylene in a case of accidental acute intoxication by inhalation. *Forensic Sci Int* 134:115–119.
- Cornett, R; James, MO; Henderson, GN; et al. (1999) Inhibition of glutathione S-transferase zeta and tyrosine metabolism by dichloroacetate: a potential unifying mechanism for its altered biotransformation and toxicity. *Biochem Biophys Res Commun* 262:752–756.
- Corton JC; Lapinskas, PJ. (2005) Peroxisome proliferator receptors: mediators of phthalate ester-induced effects in the male reproductive tract? *Toxicol Sci* 83:4–17.
- Corton, JC. (2008) Evaluation of the role of peroxisome proliferator-activated receptor alpha (PPARalpha) in mouse liver tumor induction by trichloroethylene and metabolites. *Crit Rev Toxicol* 38(10):857–875.
- Cosby, NC; Dukelow, WR. (1992) Toxicology of maternally ingested trichloroethylene (TCE) on embryonal and fetal development in mice and of TCE metabolites on *in vitro* fertilization. *Fundam Appl Toxicol* 19:268–274.
- Costa, AK; Ivanetich, KM. (1984) Chlorinated ethylenes: their metabolism and effect on DNA repair in rat hepatocytes. *Carcinogenesis* 5(12):1629–1636.
- Costa, G.; Merletti, F; Segnan, N. (1989) A mortality cohort study in a north Italian aircraft factory. *Br J Ind Med* 46:738–743.
- Costantini, AS; Benvenuti, A; Vineis, P; et al. (2008) Risk of leukemia and multiple myeloma associated with exposure to benzene and other organic solvents: Evidence from the Italian Multicenter Case-control study. *Am J Ind Med* 51:803–811.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Costas, K; Knorr, RS; Condon, SK. (2002) A case-control study of childhood leukemia in Woburn, Massachusetts: the relationship between leukemia incidence and exposure to public drinking water. *Sci Total Environ* 300(1-3):23-35.
- Counts, JL; Sarmiento, JI; Harbison, ML; et al. (1996) Cell proliferation and global methylation status in mouse liver after phenobarbital and/or choline devoid, methionine deficient diet administration. *Carcinogenesis* 17(6):1251-1257.
- Crebelli, R; Bignami, M; Conti, L; et al. (1982) Mutagenicity of trichloroethylene in *Salmonella typhimurium* TA100. *Ann Ist Super Sanita* 18(1):117-121.
- Crebelli, R; Carere, A. (1989) Genetic toxicology of 1,1,2-trichloroethylene. *Mutat Res* 221:11-37.
- Crebelli, R; Conti, G; Conti, L; et al. (1991) In vitro studies with nine known or suspected spindle poisons: results in tests for chromosome malsegregation in *Aspergillus nidulans*. *Mutagenesis*. 6(2):131-136.
- Crofton, KM; Lassiter, TL; Rebert, CS. (1994) Solvent-induced ototoxicity in rats: an atypical selective mid-frequency hearing deficit. *Hear Res* 80:25-30.
- Crofton, KM; Zhao, X. (1997) The ototoxicity of trichloroethylene: extrapolation and relevance of high-concentration, short-duration animal exposure data. *Fundam Appl Toxicol* 38(1):101-106.
- Cummings, BS; Parker, JC; Lash, LH. (2001) Cytochrome P450-dependent metabolism of trichloroethylene in rat kidney. *Toxicol Sci* 60:11-19.
- Cummings, BS; Lash, LH. (2000) Metabolism and toxicity of trichloroethylene and *S*-(1,2-dichlorovinyl)-L-cysteine in freshly isolated human proximal tubular cells. *Toxicol Sci* 53(2):458-466.
- Cummings, BS; Lasker, JM; Lash, LH. (2000a) Expression of glutathione-dependent enzymes and cytochrome P450s in freshly isolated and primary cultures of proximal tubular cells from human kidney. *J Pharmacol Exp Ther* 293:677-685.
- Cummings, BS; Parker, JC; Lash, LH. (2000a) Role of cytochrome P450 and glutathione *S*-transferase alpha in the metabolism and cytotoxicity of trichloroethylene in rat kidney. *Biochem Pharmacol* 59(5):531-543.
- Cummings, BS; Zangar, RC; Novak, RF; et al. (2000b) Cytotoxicity of trichloroethylene and *S*-(1, 2-dichlorovinyl)-L-cysteine in primary cultures of rat renal proximal tubular and distal tubular cells. *Toxicology* 150(1-3):83-98.
- Cutler, JJ; Parker, GS; Rosen, S; et al. (1986) Childhood leukemia in Woburn, Massachusetts. *Public Health Rep* 101(2):201-205.
- D'Souza, RW; Bruckner, JV; Feldman, S. (1985) Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Env Health* 15(5):587-601.
- Dahlgren, J; Takhar, H; Anderson-Mahoney, P; et al, R. (2007) Cluster of systemic lupus erythematosus (SLE) associated with an oil field waste site: a cross sectional study. *Environ Health* 6:8.
- Dai, Y; Leng, S; Li, L; et al. (2004) Genetic polymorphisms of cytokine genes and risk for trichloroethylene-induced severe generalized dermatitis: a case-control study. *Biomarkers* 9(6):470-478.
- Dalbey, W; Bingham, E. (1978) Metabolism of trichloroethylene by the isolated perfused lung. *Toxicol Appl Pharmacol* 43:267-277.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Dallas, CE; Gallo, JG; Ramanathan, R; et al. (1991) Physiological pharmacokinetic modeling of inhaled trichloroethylene in rats. *Toxicol Appl Pharm* 110:303–314.
- Damani, LA; Houdi, AA. (1988) Cytochrome P-450 and FAD-monoxygenase mediated S- and N-oxygenations. *Drug Metabol Drug Interact* 6(3–4):235–244.
- Daniel, FB; DeAngelo, AB; Stober, JA; et al. (1992) Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F1 mouse. *Fundam Appl Toxicol* 19:159–168.
- Darnerud, P; Brandt, I; Feil, V; et al. (1989) Dichlorovinyl cysteine (DCVC) in the mouse kidney: tissue-binding and toxicity after glutathione depletion and probenecid treatment. *Arch Toxicol* 63:345–350.
- Das, RM; Scott, JE. (1994) Trichloroethylene-induced pneumotoxicity in fetal and neonatal mice. *Toxicol Lett* 73:227–239.
- David, RM; Clewell, HJ; Gentry, PR; et al. (2006) Revised assessment of cancer risk to dichloromethane II. Application of probabilistic methods to cancer risk determinations. *Regul Toxicol Pharmacol* 45:55–65.
- Davidson, IW; Beliles, RP. (1991) Consideration of the target organ toxicity of trichloroethylene in terms of metabolite toxicity and pharmacokinetics. *Drug Metab Rev* 23(5–6):493–599.
- Davis, SI; Laszlo Pallos, L; Wu, JQ; et al. (2005) ATSDR's trichloroethylene subregistry methods and results: 1989–2000. *Arch Environ Occup Health* 60(3):130–139.
- Davis, RR; Murphy, WJ; Snawder, JE; et al. (2002) Susceptibility to the ototoxic properties of toluene is species specific. *Hearing Res* 166(1–2):24–32.
- Dawson, BV; Johnson, PD; Goldberg, SJ; et al. (1990) Cardiac teratogenesis of trichloroethylene and dichloroethylene in a mammalian model. *J Am Coll Cardiol* 16(5):1304–1309.
- Dawson, BV, Johnson, PD, Goldberg, SJ, et al. (1993) Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. *J Am Coll Cardiol* 21(6):1466–1472.
- De Baere, S; Meyer, E; Dirinck, I; et al. (1997) Tissue distribution of trichloroethylene and its metabolites in a forensic case. *J Anal Toxicol* 21:223–227.
- de Jong, PE; Brenner, BM. (2004) From secondary to primary prevention of progressive renal disease: the case for screening for albuminuria. *Kidney Int.* 66(6):2109–2118.
- De Roos, AJ; Olshan, AF; Teschke, K; et al. (2001) Parental occupational exposures to chemicals and incidence of neuroblastoma in offspring. *Am J Epidemiol* 154(2):106–114. .
- Deane, M; Swan, SH; Harris, JA; et al. (1989) Adverse pregnancy outcomes in relation to water contamination, Santa Clara County, California, 1980–1981. *Am J Epidemiol* 129(5):894–904.
- DeAngelo, AB, Daniel, FB; Wong, DM; et al. (2008) The induction of hepatocellular neoplasia by trichloroacetic acid administered in the drinking water of the male B6C3F1 mouse. *J Toxicol Environ Health Part A* 71:1056–1068.
- DeAngelo, AB; George, MH; House, DE. (1999) Hepatocarcinogenicity in the male B6C3F1 mouse following a lifetime exposure to dichloroacetic acid in the drinking water: dose-response determination and modes of action. *J Toxicol Environ Health* 58:485–507.
- DeAngelo, AB; Daniel, FB; McMillan, L; et al. (1989) Species and strain sensitivity to the induction of peroxisome proliferation by chloroacetic acids. *Toxicol Appl Pharmacol* 101:285–298.

*This document is a draft for review purposes only and does not constitute Agency policy.*

DeAngelo, AB; Daniel, FB; Most, BM; et al. (1996) The carcinogenicity of dichloroacetic acid in the male Fischer 344 rat. *Toxicology* 114:207–221.

DeAngelo, AB; Daniel, FB; Most, BM; et al. (1997) Failure of monochloroacetic acid and trichloroacetic acid administered in the drinking water to produce liver cancer in male F344/N rats. *J Toxicol Environ Health* 52:425–445.

Deerberg F; Muller-Peddinghaus, R. (1970) [Comparative studies on the occurrence of spontaneous diseases and spontaneous deaths in conventional and specific germ-free female NMRI-HAN mice]. *Z Versuchstierkd* 12:341–347.

Deerberg, F; Pittermann, W; Rapp, K. (1974) [Lung tumor in the mouse: a progressive tumor]. *Vet Pathol* 11:430–441.

Dees, C; Travis, C. (1993) The mitogenic potential of trichloroethylene in B6C3F1 mice. *Toxicol Lett* 69:129–137.

Degrassi, F; Tanzarella, C. (1988) Immunofluorescent staining of kinetochores in micronuclei: a new assay for the detection of aneuploidy. *Mutat Res* 203(5):339–345.

Dehon, B; Humbert, L; Devisme, M; et al. (2000) Tetrachloroethylene and trichloroethylene fatality: case report and simple headspace SPME–capillary gas chromatographic determination in tissues. *J Anal Toxicol* 24:22–26.

Dekant, W; Vamvakas, S; Berthold, K; et al. (1986) Bacterial beta-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene and hexachlorobutadiene. *Chem Biol Interact.* 60(1):31–45.

Dekant, W; Berthold, K; Vamvakas, K; et al. (1988) Thioacylating intermediates as metabolites of *S*-(1,2-dichlorovinyl)-L-cysteine and *S*-(1,2,2-trichlorovinyl)--cysteine formed by cysteine conjugate  $\beta$ -lyase. *Chem Res Toxicol* 1:175–178.

Dekant, W; Koob, M; Henschler, D. (1990) Metabolism of trichloroethene – *in vivo* and *in vitro* evidence for activation by glutathione conjugation. *Chem Biol Interact* 73:89–101.

Dekant, W; Metzler, M; Henschler, D. (1984) Novel metabolites of trichloroethylene through dechlorination reactions in rats, mice and humans. *Biochem Pharmacol* 33(13):2021–2027.

Dekant, W; Metzler, M; Henschler, D. (1986b) Identification of *S*-1,2-dichlorovinyl-*N*-acetyl-cysteine as a urinary metabolite of trichloroethylene: a possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol* 35(15):2455–2458.

Dekant, W; Schulz, A; Metzler, M; et al. (1986a) Absorption, elimination and metabolism of trichloroethylene: a quantitative comparison between rats and mice. *Xenobiotica* 16(2):143–152.

Delahunt, B; Bethwaite, PB; Nacey, JN. (1995) Occupational risk for renal cell carcinoma: A case-control study based on the New Zealand Cancer Registry. *Br J Urol* 75:578–582.

DeMarini, DM; Perry, E; Shelton, ML. (1994) Dichloroacetic acid and related compounds: induction of prophage in *E. coli* and mutagenicity and mutation spectra in *Salmonella* TA100. *Mutagenesis* 9(5):429–437.

DerSimonian, R; Laird, N. (1986) Meta-analysis in clinical trials. *Control Clin Trials* 7:177–188.

Ding, R; Shen, T; Zhu, QX. (2006) [Effects of TCE and PCE on cultured human keratinocyte lipid peroxidation and protective effect of vitamin E on it]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 24(11):662–665.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Diot, E; Lesire, V; Guilmot, JL; et al. 2002. Systemic sclerosis and occupational risk factors: a case-control study. *Occup Environ Med* 59:545–549.
- DiRenzo, AB; Gandolfi, AJ; Sipes, IG. (1982) Microsomal bioactivation and covalent binding of aliphatic halides to DNA. *Toxicol Lett* 11:243–252.
- Dix, KJ; Kedderis, GL; Borghoff, SJ. (1997) Vehicle-dependent oral absorption and target tissue dosimetry of chloroform in male rats and female mice. *Toxicol Lett* 91:197–209.
- Dohn, DR; Anders, MW. (1982) Assay of cysteine conjugate  $\beta$ -lyase activity with *S*-(2-benzothiazolyl)cysteine as the substrate. *Anal Biochem* 120:379–386.
- Dorfmüller, MA; Henne, SP; York, G; et al. (1979) Evaluation of teratogenicity and behavioral toxicity with inhalation exposure of maternal rats to trichloroethylene. *Toxicology* 14:153–166.
- Dorne, JL; Walton, K; Renwick, AG. (2005) Human variability in xenobiotic metabolism and pathway-related uncertainty factors for chemical risk assessment: a review. *Food Chem Toxicol* 43(2):203–216.
- Dosemeci, M; Cocco, P; Chow, WH. (1999) Gender differences in risk of renal cell carcinoma and occupational exposures to chlorinated aliphatic hydrocarbons. *Am J Ind Med* 36(1):54–59.
- Dossing, M; Petersen, KT; Vyberg, M; et al. (1997) Liver cancer among employees in Denmark. *Am J Ind Med* 32:248–254.
- Douglas, GR; Gingerich, JD; Soper, LM; et al. (1999) Evidence for the lack of base-change and small-deletion mutation induction by trichloroethylene in lacZ transgenic mice. *Environ Mol Mutagen*. 34(2–3):190–194.
- Dow, JL; Green, T. (2000) Trichloroethylene induced vitamin B(12) and folate deficiency leads to increased formic acid excretion in the rat. *Toxicology* 146:123–136.
- Dowsley, TF; Ulreich, JB; Bolton, JL; et al. (1996) CYP2E1-dependent bioactivation of 1,1-dichloroethylene in murine lung: formation of reactive intermediates and glutathione conjugates. *Toxicol Appl Pharm* 139(1):42–48.
- Drake, VJ; Koprowski, SL; Hu, N; et al. (2006b) Cardiogenic effects of trichloroethylene and trichloroacetic acid following exposure during heart specification of avian development. *Toxicol Sci* 94(1):153–162.
- Drake, VJ; Koprowski, SL; Lough, J; et al. (2006a) Trichloroethylene exposure during cardiac valvuloseptal morphogenesis alters cushion formation and cardiac hemodynamics in the avian embryo. *Environ Health Perspect* 114(6):842–847.
- Driscoll, TR; Hamdan, HH; Wang, G; et al. (1992) Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med* 49:700–705.
- Dryver, E; Brandt, L; Kauppinen, T; et al. (2004) Occupational exposures and non-Hodgkin's lymphoma in Southern Sweden. *Int J Occup Environ Health* 10:13–21.
- D'Souza, RW; Bruckner, JV; Feldman, S. (1985) Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health* 15(5):587–601.
- Duffell, MW; Jakobi, WB. (1982) Cysteine *s*-conjugate *n*-acetyltransferase from rat kidney microsomes. *Mol Pharmacol* 21:444–448.
- Dugard, PH. (2000) Letters to the Editor. *Toxicol Sci* 56:437–438.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- DuTeaux, SB; Berger, T; Hess, RA; et al. (2004b) Male reproductive toxicity of trichloroethylene: sperm protein oxidation and decreased fertilizing ability. *Biol Reprod* 70:1518–1526.
- DuTeaux, SB; Berger, T; Hess, RA; et al. (2008) CORRECTION: Male reproductive toxicity of trichloroethylene: sperm protein oxidation and decreased fertilizing ability. *Biol Reprod* 79:787. (dosage error in text).
- DuTeaux, SB; Hengel, MJ; DeGroot, DE; et al. (2003) Evidence for trichloroethylene bioactivation and adduct formation in the rat epididymis and efferent ducts. *Biol Reprod* 69:771–779.
- DuTeaux, SB; Newman, JW; Morisseau, C; et al. (2004a) Epoxide hydrolases in the rat epididymis: possible roles in xenobiotic and endogenous fatty acid metabolism. *Toxicol Sci* 78:187–195.
- Eastmond, DA; Tucker, JD. (1989) Identification of aneuploidy-inducing agents using cytokinesis-blocked human lymphocytes and an antikinetochore antibody. *Environ Mol Mutagen* 13(1):34–43.
- Eastmond, DA; Hartwig, A; Anderson, D; et al. (2009) Mutagenicity testing for chemical risk assessment: update of the WHO/IPCS Harmonized Scheme. *Mutagenesis*: 24(4):341–349.
- Eichenlaub-Ritter, U; Baart, E.; Yin, H; et al. (1996) Mechanisms of spontaneous and chemically-induced aneuploidy in mammalian oogenesis: Basis of sex-specific differences in response to aneugens and the necessity for further tests. *Mutat Res* 372:279–294.
- El Ghawabi, SM; Mansoor, MB; El Gamel, MS; et al. (1973) Chronic trichloroethylene exposure. *J Egypt Med Assoc* 56(11–12):715–724.
- Elcombe, CR; Rose, MS; Pratt, IS. (1985) Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol* 79:365–376.
- Elfarra, AA; Krause, RJ; Last, AR; et al. (1998) Species- and sex-related differences in metabolism of trichloroethylene to yield chloral and trichloroethanol in mouse, rat, and human liver microsomes. *Drug Metab Dispos* 26(8):779–785.
- Elfarra, AA;Hwang, IY. (1990) *In vivo* metabolites of *S*-(2-benzothiozoly)–cysteine as markers of *in vivo* cysteine conjugate  $\beta$ -lyase and thiol glucuronosyl transferase activities. *Drug Metab Dispos* 18(6):917–922.
- Elfarra, AA; Anders, MW. (1984) Commentary. Renal processing of glutathione conjugates role in nephrotoxicity. *Biochem Pharmacol* 33(23):3729–3732. .
- Elfarra, AA;Lash, LH; Anders, MW. (1986b)  $\alpha$ -Ketoacids stimulate rat renal cysteine conjugate  $\beta$ -lyase activity and potentiate the cytotoxicity of *S*-(1,2-dichlorovinyl)-L-cysteine. *Mol Pharmacol* 31:208–212.
- Elfarra, AA; Jakobson, I; Anders, MW. (1986a) Mechanism of *S*-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol* 35(2):283–288.
- El-Ghawabi, SM; Mansoor, MB; El Gamel, MS; et al. (1973) Chronic trichloroethylene exposure. *J Egypt Med Assoc* 56(11–12):715–724.
- Elizur, A; Adair-Kirk, TL; Kelley, DG; et al. (2008) Tumor necrosis factor-alpha from macrophages enhances LPS-induced clara cell expression of keratinocyte-derived chemokine. *Am J Respir Cell Mol Biol* 38:8–15 (Epub).
- Elovaara, G; Hemminki, K; Vainio, H. (1979) Effects of methylene chloride, trichloroethane, trichloroethylene, tetrachloroethylene and toluene on the development of chick embryos. *Toxicology* 12:111–119.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- El-Serag, HB; Rudolph, KL. (2007) Hepatocellular carcinoma: epidemiology and molecular carcinogenesis. *Gastroenterology* 132:2557–2576.
- El-Serag, HB. (2007) Epidemiology of hepatocellular carcinoma in USA. *Hepatology Res* 37(Suppl 2):S88–S94.
- Engel, LS; Vaughan, TL; Gammon, MD; et al. (2002) Occupational risk of esophageal and gastric cardia adenocarcinoma. *Am J Ind Med* 42:11–22.
- Environmental Health Strategies.. (1997) Final Report. Correspondence from Paul A. Cammer, Ph.D., Trichloroethylene Issues Group, to Cheryl Siegel Scott, US Environmental Protection Agency. December 22, 1997.
- Epstein, DL; Nolen, GA; Randall, JL; et al. (1992) Cardiopathic effects of dichloroacetate in the fetal Long-Evans rat. *Teratology* 46:225–235.
- Ertle, T; Henschler, D; Müller, G; et al. (1972) Metabolism of trichloroethylene in man. I. The significance of trichloroethanol in long-term exposure conditions. *Arch Toxikol* 29:171–188.
- Evans, MV; Chiu, WA; Okino, MS; et al. Development of an updated PBPK model for trichloroethylene and metabolites in mice, and its application to discern the role of oxidative metabolism in TCE-induced hepatomegaly. *Toxicol Appl Pharmacol* 236:329–340.
- Evert, M; Schneider-Stock, R; Dombrowski, F. (2003) Apolipoprotein A-IV mRNA overexpression in early preneoplastic hepatic foci induced by low-number pancreatic islet transplants in streptozotocin-diabetic rats. *Pathol Res Pract* 199(6):373–379.
- Eyre, RJ; Stevens, DK; Parker, JC; et al. (1995a) Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. *J Toxicol Environ Health* 46(4):443–464.
- Eyre, RJ; Stevens, DK; Parker, JC; et al. (1995a) Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F1 mice. *J Toxicol Environ Health* 46:465–481.
- Fagliano, J; Berry, M; Bove, F; et al. 1990 Drinking water contamination and the incidence of leukemia: an ecologic study. *Am J Public Health* 80(10):1209–1212.
- Fahrig, R; Madle, S; Baumann, H. (1995) Genetic toxicology of trichloroethylene (TCE). *Mutat Res* 340:1–36.
- Fairman, MJ; Scott, BB; Toothill, C; et al. (1977) Jejunal mucosal gamma glutamyl transferase activity in coeliac disease. *Gut*. 18(6):484–487.
- Falk Filipsson, A; Victorin, K. (2003) Comparison of available benchmark dose softwares and models using trichloroethylene as a model substance. *Regul Toxicol Pharmacol* 37(3):343–55.
- Fan, AM. (1988) Trichloroethylene: water contamination and health risk assessment. *Rev Environ Contam Toxicol* 101:55–92.
- Fattovich, G; Stroffolini, T; Zagni, I; et al. (2004) Hepatocellular carcinoma in cirrhosis: incidence and risk factors. *Gastroenterology* 127:S35–S50.
- Fechter, LD; Liu, Y; Herr, et al. (1998) Trichloroethylene ototoxicity: Evidence for a cochlear origin. *Toxicol Sci* 42:28–35.
- Feitelson, MA.; Sun, B; Satiroglu-Tufan, NL; et al. (2002) Genetic mechanisms of hepatocarcinogenesis. *Oncogene* 21: 2593–2604.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Feldman, RG; Chirico-Post, J; Proctor, SP. (1988) Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health* 43(2):143–148.
- Feldman, RG; Niles, C; Proctor, SP; et al. (1992) Blink reflex measurement of effects of trichloroethylene exposure on the trigeminal nerve. *Muscle Nerve* 15(4):490–495.
- Ferlay, J; Bray, F; Pisani, P; et al. (2004) GLOBOCAN 2002: cancer incidence, mortality and prevalence worldwide. IARC CancerBase No. 5, Version 2.0. Lyon, France: IARC Press.
- Fernandez, JG; Droz, PO; Humbert BE; et al. (1977) Trichloroethylene exposure. Simulation of uptake, excretion, and metabolism using a mathematical model. *Br J Ind Med* 34:43–55.
- Ferreira-Gonzalez DeAngelo, AB; Nasim, S; Garret, CT. (1995) Ras oncogene activation during hepatocarcinogenesis in B6 C3F1 male mice by dichloroacetic and trichloroacetic acids. *Carcinogenesis* 16(3):495–500.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; et al. (2006) Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg* 50(8):765–775.
- Figgs, LW; Dosemeci, M; Blair, A. (1995) United States non-Hodgkin's lymphoma surveillance by occupation 1984–1989: a twenty-four state death certificate study. *Am J Ind Med* 27:817–835.
- Filser, JG; Bolt, HM. (1979) Pharmacokinetics of halogenated ethylenes in rats. *Arch Toxicol* 42:123–136.
- Finckh, A; Cooper, GS; Chibnik, LB; et al. (2006) Occupational silica and solvent exposures and risk of systemic lupus erythematosus in urban women. *Arthritis Rheum* 54:3648–3654.
- Fiserova-Bergerova, V; Tichy, M; Di Carlo, FJ. (1984) Effects of biosolubility on pulmonary uptake and disposition of gases and vapors of lipophilic chemicals. *Drug Metab Rev* 15(5–6):1033–1070.
- Fisher J; Mahle, D; Bankston, L; et al. (1997) Lactational transfer of volatile chemicals in breast milk. *Am Ind Hyg Assoc J* 58(6):425–431.
- Fisher, JW; Allen, BC. (1993) Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal* 13(1):87–95.
- Fisher, JW; Mahle, D; Abbas, R. (1998) A human physiologically based pharmacokinetic model for trichloroethylene and its metabolites, trichloroacetic acid and free trichloroethanol. *Toxicol Appl Pharmacol* 152(2):339–359.
- Fisher, JW; Whittaker, TA; Taylor, DH; et al. (1990) Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 102(3):497–513.
- Fisher, JW; Whittaker, TA; Taylor, DH; et al. (1989) Physiologically based pharmacokinetic modeling of the pregnant rat: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99(3):395–414.
- Fisher JW. (2000) Physiologically based pharmacokinetic models for trichloroethylene and its oxidative metabolites. *Environ Health Perspect* 108(Suppl 2):265–273.
- Fisher, JW; Channel, SR; Eggers, JS; et al. (2001) Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: do they affect fetal rat heart development? *Int J Toxicol* 20:257–267.

*This document is a draft for review purposes only and does not constitute Agency policy.*



Fisher, JW; Gargas, ML; Allen, BC; et al. (1991) Physiologically based pharmacokinetic modeling with trichloroethylene and its metabolite, trichloroacetic acid, in the rat and mouse. *Toxicol Appl Pharm* 109:183–195.

Fleming-Jones, ME; Smith, RE. (2003) Volatile organic compounds in foods: A five year study. *J Agric Food Chem* 51:8120–8127.

Ford, ES; Rhodes, S; McDiarmid, M; et al. (1995) Deaths from acute exposure to trichloroethylene. *J Occup Environ Med* 37(6):750–754.

Forkert, PG; Baldwin, RM; Millen, B; et al. (2005) Pulmonary bioactivation of trichloroethylene to chloral hydrate: relative contributions of CYP2E1, CYP2F and CYP2B1. *Drug Metab Dispos* 33:1429–1437.

Forkert, PG; Birch, DW. (1989) Pulmonary toxicity of trichloroethylene in mice. *Drug Metabolism and Disposition* 17:106–113.

Forkert, PG; Forkert, L. (1994) Trichloroethylene induces pulmonary fibrosis in mice. *Can J Physiol Pharmacol* 72: 205–210.

Forkert, PG; Lash, L; Tardif, R; et al. (2003) Identification of trichloroethylene and its metabolites in human seminal fluid of workers exposed to trichloroethylene. *Drug Metab Dispos* 31(3):306–311.

Forkert, PG; Millen, B; Lash, LH; et al. (2006) Pulmonary bronchiolar cytotoxicity and formation of dichloroacetyl lysine protein adducts in mice treated with trichloroethylene. *J Pharmacol Exp Ther* 316:520–529.

Forkert, PG; Sylvestre, PL; Poland, JS. (1985) Lung injury induced by trichloroethylene. *Toxicology* 35:143–160.

Forkert, PG. (1999a) 1,1-Dichloroethylene-induced Clara cell damage is associated with in situ formation of the reactive epoxide. Immunohistochemical detection of its glutathione conjugate. *Am J Resp Cell Mol Biol* 20(6):1310–1318.

Forkert, PG. (1999b) *In vivo* formation and localization of 1,1-dichloroethylene epoxide in murine liver: identification of its glutathione conjugate 2-S-glutathionyl acetate. *J Pharmacol Exp Ther* 290(3):1299–1306.

Forkert, P-G; Baldwin, RM, Millen, B; et al. (2005) Pulmonary bioactivation of trichloroethylene to chloral hydrate: Relative contributions of CYP2E1, CYP2F, and CYP2B1. *Drug Metab Disp* 33(10):1429–1437.

Forkert, P-G; Lash, LH; Nadeau V; et al. (2002) Metabolism and toxicity of trichloroethylene in epididymis and testis. *Toxicol Appl Pharmacol* 182:244–254.

Forkert, PG; Malkinson, AM; Rice, P; et al. (1999) Diminished CYP2E1 expression and formation of 2-S-glutathionyl acetate, a glutathione conjugate derived from 1,1-dichloroethylene epoxide, in murine lung tumors. *Drug Metab Dispos* 27(1):68–73.

Forkert, PG; Millen, B; Lash, LH; et al. (2006) Pulmonary bronchiolar cytotoxicity and formation of dichloroacetyl lysine protein adducts in mice treated with trichloroethylene. *J Pharmacol Exp Ther* 316(2):520–529.

Fort, DJ; Rayburn, JR; DeYoung, DJ; et al. (1991) Assessing the efficacy of an aroclor 1254-induced exogenous metabolic activation system for FETAX. *Drug Chem Toxicol* 14(1&2):143–160.

Fort, DJ; Stover, EL; Rayburn, JR; et al. (1993) Evaluation of the developmental toxicity of trichloroethylene and detoxification metabolites using *Xenopus*. *Teratog Carcinog Mutagen* 13:35–45.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Fox, TR; Schumann, AM; Watanabe, PG; et al. (1990) Mutational analysis of H-ras oncogene in spontaneous C57Bl/6 X C3H/He mouse liver tumors and tumors induced with genotoxic and nongenotoxic hepatocarcinogens. *Cancer Res* 50:4014–4019.
- Fraga, MF; Ballestar, E; Villar-Garea, A; et al. (2005) Loss of acetylation at Lys16 and trimethylation at Lys20 of histone H4 is a common hallmark of human cancer. *Nat Genet* 37:391–400.
- Fraga, MF; Herranz, M; Espada, J; et al. (2004) A mouse skin multistage carcinogenesis model reflects the aberrant DNA methylation patterns of human tumors. *Cancer Res* 64:5527–5534.
- Franco, A; Costoya, MA; Roca, E. (2007) Estimating risk during showering exposure to VOCs of workers in a metal-degreasing facility. *J Toxicol Environ Health A* 70(7):627–637.
- Franco, JL; Teixeira, A; Meotti, FC; et al. (2006) Cerebellar thiol status and motor deficit after lactational exposure to methylmercury. *Environ Res* 102:22–28.
- Fredriksson, A; Danielsson, BRG; Eriksson, P. (1993) Altered behavior in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett* 66:13–19.
- Fuduka, K; Takemoto, K; Tsuruta, H. (1983) Inhalation carcinogenicity of trichloroethylene in mice and rats. *Ind Health* 21:243–254.
- Furge, KA; Dykema, K; Petillo, D; et al. (2007) Combining differential expression, chromosomal and pathway analyses for the molecular characterization of renal cell carcinoma. *Can Urol Assoc J(CUAJ)* 1(2 Suppl):S21–S27.
- Furnus, CC ; Ulrich, MA ; Terreros, MC ; et al. (1990) The induction of aneuploidy in cultured Chinese hamster cells by propionaldehyde and chloral hydrate. *Mutagenesis* 5(4):323–326.
- Fusco, JC; Afshari, AJ; George, MH; et al. (1996) In vivo genotoxicity of dichloroacetic acid: evaluation with the mouse peripheral blood micronucleus assay and the single cell gel assay. *Environ Mol Mutagen* 27(1):1–9.
- Gallou, C; Longuemaux, S; Deloménie, C; et al. (2001) Association of GSTT1 non-null and NAT1 slow/rapid genotypes with von Hippel-Lindau tumour suppressor gene transversions in sporadic renal cell carcinoma. *Pharmacogenetics* 11:521–535.
- Galloway, SM; Armstrong, MJ; Reuben, C; et al. (1987) Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: evaluations of 108 chemicals. *Environ Mol Mutagen* 10(Suppl 10):1–175.
- Gama, C; Meira, JB. (1978) Occupational acro-osteolysis. *J Bone Joint Surg Am* 60:86–90.
- Gamberale, F; Annwall, G; Olson, BA. (1976) Exposure to trichloroethylene III. Psychological functions. *Scand J Work Environ Health* 2(4):220–224.
- Gandhi, M; Aweeka, F; Greenblatt, RM; et al. (2004) Sex differences in pharmacokinetics and pharmacodynamics. *Annu Rev Pharmacol Toxicol* 44:499–523.
- GAO (U.S. Government Accountability Office). (2007a) Defense Health Care: Activities related to past drinking water contamination at Marine Corps Base Camp Lejeune. Report to Congressional Committees. GAO-07-276.
- GAO (U.S. Government Accountability Office). (2007b) Defense Health Care: Issues related to past drinking water contamination at Marine Corps Base Camp Lejeune. Statement of Marcia Crosse, Director, Health Care. Testimony before the Subcommittee on Oversight and Investigations, Committee on Energy and Commerce, House of Representatives. GAO-07-933T.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Garabrant, DH; Held, J; Langholz, B; et al. (1988) Mortality of aircraft manufacturing workers in southern California. *Am J Ind Med* 13:683–693.
- Garabrant, DH; Lacey, JV, Jr; Laing, TJ; et al. (2003) Scleroderma and solvent exposure among women. *Am J Epidemiol* 157(6):493–500.
- Gargas, ML; Seybold, PG; Andersen, ME. (1988) Modeling the tissue solubilities and metabolic rate constant (Vmax) of halogenated methanes, ethanes, and ethylenes. *Toxicol Lett* 43:235–256.
- Gargas, ML; Burgess, RJ; Voisard, DE; et al. (1989) Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. *Toxicol Appl Pharm* 98(1):87–99.
- Garte, S; Gaspari, L; Alexandrie, AK; et al (2001) Metabolic gene polymorphism frequencies in control populations. *Cancer Epidemiol Biomarkers Prev* 10(12):1239–1248.
- Gash, DM; Rutland, K; Hudson, NL; et al. (2008) Trichloroethylene: Parkinsonism and complex 1 mitochondrial neurotoxicity. *Ann Neurol* 63(2):184–192.
- Ge, R; Tao, L; Kramer, PM; et al (2002) Effect of peroxisome proliferators on the methylation and protein level of c-myc protooncogene in B6C3F1 mice liver. *J Biochem Mol Toxicol* 16(1):41–47.
- Ge, R; Yang, S; Kramer, PM; et al. (2001) The effect of dichloroacetic acid and trichloroacetic acid on DNA methylation and cell proliferation in B6C3F1 mice. *J Biochem Mol Toxicol* 15:100–106.
- Gelman, A; Bois, F; Jiang, J. (1996) Physiological pharmacokinetic analysis using population modeling and infromatibe prior distributions. *J Am Stat Assoc* 91:1400–1412.
- Gelman, A; Carlin, JB; Stern, HS; et al. (2004) Bayesian Data Analysis. New York: Chapman & Hall/CRC.
- George, J; Byth, K; Farrell, GC. (1995) Age but not gender selectively affects expression of individual cytochrome P450 proteins in human liver. *Biochem Pharmacol* 50(5):727–730.
- George, MH; Moore, T; Kilburn, S; et al. (2000) Carcinogenicity of Chloral hydrate administered in drinking water to the Male F344/N rat and Male B6C3F1 mouse. *Toxicol Pathol* 28(4):610–618.
- George, JD; Reel, JR; Myers, CB; et al. (1986) Trichloroethylene: reproduction and fertility assessment in F344 rats when administered in the feed. RTI Project No. 310-2344, NTP-86-085. National Institute of Environmental Health Sciences, National Toxicology Program, RTP, NC.
- Ghantous, H; Danielsson, BR; Dencker, L; et al. (1986) Trichloroacetic acid accumulates in murine amniotic fluid after tri- and tetrachloroethylene inhalation. *Acta Pharmacol Toxicol (Copenh)* 58(2):105–114.
- Ghoshal, AK; Farber, E. (1984) The induction of liver cancer by dietary deficiency of choline and methionine without added carcinogens. *Carcinogenesis*(10):1367–1370.
- Giardino, NJ; Andelman, JB. (1996) Characterization of the emissions of trichloroethylene, chloroform, and 1,2-dibromo-3-chloropropane in a full-size, experimental shower. *J Expo Anal Environ Epidemiol* 6(4):413–423.
- Gibson, DP; Aardema, MJ; Kerckaert, GA; et al. (1995) Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res* 343(1):7–24.
- Gilbert, KM; Griffin, JM; Pumford, NR. (1999) Trichloroethylene activates CD4+ T cells: potential role in an autoimmune response. *Drug Metab Rev* 31:901–916.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Gilbert, KM; Pumford, NR; Blossom, SJ. (2006) Environmental contaminant trichloroethylene promotes autoimmune disease and inhibits T-cell apoptosis in MRL(+/-) Mice. *J Immunotoxicol* 3:263–267.
- Gilbert, KM; Whitlow, AB; Pumford, NR. (2004) Environmental contaminant and disinfection by-product trichloroacetaldehyde stimulates T cells in vitro. *Int Immunopharmacol* 4:25–36.
- Gilkeson, GS; Keil, D; Peden-Adams, MM. (2004) Immune effects of trichloroethylene on autoimmune disease in mice. In: *Trichloroethylene – the scientific basis of risk assessment* (Mohr LC, Hoel DG, Jollow D, eds). Charleston, S.C.: The Medical University of South Carolina Press, 87–98.
- Giller, S; Le Curieux, F; Gauthier, L; Erb, F; Marzin, D. (1995) Genotoxicity assay of chloral hydrate and chloropicrine. *Mutat Res* 348(4):147–52.
- Giller, S; Le Curieux, F; Erb, F; et al. (1997) Comparative genotoxicity of halogenated acetic acids found in drinking water. *Mutagenesis* 12(5):321–328.
- Ginsberg, G; Hattis, D; Miller, R; et al. (2004a) Pediatric pharmacokinetic data: implications for environmental risk assessment for children. *Pediatrics* 113(Suppl. 4):973–983.
- Ginsberg, G; Hattis, D; Russ, A; et al. (2005) Pharmacokinetic and pharmacodynamic factors that can affect sensitivity to neurotoxic sequelae in elderly individuals. *Environ Health Perspect* 113(9):1243–1249.
- Ginsberg, G; Hattis, D; Sonawane, B; et al. (2002) Evaluation of child/adult pharmacokinetic differences from a database derived from the therapeutic drug literature. *Toxicol Sci* 66(2):185–200.
- Ginsberg, G; Hattis, D; Sonawane, B. (2004b) Incorporating pharmacokinetic differences between children and adults in assessing children's risks to environmental toxicants. *Toxicol Appl Pharmacol* 198(2):164–83.
- Gochfeld, M. (2007) Framework for gender differences in human and animal toxicology. *Environ Res* 104(1):4–21.
- Goel, SK; Rao, GS; Pandya, KP; et al. (1992) Trichloroethylene toxicity in mice: a biochemical, hematological and pathological assessment. *Indian J Exp Biol* 30:402–406.
- Goeptar, AR; Commandeur, JN; van Ommen, B; et al. (1995) Metabolism and kinetics of trichloroethylene in relation to toxicity and carcinogenicity. Relevance of the mercapturic acid pathway. *Chem Res Toxicol* 8(1):3–21.
- Goh, VH; Chia, SE; Ong, CN. (1998) Effects of chronic exposure to low doses of trichloroethylene on steroid hormone and insulin levels in normal men. *Environ Health Perspect* 106(1):41–44.
- Goldberg, SJ; Lebowitz, MD; Graver, EJ; et al. (1990) An association of human congenital cardiac malformations and drinking water contaminants. *J Am Coll Cardiol* 16(1):155–164.
- Goldsworthy, TL; Lyght, O; Burnett, VL; et al. (1988) Potential role of  $\alpha$ -2 $\mu$ -globulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol* 96:367–379.
- Goldsworthy, TL; Popp, JA. (1987) Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol* 88:225–233.
- Gonzalez-Leon, A; Merdink, JL; Bull, RJ; et al. (1999) Effect of pre-treatment with dichloroacetic or trichloroacetic acid in drinking water on the pharmacokinetics of a subsequent challenge dose in B6C3F1 mice. *Chem Biol Interact* 123(3):239–253.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Grandjean, E; Münchinger, R; Turrian, V; et al. (1955) Investigations into the effects of exposure to trichloroethylene in mechanical engineering. *Brit J Industr Med* 12:131–142.
- Grasl-Kraupp, B; Waldhör, T; Huber, W; et al. (1993) Glutathione S-transferase isoenzyme patterns in different subtypes of enzyme-altered rat liver foci treated with the peroxisome proliferator nafenopin or with Phenobarbital. *Carcinogenesis* 14:2407–2412.
- Grawe, J; Musse, M; Adler, ID. (1997) Quantitative and qualitative studies of micronucleus induction in mouse erythrocytes using flow cytometry. I. Measurement of micronucleus induction in peripheral blood polychromatic erythrocytes by chemicals with known and suspected genotoxicity. *Mutagenesis* 12:1–8.
- Green, T; Dow, J; Ong, CN; et al. (2004) Biological monitoring of kidney function among workers occupationally exposed to trichloroethylene. *Occup Environ Med* 61:312–317.
- Green, LC; Lash, TL. (1999) Re: “Renal cell cancer correlated with occupational exposure to trichloroethylene”. *J Cancer Res Clin Oncol* 125:430–432.
- Green, T; Mainwaring, GW; Foster, JR. (1997) Trichloroethylene-induced mouse lung tumors: Studies of the mode of action and comparisons between species. *Fundam Appl Toxicol* 37:125–130.
- Green, T. (2000) Pulmonary toxicity and carcinogenicity of trichloroethylene: species differences and modes of action. *Environ Health Perspect* 108(Suppl 2):261–264.
- Green, T; Prout, MS. (1985) Species differences in response to trichloroethylene. II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol* 79:401–411.
- Green, T; Odum, J; Nash, JA; et al. (1990) Perchloroethylene-induced rat kidney tumors: An investigation of the mechanisms involved and their relevance to humans. *Toxicol Appl Pharm* 103:77–89.
- Green, T; Dow, J; Ellis, MK; et al. (1997a) The role of glutathione conjugation in the development of kidney tumours in rats exposed to trichloroethylene. *Chem Biol Interact* 105(2):99–117.
- Green, T; Dow, J; Foster, J. (2003) Increased formic acid excretion and the development of kidney toxicity in rats following chronic dosing with trichloroethanol, a major metabolite of trichloroethylene. *Toxicology* 191:109–119.
- Green, T; Dow, J; Foster, JR; et al. (1998) Formic acid excretion in rats exposed to trichloroethylene: a possible explanation for renal toxicity in long-term studies. *Toxicology* 127:39–47.
- Green, T; Prout, MS. (1985) Species differences in response to trichloroethylene. II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol* 79:401–411.
- Greenberg, MS; Burton, GA; Fisher, JW. (1999) Physiologically based pharmacokinetic modeling of inhaled trichloroethylene and its oxidative metabolites in B6C3F1 mice. *Toxicol Appl Pharmacol* 154:264–178.
- Greenland, S; Salvan, A; Wegman, DH; et al. (1994) A case-control study of cancer mortality at the transformer-assembly facility. *Int Arch Occup Environ Health* 66:49–54.
- Greim, H; Bonse, G; Radwan, Z; et al. (1975) Mutagenicity in vitro and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol* 24:2013–2017.
- Griffin, JM; Blossom, SJ; Jackson, SK; et al. (2000a) Trichloroethylene accelerates an autoimmune response by Th1 T cell activation in MRL +/+ mice. *Immunopharmacology* 46:123–137.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Griffin, JM; Gilbert, KM; Lamps, LW; et al. (2000b) CD4(+) T-cell activation and induction of autoimmune hepatitis following trichloroethylene treatment in MRL+/+ mice. *Toxicol Sci* 57:345-352.
- Griffin, JM; Gilbert, KM; Pumford, NR. (2000c) Inhibition of CYP2E1 reverses CD4+ T-cell alterations in trichloroethylene-treated MRL+/+ mice. *Toxicol Sci* 54:384–389.
- Groves, CE; Hayden, PJ; Lock, EA; et al. (1993) Differential cellular effects in the toxicity of haloalkene and haloalkane cysteine conjugates to rabbit renal proximal tubules. *J Biochem Toxicol* 8:49–56.
- Gu, ZW; Sele, B; Chmara, D; et al. (1981a) Effects of trichloroethylene and its metabolites on the rate of sister chromatid exchange. In vivo and in vitro study on the human lymphocytes (author's translation). *Sem Hop* 57(37–38):1511–1512.
- Gu, ZW; Sele, B; Jalbert, P; et al. (1981b) Induction of sister chromatid exchange by trichloroethylene and its metabolites (author's translation) *Toxicol Eur Res* 3(2):63–67.
- Gualandi, G. (1987) Use of alpha- and beta-tubulin mutants for the study of spontaneous and induced chromosomal mis-distribution in *Aspergillus nidulans*. *Mutat Res* 178(1):33–41.
- Guehl, D; Bezar, E; Dovero, S; et al. (1999) Trichloroethylene and parkinsonism: a human and experimental observation. *Eur J Neurol* 6(5):609–611.
- Guengerich, FP; Crawford, WM; Watanabe, PG. (1979) Activation of vinyl chloride to covalently bound metabolites: roles of 2-chloroethylene and 2-chloroacetaldehyde. *Biochemistry* 18:5177–5182.
- Guengerich, FP; Shimada, T. (1991) Oxidation of toxic and carcinogenic chemicals by human cytochrome P-450 enzymes. *Chem Res Toxicol* 4(4):391–407.
- Guengerich, FP. (2004) Metabolism of trichloroethylene and covalent binding of reaction products. In: Proceedings of symposium on new scientific research related to the health effects of trichloroethylene, Feb. 26–27, 2004, Washington, DC. Available online at <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=75934>.
- Guengerich, FP; Kim, DH; Iwasaki, M. (1991) Role of human cytochrome P-450 IIE1 in the oxidation of many low molecular weight cancer suspects. *Chem Res Toxicol* 4(2):168–179.
- Gun, RT; Grygorcewicz, C; Nettelbeck, TJ. (1978) Choice reaction time in workers using trichloroethylene. *Med J Aust* 1(10):535–536.
- Guo, H; Lee, SC; Chan, LY; et al. (2004) Risk assessment of exposure to volatile organic compounds in different indoor environments. *Environ Res* 94(1):57–66.
- Gupta, S. (2000) Hepatic polyploidy and liver growth control. *Seminars Cancer Biol.* 10:161–171.
- Gustavsson, P; Jakobsson, R; Johansson, H; et al. (1998) Occupational exposure and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: a case-control study in Sweden. *Occup Environ Med* 55:393–400.
- Guyton, KZ; Barone, S, Jr; Brown, RC; et al. (2008) Mode of action frameworks: a critical analysis. *J Toxicol Environ Health B* 11(1):16–31.
- Guyton, KZ; Chiu, WA; Bateson, TF; et al. (2009) A Reexamination of the PPAR- $\alpha$  Activation Mode of Action as a Basis for Assessing Human Cancer Risks of Environmental Contaminants. *Environ Health Perspect.* doi:10.1289/ehp.0900758 available online at <http://dx.doi.org/> [accessed 15 May 2009]

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Habib, GM; Barrios, R; Shi, ZZ; et al. (1996) Four distinct membrane-bound dipeptidase RNAs are differentially expressed and show discordant regulation with gamma-glutamyl transpeptidase. *J Biol Chem* 271(27):16273–16280.
- Habib, GM; Shi, ZZ; Cuevas, AA; et al. (1998) Leukotriene D4 and cystinyl-bis-glycine metabolism in membrane-bound dipeptidase-deficient mice. *Proc Natl Acad Sci USA* 95(9):4859–4863.
- Hack, CE; Chiu, WA; Zhao, QJ; et al. (2006) Bayesian population analysis of a harmonized physiologically based pharmacokinetic model of trichloroethylene and its metabolites. *Regul Toxicol Pharmacol* 46:63–83.
- Hakkola, J; Tanaka, E; Pelkonen, O. (1998b) Developmental expression of cytochrome P450 enzymes in human liver. *Pharmacol Toxicol* 82(5):209–217.
- Hakkola, J; Pasanen, M; Hukkanen, J; et al. (1996a) Expression of xenobiotic-metabolizing cytochrome P450 forms in human full-term placenta. *Biochem Pharmacol* 51:403–411.
- Hakkola, J; Pelkonen, O; Pasanen, M; et al. (1998a) Xenobiotic-metabolizing cytochrome P450 enzymes in the human fetoplacental unit: role in intrauterine toxicity. *Crit Rev Toxicol* 28:35–72.
- Hakkola, J; Raunio, H; Purkunen, R; et al. (1996b) Detection of cytochrome P450 gene expression in human placenta in first trimester of pregnancy. *Biochem Pharmacol* 52:379–383.
- Halmes, NC; Perkins, EJ; McMillan, DC; et al. (1997) Detection of trichloroethylene-protein adducts in rat liver and plasma. *Toxicol Lett* 92:187–194.
- Hamada, T; Tanaka, H. (1995) Transfer of methyl chloroform, trichloroethylene and tetrachloroethylene to milk, tissues and expired air following intraruminal or oral administration in lactating goats and milk-fed kids. *Environ Pollut* 87(3):313–8.
- Hamdan, H; Stacey, NH. (1993) Mechanisms of trichloroethylene-induced elevation of individual serum bile acids: I. Correlation of trichloroethylene concentrations to bile acids in rat serum. *Toxicol Appl Pharmacol* 121:291–295.
- Hansch, C; Leo, A; Hoekman, D. (1995) Exploring QSAR - Hydrophobic, electronic, and steric constants. Washington, DC: American Chemical Society.
- Hansen, J; Raaschou-Nielsen, O; Christensen, JM; et al. (2001) Cancer incidence among Danish workers exposed to trichloroethylene. *J Occup Environ Med* 43:133–139.
- Hardell, L; Bengtsson, NO; Johsson, U; et al. (1984) Aetiological aspects of primary liver cancer with special regard to alcohol, organic solvents and acute intermittent porphyria – an epidemiological investigation. *Br J Cancer* 50:389–297.
- Hardell, L; Eriksson, M; Degerman, A. (1994) Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res* 54:2386–2389.
- Hardell, L; Eriksson, M; Lenner, P; et al. (1981) Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: a case-control study. *Br J Cancer* 43:169–176.
- Hardin, BD; Bond, GP; Sikov, MR; et al. (1981) Testing of selected work place chemicals for teratogenic potential. *Scand J Work Environ Health* 7(Suppl 45):66–75.
- Hardin, BD; Kelman BJ; Brent RL. (2004) Trichloroethylene and cardiac malformations. *Environ Health Perspect* 112(11):A607–A608.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Hardin, BD; Kelman, BJ; Brent, RL. (2005) Trichloroethylene and dichloroethylene: a critical review of teratogenicity. *Birth Defects Res A Clin Mol Teratol* 73:931–955.

Harrington, JM; Whitby, H; Gray, CN; et al. (1989) Renal disease and occupational exposure to organic solvents: a case referent approach. *Br J Ind Med* 46:643–650.

Harrington-Brock, K; Doerr, CL; Moore, MM. (1998) Mutagenicity of three disinfection by-products: di- and trichloroacetic acid and chloral hydrate in L5178Y/TK+/- (-) 3.7.2C mouse lymphoma cells. *Mutat Res* 413(3):265–276.

Harris, NL; Jaffe, ES; Diebold, J; et al. (2000) Lymphoma classification--from controversy to consensus: the R.E.A.L. and WHO Classification of lymphoid neoplasms. *Ann Oncol* 11(Suppl 1):3–10.

Hasmall, SC; Roberts, RA. (2000) The nongenotoxic hepatocarcinogen diethylhexylphthalate and methylclofenebratate induce DNA synthesis preferentially in octoploid rat hepatocytes. *Toxicol Pathol* 28(4):503–509.

Hassall, CD; Brendel, K; Gandolfi, AJ. (1983) Regulation of a S(trans-1,2-dichlorovinyl)-L-cysteine-induced renal tubular toxicity by glutathione. *J Appl Toxicol* 3:321–325.

Hattis, D; Ginsberg, G; Sonawane, B; et al. (2003) Differences in pharmacokinetics between children and adults--II. Children's variability in drug elimination half-lives and in some parameters needed for physiologically-based pharmacokinetic modeling. *Risk Anal* 23(1):117–142.

Haworth, S; Lawlor, T; Mortelmans, K; et al. (1983) Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen* 5(Suppl 1):1–142.

Healy, TEJ; Poole, TR; Hopper, A. (1982) Rat fetal development and maternal exposure to trichloroethylene 100 p.p.m. *Br J Anaesth* 54:337–340. .

Hegi, ME; Fox, TR; Belinsky, SA; et al. (1993) Analysis of activated protooncogenes in B6C3F1 mouse liver tumors induced by ciprofibrate, a potent peroxisome proliferator. *Carcinogenesis* 14(1):145–149.

Heineman, EF; Cocco, P; Gomez, MR; et al. (1994) Occupational exposure to chlorinated aliphatic hydrocarbons and risk of astrocytic brain cancer. *Am J Ind Med* 26:155–169.

Heinemann, K; Willich, SN; Heinemann, AJ; et al. (2000) Occupational exposure and liver cancer in women: results of the Multicentre International Liver Tumour Study (MILTS). *Occup Med* 50:422–429.

Helliwell, PJ; Hutton, AM. (1950) Trichloroethylene anaesthesia. *Anaesthesia* 5(1):4–13.

Henderson, GN; Yan, Z; James, MO; et al. (1997) Kinetics and metabolism of chloral hydrate in children: Identification of dichloroacetate as a metabolite. *Biochem Biophys Res Commun* 235(3):695–698.

Hendler, AH; Crow, WL. (1992) Preliminary results of the Chemical Manufacturers Association urban baseline VOC measurement program. *Proc Annu Meet Air Waste Manage Assoc*, 85<sup>th</sup> Meeting, Kansas City, MS, 92-75.05, 94-08743-2-9.

Hennig, UG; Rudd, NL; Hoar, DI. (1988) Kinetochore immunofluorescence in micronuclei: a rapid method for the in situ detection of aneuploidy and chromosome breakage in human fibroblasts. *Mutat Res* 203(6):405–414.

Henning, SM; Swendseid, ME. (1996) The role of folate, choline, and methionine in carcinogenesis induced by methyl-deficient diets. *Adv Exp Med Biol* 399:143–155.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Henschler, D; Eder, E; Neudecker, et al. (1977) Carcinogenicity of trichloroethylene: fact or artifact? Arch Toxicol 37(3):233–236.
- Henschler, D; Elsasser, H; Romen, et al. (1984) Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. J Cancer Res Clin Oncol 107:149–156..
- Henschler, D; Romen, W; Elsasser, HM; et al. (1980) Carcinogenicity study of trichloroethylene by longterm inhalation in three animal species. Arch Toxicol 43:237–248.
- Henschler, D; Vamvakas, S; Lammert, M; et al. (1995) Increased incidence of renal cell tumors in a cohort of cardboard workers exposed to trichloroethene. Arch Toxicol 69:291–299.
- Henschler, D; Elsässer H; Romen, W; et al. (1984) Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. J Cancer Res Clin Oncol 107:149–156.
- Herbert, V; Gardner, A; Colman, N. (1980) Mutagenicity of dichloroacetate, an ingredient of some formulations of pangamic acid (trade-named "vitamin B15"). Am J Clin Nutr 33(6):1179–1182.
- Herman, JG; Umar, A; Polyak, K; et al. (1998) Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma. Proc Natl Acad Sci USA 95(12):6870–6785.
- Hernberg, S; Kauppinen, T; Riala, R; et al. (1988) Increased risk for primary liver cancer among women exposed to solvents. Scand J Work Environ Health 14:356–365.
- Hernberg, S; Korkala, M-L; Asikainen, U; et al. (1984) Primary liver cancer and exposure to solvents. Int Arch Occup Environ Health 54:147–153.
- Herren-Freund, SL; Pereiira, MA; Khoury, MD; et al. (1987) The carcinogenicity of trichloroethylene and its metabolites trichloroacetic acid and dichloroacetic acid, in mouse liver. Toxicol Appl Pharmacol 90:183–189.
- Hers, I; Zapf-Gilje, R; Li, L; et al. (2001) The use of indoor air measurements to evaluate intrusion of subsurface VOC vapors into buildings. J Air Waste Manage Assoc 51:1318–1331.
- Hill, AB. (1965) The environment and disease: association or causation? Proc R Soc Med 58:295–300.
- Hinchman, CA; Ballatori, N. (1990) Glutathione-degrading capacities of liver and kidney in different species. Biochem Pharmacol 40(5):1131–1135.
- Hines RN, McCarver DG. (2002) The ontogeny of human drug-metabolizing enzymes: phase I oxidative enzymes. J Pharmacol Exp Ther 300(2):355–360.
- Hirsch, AR; Rankin, KM; Panelli, PP. (1996) Trichloroethylene exposure and headache. Headache Q 7(2):126–138.
- Hissink, EM; Bogaards, JJP; Freidg, AP; et al. (2002) The use of in vitro metabolic parameters and physiologically based pharmacokinetic (PBPK) modeling to explore the risk assessment of trichloroethylene. Environ Toxicol Pharmacol 11:259–271.
- Hobara, T; Kobayashi, H; Higashihara, E; et al. (1984) Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the hematologic parameters in dogs. Arch Environ Contam Toxicol 13:589–593.
- Hodgen, GD; Sherins, RJ. (1973) Enzymes as markers of testicular growth and development in the rat. Endocrinology 93(4):985–989.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Hoffman, S; Mishima, N; Krug, EL. (2004) An improved model for evaluating trichloroethylene and its metabolites as cardiac-specific teratogens. In: Mohr, LC; Hoel, DG; Jollow, D; ed. Trichloroethylene – the scientific basis of risk assessment. Charleston, SC: The Medical University of South Carolina Press; pp. 69–79.
- Hoivik, DJ; Qualls, CW; Mirabile, RC; et al.. (2004) Fibrates induce hepatic peroxisome and mitochondrial proliferation without evidence of cellular proliferation and oxidative stress in cynomolgus monkeys. *Carcinogenesis* 25(9):1757–1769.
- Hooper, NM; Hesp, RJ; Tiekou, S. (1994) Metabolism of aspartame by human and pig intestinal microvillar peptidases. *Biochem J.* 298(Pt 3):635–639.
- Horesovsky, G; Ginsler, J; Everitt, et al. (1994) Increased susceptibility to in vitro transformation of cells. *Carcinogenesis* 15:2183–2187.
- Hotvath, AL; Getzen, FW; Maczynska, Z. (1999) IUPAC-NIST solubility data series 67. halogenated ethanes and ethenes with water. *J Phys Chem Ref Data* 28:395–627.
- Howard, PH; Boethling, RS; Jarvis, WF; et al. (1991) Handbook of environmental degradation rates. Chelsea, MI: Lewis Publishers.
- Hrelia, P; Maffei, F; Vigagni, F; et al. (1994) Interactive effects between trichloroethylene and pesticides at metabolic and genetic level in mice. *Environ Health Perspect* 102(Suppl 9): 31–34.
- HSDB ( Hazardous Substances Data Bank). (2002) Trichloroethylene. National Library of Medicine. National Institutes of Health. Washington, DC: U.S. Department of Health and Human Services.
- Hu, C; Jiang, L; Geng, C; et al. (2008) Possible involvement of oxidative stress in trichloroethylene-induced genotoxicity in human GepG2 cells. *Mutat Res* 652:88–94.
- Hu, Y; Hakkola, J; Oscarson, M; et al. (1999) Structural and functional characterization of the 5'-flanking region of the rat and human cytochrome P450 2E1 genes: identification of a polymorphic repeat in the human gene. *Biochem Biophys Res Commun* 263:286–293.
- Huang, HL; Li, LY; Chen, B; et al. (2002) New problems caused by occupational trichlorethylene exposure. *Int J Immunopath Pharm* 15:30–32.
- Hunter, ES; Rogers, EH; Schmid, et al. (1996) Comparative effects of haloacetic acids in whole embryo culture. *Teratology* 54:57–64.
- IARC (International Agency for Research on Cancer). (1995) Dry Cleaning, Some Chlorinated Solvents and Other Industrial Chemicals. Summary of Data Reported and Evaluation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 63. International Agency for Research on Cancer, World Health Organization, Lyon, France.
- Iavicoli, I; Marinaccio, A; Carelli, G. (2005) Effects of occupational trichloroethylene exposure on cytokine levels in workers. *J Occup Environ Med* 47:453–457.
- ICRP (The International Commission on Radiological Protection). (2002) Basic anatomical and physiological data for use in radiological protection: reference values. A report of age- and gender-related differences in the anatomical and physiological characteristics of reference individuals. ICRP Publication 89. *Ann ICRP* 32(3-4):5-265.
- Ikbal, M; Tastekin, A; Dogan, H; et al. (2004) The assessment of genotoxic effects in lymphocyte cultures of infants treated with chloral hydrate. *Mutat Res* 564:159–164.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Ikeda, M; Otsuji, H; Imamura, et al. (1972) Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med* 29(3):328–333.
- Ikeda, M. (1977) Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Persp* 21:239–245.
- Ikeda, M; Imamura, T. (1973) Biological half-life of trichloroethylene and tetrachloroethylene in human subjects. *Int Arch Arbeitsmed* 31:209–224.
- Ikeda, M; Ohtsuji, H; Kawai, H; et al. (1971) Excretion kinetics of urinary metabolites in a patient addicted to trichloroethylene. *Br J Ind Med* 28(2):203–206.
- ILSI (International Life Sciences Institute). (1992) Similarities and differences between children and adults: implications for risk assessment. New York: ILSI Press.
- Inoue, O; Seiji, K; Kawai, T; et al. (1989) Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med* 15(1):103–10.
- IOM (Institute of Medicine). (2003) Gulf War and Health, Vol 2. Insecticides and Solvents. Washington DC: The National Academies Press.
- IPCS (International Programme on Chemical Safety). (2005) Chemical-specific adjustment factors for interspecies differences and human variability : guidance document for use of data in dose/concentration-response assessment. Geneva: World Health Organization.
- Isaacson, LG; Spohler, SA; Taylor, DH. (1990) Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol* 12(4):375–381.
- Isaacson, LG; Taylor, DH. (1989) Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formation of the developing rat. *Brain Res* 488(1-2):403–407.
- Isacson, P; Bean, JA; Splinter, R; et al. (1985) Drinking water and cancer incidence in Iowa. III. Association of cancer with indices of contamination. *Am J Epidemiol* 121:856–869.
- Ito, Y; Yamanoshita, O; Asaeda, N; et al. (2007) Di(2-ethylhexyl)phthalate induced hepatic tumorigenesis through a peroxisome proliferator-activated receptor  $\alpha$ -independent pathway. *J Occup Health* 49:172–182..
- Iyer, RA; Frink, EJ; Ebert, TJ; et al. (1998) Cysteine conjugate  $\beta$ -lyase-dependent metabolism of compound A (2-[fluoromethoxy]-1,1,3,3,3-pentafluoro-1-propene) in human subjects anesthetized with sevoflurane and in rats given compound A. *Anesthesiology* 88:611-618.
- Jaffe, DR; Hassall, CD; Gandolfi, AJ; et al. (1985) Production of DNA single strand breaks in rabbit renal tissue after exposure to 1,2-dichlorovinylcysteine. *Toxicology* 35(1):25–33.
- Jaffe, DR; Gandolfi, AJ; Nagle, RB. (1984) Chronic toxicity of S-(trans-1,2-dichlorovinyl)-L-cysteine in mice. *J Appl Toxicol* 4:315–319.
- Jakobson, I; Holmberg, B; Ekner, A. (1986) Venous blood levels of inhaled trichloroethylene in female rats and changes induced by interacting agents. *Acta Pharmacol Toxicol (Copenh)* 59:135–143.
- Jakobson, I; Wahlberg, JE; Holmberg, B; et al. (1982) Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharm* 63:181–187.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Jakubowski, M; Wieczorek, H. (1988) The effects of physical effort on pulmonary uptake of selected organic compound vapours. *Pol J Occup Med* 1(1):62–71.
- James, M.O., Cornett, R; Yan, Z; et al. (1997) Glutathione-dependent conversion to glyoxylate, a major pathway of dichloroacetate biotransformation in hepatic cytosol from humans and rats, is reduced in dichloroacetate-treated rats. *Drug Metab Disp* 25(11):1223–1227.
- Jansson, C; Johansson, AL; Bergdahl, IA; et al. (2006a) Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control* 16:755–764.
- Jansson, C; Plate, N; Johansson, AL; et al. (2006b) Airborne occupational exposures and risk of oesophageal and cardia adenocarcinoma. *Occup Environ Med* 63:107–112.
- Jasinska, M. (1965) [General anesthesia with trichloroethylene in children with congenital developmental defects of the jaw and face]. *Czas Stomatol* 18(8):935–40. Translated.
- Jaspers, RMA; Muijser, H; Lammers, JH; et al. (1993) Mid-frequency hearing loss and reduction of acoustic startle responding in rats following trichloroethylene exposure. *Neurotoxicol Teratol* 15(6):407–412.
- Jemal, A; Siegel, R; Ward, E; et al. (2008) Cancer statistics, 2008. *CA Cancer J Clin* 58:71–96.
- Jensen, OM; Knudsen, JB; McLaughlin, JK; et al. (1988) The Copenhagen case-control study of renal pelvis and ureter cancer: role of smoking and occupational exposures. *Int J Cancer* 41:557–561.
- Ji, B-T; Blair, A; Shu, X-O; et al. (2008) Occupation and breast cancer risk among Shanghai women in a population-based cohort study. *Am J Ind Med* 51:100–110.
- Ji J; Hemminki, K. (2005) Variation in the risk for liver and gallbladder cancers in socioeconomic and occupational groups in Sweden with etiological implications. *Int Arch Occup Environ Health* 78:641–649.
- Jia, M; Coats, B; Chadha, M; et al. (2006) Human kinetics of orally and intravenously administered low-dose 1,2-<sup>13</sup>C-dichloroacetate. *J Clin Pharmacol* 46:1449–1459.
- Johnson, AD; VanDemark WL; Gomes, WR; et al. (1967) The effect of antispermatogenic and hormone treatments on testicular cholesterol. *Fed Proc* 26:645.
- Johnson, PD. (2004) Trichloroethylene: Johnson et al.'s response. *Environ Health Perspect* 112(11):A608–A609.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998a) Cardiac teratogenicity of trichloroethylene metabolites. *J Am Coll Cardiol* 72(2):540–545.
- Johnson, PD; Dawson, BV; Goldberg, SJ. (1998b) A review: trichloroethylene metabolites: potential cardiac teratogens. *Environ Health Perspect* 106(Suppl. 4):995–999.
- Johnson, PD; Goldberg, SJ; Mays, MZ; et al. (2003) Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat. *Environ Health Perspect* 111(3):289–292.
- Johnson, PD; Goldberg, SJ; Mays, MZ; et al. (2005) Errata. Threshold of trichloroethylene contamination in maternal drinking waters affecting fetal heart development in the rat. *Environ Health Perspect* 113(1):A18..
- Johnsrud, EK; Koukouritaki, SB; Divakaran, K; et al. (2003) Human hepatic CYP2E1 expression during development. *J Pharmacol Exp Ther* 307(1):402–407.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Jones, TW; Qin, C; Schaeffer, VH; et al. (1988) Immunohistochemical localization of glutamine transaminase K, a rat kidney cysteine conjugate  $\beta$ -lyase, and the relationship to the segment specificity of cysteine conjugate nephrotoxicity. *Mol Pharmacol* 34:621–627.

Jorquera, R; Tanguay, RM. (2001) Fumarylacetoacetate, the metabolite accumulating in hereditary tyrosinemia, activates the ERK pathway and induces mitotic abnormalities and genomic instability. *Hum Mol Genet* 10:1741–1752.

Juran, BD; Lazaridis, KN. (2006) Genomics and complex liver disease: challenges and Opportunities. *Hepatology* 44:1380–1390.

Kadry, AM; Turkall, RM; Skowronski, GA; et al. (1991) Soil adsorption alters kinetics and bioavailability of trichloroethylene in orally exposed female rats. *Toxicol Lett* 58:337–346.

Käfer, E. (1986) Tests which distinguish induced crossing-over and aneuploidy from secondary segregation in *Aspergillus* treated with chloral hydrate or gamma-rays. *Mutat Res.* 164(3):145–166.

Kamijima, M; Hisanaga, N; Wang, H; et al. (2007) Occupational trichloroethylene exposure as a cause of idiosyncratic generalized skin disorders and accompanying hepatitis similar to drug hypersensitivities. *Int Arch Occup Environ Health* 80:357–370.

Kamijima, M; Wang, H; Huang, H; et al. (2008) Trichloroethylene Causes Generalized Hypersensitivity Skin Disorders Complicated by Hepatitis. *J Occup Health* 50(4):328–338.

Kan, FW; Forkert, PG; Wade, MG. (2007) Trichloroethylene exposure elicits damage in epididymal epithelium and spermatozoa in mice. *Histol Histopathol* 22(9):977–988.

Kaneko, T; Saegusa, M; Tasaka, K; et al. (2000) Immunotoxicity of trichloroethylene: a study with MRL-lpr/lpr mice. *J Appl Toxicol* 20:471–475.

Kaneko, T ; Wang, P-Y ; Sato, A. (1994) Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med* 51:113–119.

Kaneko, T; Saegusa, M; Tasaka, K; et al. (2000) Immunotoxicity of trichloroethylene: a study with MRL-lpr/lpr mice. *J Appl Toxicol* 20:471–475.

Kanisawa, M; Suzuki, S. (1978) Induction of renal and hepatic tumors in mice by ochratoxin A, a mycotoxin. *Gann.* 69:599–600.

Kappas, A. (1989) On the mechanisms of induced aneuploidy in *Aspergillus nidulans* and validation of tests for genomic mutations. *Prog Clin Biol Res* 318:377–384.

Kargalioglu, Y; McMillan, BJ; Minear, RA; et al. (2002) Analysis of the cytotoxicity and mutagenicity of drinking water disinfection by-products in *Salmonella typhimurium*. *Teratog Carcinog Mutagen* 22:113–128.

Karunanayake, CP; McDuffie, HH; Dosman, JA; et al. (2008) Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. *Environ Health* 7:44.

Kato-Weinstein, J; Stauber, AJ; Orner, GA; et al. (2001) Differential effects of dihalogenated and trihalogenated acetates in the liver of B6C3 F1 mice. *Journal of Applied Toxicology* 21:81–89.

Kato-Weinstein, J; Lingohr, MK; Orner, GA; et al. (1998) Effects of dichloroacetate on glycogen metabolism in B6C3F1 mice. *Toxicology* 130:141–154.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Kauffmann, BM; White, KL, Jr.; Sanders, VM; et al. (1982) Humoral and cell-mediated immune status in mice exposed to chloral hydrate. *Environ Health Perspect* 44:147–151.
- Kautiainen, A; Vogel, JS; Turteltaub, KW. (1997) Dose-dependent binding of trichloroethylene to hepatic DNA and protein at low doses in mice. *Chem-Biol Interact* 106:109–121.
- Kawamoto, T; Hobara, T; Nakamura, K; et al. (1988) Induction of cytochrome P450, cytochrome b-5, NADPH cytochrome c reductase and change in cytochrome P-450 isozymes with long-term trichloroethylene treatment. *Toxicology* 53:239–249.
- Kawamoto, TT; Hobara, T; Aoki, et al. (1988) Metabolism of chloral hydrate in the anoxic perfused liver. *Toxicol Lett* 40:225–231.
- Keil, DE; Peden-Adams, MM; Wallace, S; et al. (2009) Assessment of trichloroethylene (TCE) exposure in murine strains genetically-prone and non-prone to develop autoimmune disease. *J Environ Sci Health A Environ Sci Eng Toxic* 44:443–453.
- Keller, DA; Heck, HD. (1988) Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett* 42:183–191.
- Kelsh, MA; Weihgart, M; Mandel, J; et al. (2005) A meta-analysis of epidemiology studies of occupational TCE exposure and selected cancers. Presented to National Research Committee on Health Risks of Trichloroethylene. June 9, 2005.
- Kenck, C; Wilhelm, M; Bugert, P; et al. (1996) Mutation of the VHL gene is associated exclusively with the development of non-papillary renal cell carcinomas. *J Pathol* 179(2):157–161.
- Keshava, N; Caldwell, JC. (2006) Key issues in the role of peroxisome proliferator-activated receptor agonism and cell signaling in trichloroethylene toxicity. *Environ Health Perspect* 114:1464–1470.
- Ketcha, MM; Stevens, DK; Warren, DA; et al. (1996) Conversion of trichloroacetic acid to dichloroacetic acid in biological samples. *J Anal Toxicol* 20:236–241.
- Keys, DA; Bruckner, JV; Muralidhara, S; et al. (2003) Tissue dosimetry expansion and cross-validation of rat and mouse physiologically based pharmacokinetic models for trichloroethylene. *Toxicol Sci* 76:35–50.
- Keys, DA; Schultz, IR; Mahle, DA; et al. (2004) A quantitative description of suicide inhibition of dichloroacetic acid in rats and mice. *Toxicol Sci* 82(2):381–393.
- Kezic, S; Monster, AC; Krüse, J; et al. (2000) Skin absorption of some vaporous solvents in volunteers. *Int Arch Occ Env Hea* 73:415–422.
- Kezic, S; Monster, AC; van de Gevel, IA; et al. (2001) Dermal absorption of neat liquid solvents on brief exposures in volunteers. *Am Ind Hyg Assoc J* 62(1):12–18.
- Khan, MF; Kaphalia, BS; Prabhakar, BS; et al. (1995) Trichloroethene-induced autoimmune response in female MRL +/- mice. *Toxicol Appl Pharmacol* 134:155–160.
- Khan, MF; Wu, X; Ansari, GA. (2001) Anti-malondialdehyde antibodies in MRL +/- mice treated with trichloroethene and dichloroacetyl chloride: possible role of lipid peroxidation in autoimmunity. *Toxicol Appl Pharmacol* 170:88–92.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Kilburn, KH; Warshaw, RH. (1992) Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res* 57:1–9.

Kilburn, KH; Warshaw, RH. (1993) Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health* 39:483–496.

Kilburn, KH; Warshaw, R; Thorton, JC. (1987) Formaldehyde impairs memory, equilibrium, and dexterity in histology technicians: effects which persist for days after exposure. *Arch Environ Health* 42:117–120.

Kilburn, KH; Warshaw, R. (1995a) Neurotoxic effects from residential exposure to chemicals from an oil reprocessing facility and superfund site. *Neurotoxicol Teratol* 17:89–102.

Kilburn, KH; Warshaw, RH. (1995b) Hydrogen sulfide and reduced-sulfur gases adversely affect neurophysiological functions. *Toxicol Ind Health* 11:185–197.

Kilburn, KH. (2002a) Is neurotoxicity associated with environmental trichloroethylene (TCE)? *Arch Environ Health* 57(2):113–120.

Kilburn, KH. (2002b) Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity? *Arch Environ Health* 57(2):121–126.

Kilburn, KH; Thornton, JC. (1996) Prediction equations for simple and visual two-choice reaction times in environmental neurotoxicology. *Arch Environ Health* 51(6):439–444.

Kilburn, KH; Warshaw, RH. (1992) Prospective study of neurobehavioral effects of formaldehyde and solvents on histology technicians. *Environ Res* 58:134–146.

Kilburn, KH; Warshaw, RH. (1993) Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health* 9(3):391–404.

Kim, CF; Jackson, EL; Woolfenden, AE; et al. (2005) Identification of bronchioalveolar stem cells in normal lung and lung cancer. *Cell* 121(6):823–35.

Kim, D; Ghanayem, BI. (2006) Comparative metabolism and disposition of trichloroethylene in Cyp2e1<sup>-/-</sup> and wild-type mice. *Drug Metab Dispos* 34(12):2020–2027.

Kim, HJ; Odend'hal, S; Bruckner, JV. (1990) Effect of oral dosing vehicles on the acute hepatotoxicity of carbon tetrachloride in rats. *Toxicol Appl Pharmacol* 102:34–49.

Kim, HJ; Bruckner, JV; Dallas, CE; et al. (1990) Effect of dosing vehicles on the pharmacokinetics of orally administered carbon tetrachloride in rats. *Toxicol Appl Pharm* 102:50–60.

Kim, S; Kim, D; Pollack, GM; et al. (2009) Pharmacokinetic analysis of trichloroethylene metabolism in male B6C3F1 mice: Formation and disposition of trichloroacetic acid, dichloroacetic acid, S-(1,2-dichlorovinyl)glutathione and S-(1,2-dichlorovinyl)-L-cysteine. *Toxicol Appl Pharmacol* 238(1):90–99.

Kim, SZ; Kupke, KG; Ierardi-Curto, L; et al. (2000) Hepatocellular carcinoma despite long-term survival in chronic tyrosinaemia I. *J Inherit Metab Dis* 23:791–804.

Kimmerle, G; Eben, A. (1973) Metabolism, excretion and toxicology of trichloroethylene after inhalation. 2. Experimental human exposure. *Arch Toxikol* 30(2):127–38.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Kimmerle, G; Eben, A. (1973a) Metabolism, excretion and toxicology of trichloroethylene after inhalation. I. Experimental exposure on rats. *Arch Toxikol* 30:115–126.
- King, GS; Smialek, JE; Troutman, WG. (1985) Sudden death in adolescents resulting from the inhalation of typewriter correction fluid. *J Am Med Assoc* 253(11):1604–1606.
- Kishi, R; Harabuchi, I; Ikeda, T; et al. (1993) Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med* 50(5):470–480.
- Kjellstrand, P; Holmquist, B; Alm, P; et al. (1983a) Trichloroethylene: further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol (Copenh)* 53(5):375–384.
- Kjellstrand, P; Holmquist, B; Mandahl, N; et al. (1983b) Effects of continuous trichloroethylene inhalation on different strains of mice. *Acta Pharmacol Toxicol (Copenh)* 53(5):369–374.
- Kjellstrand, P; Kanje, M; Mansson, L; et al. (1981) Trichloroethylene: effects on body and organ weights in mice, rats and gerbils. *Toxicology* 21:105–115.
- Kjellstrand, P; Holmquist, B; Alm, P; et al. (1983a) Trichloroethylene: further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol (Copenh)* 53:375–384.
- Kjellstrand, P; Kanje, M; Bjerkemo, M. (1987) Regeneration of the sciatic nerve in mice and rats exposed to trichloroethylene. *Toxicol Lett* 38(1-2):187–191.
- Kjellstrand, P; Lanke, J; Bjerkemo, M; et al. (1980) Irreversible effects of trichloroethylene exposure on the central nervous system. *Scand J Work Environ Health* 6(1):40–47.
- Klaunig, JE; Ruch, RJ; Lin, EL. (1989) Effects of trichloroethylene and its metabolites on rodent hepatocyte intercellular communication. *Toxicol Appl Pharmacol* 99(3):454–465.
- Klaunig, JE; Babich, MA; Baetcke, KP; et al. (2003) PPARalpha agonist-induced rodent tumors: modes of action and human relevance. *Crit Rev Toxicol* 33:655–780.
- Kligerman, AD; Bryant, MF; Doerr, CL; et al. (1994) Inhalation studies of the genotoxicity of trichloroethylene to rodents. *Mutat Res* 322(2):87–96.
- Koch, R; Schlegehnilch, R; Wolf, HU. (1988) Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutat Res* 206:209–216.
- Koizumi, A. (1989) Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man. *Br J Ind Med* 46(4):239–249.
- Konietzko, H; Elster, I; Sayer, H; et al. (1975) [EEG changes under standardized trichloroethylene load (author's transl)]. *Int Arch Occup Environ Hlth* 35(3–4): 257–264. Originally published: Zentralnervose schaden durch trichlorathylen. *Staub, Reinhaltung Der Luft* 35(6):240–241.
- Kopylev, L; Chen, C; White, P. (2007) Towards quantitative uncertainty assessment for cancer risks: central estimates and probability distributions of risk in dose-response modeling. *Regul Toxicol Pharmacol* 49(3):203–207.
- Korrapati, MC; Lock, EA; Mehendale, HM. (2005) Molecular mechanisms of enhanced renal cell division in protection against S-1,2-dichlorovinyl-L-cysteine-induced acute renal failure and death. *Am J Physiol Renal Physiol* 289:F175–F185.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Kozak, EM; Tate, SS. (1982) Glutathione-degrading enzymes of microvillus membranes. *J Biol Chem* 257(11):6322–6327.
- Krasowski, MD; Harrison, NL. (2000) The actions of ether, alcohol and alkane general anaesthetics on GABAA and glycine receptors and the effects of TM2 and TM3 mutations. *Br J Pharmacol* 129(4):731–743.
- Kraupp-Grasl, B; Huber, W; Putz, B; et al. (1990) Tumor promotion by peroxisome proliferator nafenopin involving specific subtype of altered foci in rat liver. *Cancer Res* 50:3701-3706.
- Krause, RJ; Lash, LH; Elfarra, AA. (2003) Human kidney flavin-containing monooxygenases and their potential roles in cysteine s-conjugate metabolism and nephrotoxicity. *J Pharmacol Exp Ther* 304(1):185–191.
- Krejci, ME; Ridgewell, RE; Koechel, DA. (1991) Acute effects of the D-isomer of S-(1,2-dichlorovinyl)cysteine on renal function and ultrastructure in the pentobarbital-anesthetized dog: site-specific toxicity involving the S1 and S2 cells of the proximal tubule. *Toxicology* 69:151–164.
- Krishnadasan, A; Kennedy, N; Zhao, Y; et al. (2007) Nested case-control study of occupational chemical exposures and prostate cancer in aerospace and radiation workers. *Am J Ind Med* 50:383–390.
- Krishnadasan, A; Kennedy, N; Zhao, Y; et al. (2008) Nested case-control study of occupational physical activity and prostate cancer among workers using a job exposure matrix. *Cancer Causes Control* 19(1):107–114.
- Kroneld, R. (1989) Volatile pollutants in the environment and human tissues. *B Environ Contam Tox* 42:873–877.
- Kubo, Y; Mitani, H; Hino, O. (1994) Allelic loss at the predisposing gene locus in spontaneous and chemically induced renal cell carcinomas in the Eker rat. *Cancer Res* 54(10):2633–2635.
- Kulig, BM. (1987) The effects of chronic trichloroethylene exposure on neurobehavioral functioning in the rat. *Neurotoxicol Teratol* 9(2):171–178.
- Kumar, M; Kumar, R; Hissar, SS; et al. (2007) Risk factors analysis for hepatocellular carcinoma in patients with and without cirrhosis: A case-control study of 213 hepatocellular carcinoma patients from India. *J Gastroent Hepatol* 22:1104–1111.
- Kumar, P; Prasad, AK; Dutta, KK. (2000b) Steroidogenic alterations in testes and sera of rats exposed to trichloroethylene (TCE) by inhalation. *Hum Exp Toxicol* 19:117–121.
- Kumar, P; Prasad, AK; Maji, BK; et al. (2001) Hepatotoxic alterations induced by inhalation of trichloroethylene (TCE) in rats. *Biomed Environ Sci* 14:325–332.
- Kumar, P; Prasad, AK; Mani, U; et al. (2001) Trichloroethylene induced testicular toxicity in rats exposed by inhalation. *Hum Exp Toxicol* 20:585–589.
- Kumar, P; Prasad, AK; Saxena, DK; et al. (2000a) Fertility and general reproduction studies in trichloroethylene exposed rats. *Indian J Occup Health* 43(3):117–125.
- Kung, H-C; Hoyert, DL; Xu, J; et al. (2008) Deaths: Final Data for 2005. *National Vital Statistics Reports, U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Vol 56, Issue 10. Available online from ; [http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56\\_10.pdf](http://www.cdc.gov/nchs/data/nvsr/nvsr56/nvsr56_10.pdf) Accessed May 29, 2008]*
- Kurasawa, K. (1988) Selective damage of pulmonary nonciliated bronchiolar epithelial (Clara) cells by trichloroethylene in rats. *Jpn J Ind Health* 30:121–133 (abstract only, Japanese).

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Kvam, BM; Romundstad, PR; Boffetta, P; et al. (2005) Cancer in the Norwegian printing industry. *Scand J Work Environ Health* 31:36–43.
- Kylin, B; Axell, K; Samuel, HE; et al. (1967) Effect of inhaled trichloroethylene on the CNS as measured by optokinetic nystagmus. *Arch Environ Health* 15:48–52.
- Lacey, JV, Jr.; Garabrant, DH; Laing, TJ; et al. (1999) Petroleum distillate solvents as risk factors for undifferentiated connective tissue disease (UCTD). *Am J Epidemiol* 149:761–770.
- Lagakos, SW; Wessen, B; Zelen, M. (1986) Analysis of contaminated well water and health effect in Woburn, Massachusetts. *J Am Stat Assoc* 81:583–596.
- Laham, S. (1970) Studies on placental transfer: Trichloroethylene. *Ind Med* 39:46–49.
- Lamb, JC; Hentz, KL. (2006) Toxicological review of male reproductive effects and trichloroethylene exposure: Assessing the relevance to human male reproductive health. *Reprod Toxicol* 22:557–563.
- Land, PC; Owen, EL; Linde, HW. (1981) Morphologic changes in mouse spermatozoa after exposure to inhalational anesthetics during early spermatogenesis. *Anesthesiology* 54:53–56.
- Landrigan, PJ; Kominsky, JR; Stein, GF; et al. (1987) Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health* 42(6):327–332.
- Lane, SE; Watts, RA; Bentham, G; et al. (2003) Are environmental factors important in primary systemic vasculitis? A case-control study. *Arthritis Rheum* 48:814–823.
- Laparé, S; Tardif, R; Brodeur, J. (1995) Effect of various exposure scenarios on the biological monitoring of organicsolvents in alveolar air. II. 1,1,1-Trichloroethane and trichloroethylene. *Int Arch Occup Environ Health* 67:375–394.
- Larsen, GL; Stevens, JL. (1986) Cysteine conjugate beta-lyase in the gastrointestinal bacterium *Eubacterium limosum*. *Mol Pharmacol* 29:97–103.
- Larson, JL; Bull, RJ. (1992) Metabolism of lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol* 115(2):268–277.
- Larson, JL; Bull, RJ. (1989) Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health* 28(4):395–406.
- Larson, JL; Bull, RJ. (1992a) Species differences in the metabolism of trichloroethylene to the carcinogenic metabolites trichloroacetate and dichloroacetate. *Toxicol Appl Pharm* 115(2):278–285.
- Lash, LH; Anders, MW. (1986) Cytotoxicity of S-(1,2-dichlorovinyl)glutathione and S-(1,2-dichlorovinyl)-L-cysteine in isolated rat kidney cells. *J Biol Chem* 261:13076–13081.
- Lash, TL; Green, LC. (1993) Blink reflex measurement of effects of trichloroethylene. *Muscle Nerve* 16:217–218.
- Lash, LH; Elfarra, AA; Anders, MW. (1986) Renal cysteine conjugate  $\beta$ -lyase. Bioactivation of nephrotoxic cysteine S-conjugates in mitochondrial outer membrane. *J Biol Chem* 261(13):5930–5935.
- Lash, LH; Jones, DP; Anders, MW. (1988) Glutathione homeostasis and glutathione S-conjugate toxicity in kidney. *Rev Biochem Toxicol* 9:29–67.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Lash, LH; Nelson, RM; Van Dyke, RA; et al. (1990a) Purification and characterization of human kidney cytosolic cysteine conjugate  $\beta$ -lyase activity. *Drug Metab Disp* 18(1):50–54.
- Lash, LH; Elfarra, AA; Rakiewicz-Nemeth, D; et al. (1990b) Bioactivation mechanism of cytotoxic homocysteine S-conjugates. *Arch Biochem Biophys* 276(2):322–330.
- Lash, LH; Sausen, PJ; Duescher, RJ; Cooley, AJ; Elfarra, AA. (1994) Roles of cysteine conjugate beta-lyase and S-oxidase in nephrotoxicity: studies with S-(1,2-dichlorovinyl)-L-cysteine and S-(1,2-dichlorovinyl)-L-cysteine sulfoxide. *J Pharmacol Exp Ther* 269(1):374–383.
- Lash, LH; Xu, Y; Elfarra, AA; et al. (1995) Glutathione-dependent metabolism of trichloroethylene in isolated liver and kidney cells of rats and its role in mitochondrial and cellular toxicity. *Drug Metab Dispos* 23:846–853.
- Lash, LH; Qian, W; Putt, DA; et al. (1998) Glutathione conjugation of trichloroethylene in rats and mice: sex-, species-, and tissue-dependent differences. *Drug Metab Dispos* 26(1):12–19.
- Lash, L H; Visarius, TM; Sall, JM; et al. (1998) Cellular and subcellular heterogeneity of glutathione metabolism and transport in rat kidney cells. *Toxicology* 130:1–15.
- Lash, LH; Lipscomb, JC; Putt, DA; et al. (1999a) Glutathione conjugation of trichloroethylene in human liver and kidney: kinetics and individual variation. *Drug Metab Dispos* 27(3):351–359.
- Lash, LH; Putt, DA; Brashear, WT; et al. (1999b) Identification of S-(1,2-dichlorovinyl)glutathione in the blood of human volunteers exposed to trichloroethylene. *J Toxicol Environ Health A* 56:1–21.
- Lash, LH; Fisher, JW; Lipscomb, JC; et al. (2000a) Metabolism of trichloroethylene. *Environ Health Perspect* 108(Suppl. 2):177–200.
- Lash, LH; Parker, JC; Scott, CS. (2000b) Modes of action of trichloroethylene for kidney tumorigenesis. *Environ Health Perspect* 108(Suppl. 2):225–240.
- Lash, LH; Qian, W; Putt, DA; et al. (2001) Renal and hepatic toxicity of trichloroethylene and its glutathione-derived metabolites in rats and mice: sex-, species-, and tissue-dependent differences. *J Pharmacol Exp Ther* 297:155–164.
- Lash, LH; Putt, DA; Hueni, SE; et al. (2003) Roles of necrosis, apoptosis, and mitochondrial dysfunction in S-(1,2-dichlorovinyl)-L-cysteine sulfoxide-induced cytotoxicity in primary cultures of human renal proximal tubular cells. *J Pharmacol Exp Ther* 305(3):1163–1172.
- Lash, LH; Putt, DA; Parker, JC. (2006) Metabolism and tissue distribution of orally administered trichloroethylene in male and female rats: identification of glutathione- and cytochrome P-450-derived metabolites in liver, kidney, blood, and urine. *J Toxicol Env Health A* 69(13):1285-1309.
- Lash, LH; Putt, DA; Huang, P; et al. (2007) Modulation of hepatic and renal metabolism and toxicity of trichloroethylene and perchloroethylene by alterations in status of cytochrome P450 and glutathione. *Toxicology* 235(1–2):11–26.
- Laslo-Baker, D; Barrera, M; Knittel-Keren, D; et al. (2004) Child neurodevelopmental outcome and maternal occupational exposure to solvents. *Arch Pediatr Adolesc Med* 158(10):956–61.
- Latendresse, JR; Pereira, MA. (1997) Dissimilar characteristics of N-methyl-N-nitrosourea-initiated foci and tumors promoted by dichloroacetic acid or trichloroacetic acid in the liver of female B6C3F1 mice. *Toxicol Pathol* 25(5):433–40.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Lau, SS; Kleiner, HE; Monks, TJ. (1995) Metabolism as a determinant of species susceptibility to 2,3,5-(triglutathion-S-YL)hydroquinone-mediated nephrotoxicity. The role of *N*-acetylation and *N*-deacetylation. *Drug Metab Disp* 23(10):1136–1142.

Laughter, AR; Dunn, CS; Swanson, CL; et al. (2004) Role of the peroxisome proliferator-activated receptor alpha (PPARalpha) in responses to trichloroethylene and metabolites, trichloroacetate and dichloroacetate in mouse liver. *Toxicology* 203:83–98.

Laureno, R. (1988) Trichloroethylene poisoning mimicking multiple sclerosis. *Can J Neurol Sci* 15:354.

Laureno, R. (1993) Blink reflex measurement of effects of trichloroethylene. *Muscle Nerve* 16:217.

LaVecchia, C; Negri, E; Franceschi, S; et al. (1994) A case-control study of diabetes mellitus and cancer risk. *Br J Cancer* 70:950–953.

Lawrence, T; Hagemann, T; Balkwill, F. (2007) Sex, cytokines, and cancer. *Science* 317:51–52.

Le Mesurier, SM; Lykke, AWJ; Stewart, BW. (1980) Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett* 5:89–93.

Le Mesurier, SM; Stewart, BW; O'Connell, PJ; et al. (1979) Pulmonary responses to atmospheric pollutants. II. Effect of petrol vapour inhalation on secretion of pulmonary surfactant. *Pathology* 11:81–87.

Leakey, JEA; Seng, JE; Allaben, WT. (2003b) Body weight considerations in the B6C3F1 mouse and the use of dietary control to standardize background tumor incidence in chronic bioassays. *Toxicol Appl Pharmacol* 193:237–265.

Leakey, JEA ; Seng, JE ; Lantendresse, JR ; et al. (2003a) Dietary controlled carcinogenicity study of chloral hydrate in male B6C3F1 mice. *Toxicol Appl Pharmacol* 193:266–280.

Leavitt, SA; DeAngelo, AB; George, MH; et al (1997) Assessment of the mutagenicity of dichloroacetic acid in lacI transgenic B6C3F1 mouse liver. *Carcinogenesis* 18(11):2101–2106.

Lee, JH; Chung, CW; Ma, YC; et al. (2003) Increased mortality odds ratio of male liver cancer in a community contaminated by chlorinated hydrocarbons in groundwater. *Occup Environ Med* 60:364–369.

Lee, LJ; Chan, CC; Chung, CW; et al. (2002) Health risk assessment on residents exposed to chlorinated hydrocarbons contaminated in groundwater of a hazardous waste site. *J Toxicol Environ Health A* 65(3–4):219–35.

Lee, KM; Bruckner, JV; Muralidhara, S; et al. (1996) Characterization of presystemic elimination of trichloroethylene and its nonlinear kinetics in rats. *Toxicol Appl Pharmacol* 139:262–271.

Lee, KM; Muralidhara, S; Schnellmann, RG; Bruckner, JV. (2000a) Contribution of direct solvent injury to the dose-dependent kinetics of trichloroethylene: portal vein administration to rats. *Toxicol Appl Pharmacol* 164:46–54.

Lee, KM; Muralidhara, S; White, CA; et al. (2000b) Mechanisms of the dose-dependent kinetics of trichloroethylene: oral bolus dosing of rats. *Toxicol Appl Pharmacol* 164:55–64.

Lehmann, I; Rehwagen, M; Diez, U; et al. (2001) Enhanced *in vivo* IgE production and T cell polarization toward the type 2 phenotype in association with indoor exposure to VOC: results of the LARS study. *Int J Hyg Environ Health* 204(4):211–221.

Lehmann, I; Thielke, A; Rehwagen, M; et al. (2002) The influence of maternal exposure to volatile organic compounds on the cytokine secretion profile of neonatal T cells. *Environ Toxicol* 17(3):203–210.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Leigh JP. 1996. Occupations, cigarette smoking, and lung cancer in the epidemiological follow-up to the NHANES I and the California occupational mortality study. *Bull NY Acad Med* 73:370–397.
- Leigh, JP; Jiang, W. (1993) Liver cirrhosis deaths within occupations and industries in the California occupational mortality study. *Addiction* 88:767–779.
- Leighton, DT, Jr; Calo, JM. (1981) Distribution coefficients of chlorinated hydrocarbons in dilute air-water systems for groundwater contamination applications. *J Chem Eng Data* 26:382–385.
- Lemke, LE; McQueen, CA. (1995) Acetylation and its role in the mutagenicity of the antihypertensive agent hydralazine. *Drug Metab Dispos* 23:559–565.
- Leopardi, P; Zijno, A; Bassani, B; et al. (1993) In vivo studies on chemically induced aneuploidy in mouse somatic and germinal cells. *Mutat Res* 287(1):119–130.
- Leuschner, J; Beuscher, N. (1998) Studies on the mutagenic and carcinogenic potential of chloral hydrate. *Arzneimittelforschung* 48(10):961–968.
- Leuschner, J; Leuschner, F. (1991) Evaluation of the mutagenicity of chloral hydrate in vitro and in vivo. *Arzneimittelforschung* 41(10):1101–1103.
- Lewis, R. (2001) *Hawley's Condensed Chemical Dictionary*, 14<sup>th</sup> Edition. New York, NY: John Wiley and Sons.
- Li, H; Dai, Y; Huang, H; et al. (2007) HLA-B\*1301 as a biomarker for genetic susceptibility to hypersensitivity dermatitis induced by trichloroethylene among workers in China. *Environ Health Perspect* 115(11):1553–1556.
- Li, T; Schultz, I; Keys, DA; et al. (2008) Quantitative evaluation of dichloroacetic acid kinetics in human—a physiologically based pharmacokinetic modeling investigation. *Toxicology* 245:35–48.
- Liang, JC; Brinkley, BR. (1985) Chemical probes and possible targets for the induction of aneuploidy. *Basic Life Sci* 36:491–505
- Liang, JC; Pacchierotti, F. (1988) Cytogenetic investigation of chemically-induced aneuploidy in mouse spermatocytes. *Mutat Res* 201(2):325–35.
- Liangpunsakul, S; Kolwankar, D; Pinto, A; et al. N. (2005) Activity of CYP2E1 and CYP3A enzymes in adults with moderate alcohol consumption: a comparison with nonalcoholics. *Hepatology* 41(5):1144–1150.
- Lieber, CS. (2004) The discovery of the microsomal ethanol oxidizing system and its physiologic and pathologic role. *Drug Metab Rev* 36(3–4):511–529.
- Ligocki, MP; Leuenberger, C; Pankow, JF. (1985) Trace organic compounds in rain-II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19:1609–1617.
- Lilly, PD; Simmons, JE; Pegram, RA. (1994) Dose-dependent vehicle differences in the acute toxicity of bromodichloromethane. *Fundam Appl Toxicol* 23:132–140.
- Lindbohm, ML; Sallmén, M; Kyyrönen, P; et al. (2009) Risk of liver cancer and exposure to organic solvents and gasoline vapors among Finnish workers. *Int J Cancer EPUB DOI* 10.1002/ijc.24309
- Lindbohm, ML; Taskinen, H; Sallmén, M; et al. (1990) Spontaneous abortions among women exposed to organic solvents. *Am J Ind Med* 17(4):449–463.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Lingohr, MK; Thrall, BD; Bull, RJ. (2001) Effects of dichloroacetate (DCA) on serum insulin levels and insulin-controlled signaling proteins in livers of male B6C3F1 mice. *Toxicol Sci* 59:178–184.
- Lipscomb, JC; Mahle, DA; Brashear, WT; et al. (1995) Dichloroacetic acid: Metabolism in cytosol. *Drug Metab Disp* 23(11):1202–1205.
- Lipscomb, JC; Mahle, DA; Brashear, WT; et al. (1996) A species comparison of chloral hydrate metabolism in blood and liver. *Biochem Biophys Res Commun* 227: 340–350.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1997) Cytochrome P450-dependent metabolism of trichloroethylene: interindividual differences in humans. *Toxicol Appl Pharmacol* 142(2):311–318.
- Lipscomb, JC; Fisher, JW; Confer, PD; et al. (1998a) In vitro to in vivo extrapolation for trichloroethylene metabolism in humans. *Toxicol Appl Pharmacol* 152:376–387.
- Lipscomb, JC; Garrett, CM; Snawder, JE. (1998b) Use of kinetic and mechanistic data in species extrapolation of bioactivation: Cytochrome P-450 dependent trichloroethylene metabolism at occupationally relevant concentrations. *J Occup Health* 40:110–117.
- Lipscomb, JC; Teuschler, LK; Swartout, J; et al. (2003) The impact of cytochrome P450 2E1-dependent metabolic variance on a risk-relevant pharmacokinetic outcome in humans. *Risk Anal* 23(6):1221–1238.
- Little, JC; Daisey, JM; Nazaroff, WW. (1992) Transport of subsurface contaminants into buildings, an exposure pathway for volatile organics. *Environ Sci Technol* 26:2058–2066.
- Liu, E; Jelinek, J; Pastore, YD; et al. (2003) Discrimination of polycythemia and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. *Blood* 101:3294–3301.
- Liu, E; Percy, MJ; Amos, CI; et al. (2004) The worldwide distribution of the VHL 598C>T mutation indicates a single founding event. *Blood* 103(5):1937–1940.
- Liu, Y; Bartlett, MG; White, CA; et al. (2009) Presystemic elimination of trichloroethylene in rats following environmentally-relevant oral exposures. *Drug Metab Dispos (In Press)*.
- Liu, YT; Jin, C; Chen, Z; et al. (1988) Increased subjective symptom prevalence among workers exposed to trichloroethylene at sub-OEL levels. *Tohoku J Exp Med* 155(2):183–195.
- Lock, EA; Reed, CJ. (2006) Trichloroethylene: Mechanisms of Renal Toxicity and Renal Cancer and Relevance to Risk Assessment. *Toxicol Sci* 91:313–331.
- Lock, EA; Reed, CJ; McMillan, JM; et al. (2007) Lack of formic acid production in rat hepatocytes and human renal proximal tubule cells exposed to chloral hydrate or trichloroacetic acid. *Toxicology* 230:234–243.
- Lockey, JE; Kelly, CR; Cannon, GW; et al. (1987) Progressive systemic sclerosis associated with exposure to trichloroethylene. *J Occup Med* 29:493–496.
- Loeber, CP; Hendrix, MJC; de Pinos, SD; et al. (1988) Trichloroethylene: a cardiac teratogen in developing chick embryos. *Pediatr Res* 24(6):740–744.
- Loeber, CP; Runyan, RB. (1990) A comparison of fibronectin, laminin, and galactosyltransferase adhesion mechanisms during embryonic cardiac mesenchymal cell migration in vitro. *Dev Biol* 140:401–412.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Lopreato, GF; Phelan, R; Borghese, CM; et al. (2003) Inhaled drugs of abuse enhance serotonin-3 receptor function. *Drug Alcohol Depend* 70(1):11–5.

Lorente, C; Cordier, S; Bergeret, A; et al. (2000) Maternal occupational risk factors for oral clefts. *Occupational Exposure and Congenital Malformation Working Group. Scand J Work Environ Health* 26(2):137–145.

Lowengart, RA; Peters, JM; Cicioni, C; et al. (1987) Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst* 79(1):39–46.

Luebke, RW; Chen, DH; Dietert, R; et al. (2006) The comparative immunotoxicity of five selected compounds following developmental or adult exposure. *J Toxicol Environ Health B* 9:1–26.

Lumpkin, MH; Bruckner, JV; Campbell, JL; et al. (2003) Plasma binding of trichloroacetic acid in mice, rats, and humans under cancer bioassay and environmental exposure conditions. *Drug Metab Dispos* 31(10):1203–1207.

Lundberg, I; Alfredsson, L; Plato, N; et al. (1994) Occupation, occupational exposure to chemicals and rheumatological disease. A register based cohort study. *Scand J Rheumatol* 23:305–310.

Lutz, WK; Gaylor, DW; Conolly, RB; et al. (2005) Nonlinearity and thresholds in dose-response relationships for carcinogenicity due to sampling variation, logarithmic dose scaling, or small differences in individual susceptibility. *Toxicol Appl Pharmacol* 207(Suppl. 2):565–569.

Lybarger, JA; Lichtveld, MY; Amler, RW. (1999) Biomedical testing of the kidney for persons exposed to hazardous substances in the environment. *Renal Failure* 21:263–274.

Lynch, AM; Parry, JM. (1993) The cytochalasin-B micronucleus/kinetochore assay in vitro: studies with 10 suspected aneugens. *Mutat Res* 287(1):71–86.

Lyng, E; Anttila, A; Hemminki, K. (1997) Organic solvents and cancer. *Cancer Cause Control* 8:406–419.

MacFarlane, M; Foster, JR; Gibson, GG; et al. (1989) Cysteine conjugate beta-lyase of rat kidney cytosol: characterization, immunocytochemical localization, and correlation with hexachlorobutadiene nephrotoxicity. *Toxicol Appl Pharm* 98(2):185–197.

Mackay, JM; Fox, V; Griffiths, K; et al. (1995) Trichloroacetic acid: investigation into the mechanism of chromosomal damage in the in vitro human lymphocyte cytogenetic assay and the mouse bone marrow micronucleus test. *Carcinogenesis* 16(5):1127–1133.

MADPH (Massachusetts Department of Public Health). (1997) Woburn childhood leukemia follow-up study. Volume 1: Analyses. MADPH, Boston, MA.

Magnusson, B; Kligman, AM. (1969) The identification of contact allergens by animal assay. The guinea pig maximization test. *J Invest Dermatol* 52:268–276.

Mahle, DA; Gearhart, JM; Grigsby, CC; et al. (2007) Age-dependent partition coefficients for a mixture of volatile organic solvents in Sprague-Dawley rats and humans. *J Toxicol Env Health A* 70:1745–1751.

Mahr, AD; Neogi, T; Merkel, PA. (2006) Epidemiology of Wegener's granulomatosis: lessons from descriptive studies and analyses of genetic and environmental risk determinants. *Clin Exp Rheumatol* 24:S82–S91.

Maihes, JB; Aardema, MJ; Marchetti, F. (1993) Investigation of aneuploidy induction in mouse oocytes following exposure to vinblastine-sulfate, pyrimethamine, diethylstilbestrol diphosphate, or chloral hydrate. *Environ Mol Mutagen* 22(2):107–114.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Maitre, A; Hours, M; Bonnetterre, V; et al. (2004) Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. *J Rheumatol* 31:2395–2401.

Malherbe, P; Alberati-Giani, D; Köhler, C; et al. (1995) Identification of a mitochondrial form of kynurenine aminotransferase/glutamine transaminase K from rat brain. *FEBS Lett* 367:141–144.

Mallin, K. (1990) Investigation of a bladder cancer cluster in Northwestern Illinois. *Am J Epidemiol* 132(Suppl):S96–S106.

Mally, A; Walker, CL; Everitt, JJ; et al. (2006) Analysis of renal cell transformation following exposure to trichloroethene in vivo and its metabolite S-(dichlorovinyl)-L-cysteine in vitro. *Toxicology*. 224(1–2):108–118.

Maloney, EK; Waxman, DJ. (1999) trans-Activation of PPARalpha and PPARgamma by structurally diverse environmental chemicals. *Toxicol Appl Pharmacol* 161:209–218.

Maltoni, C; Lefemine, G; Cotti, G; et al. (1988) Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F1 mice. In: Maltoni, C, Selikoff, IJ; eds. *Living in a chemical world. Annals of the New York Academy of Sciences, Volume 534.* New York, NY: New York Academy of Sciences. .

Maltoni, C; Lefemine, G; Cotti, G. (1986) Experimental research on trichloroethylene carcinogenesis. In: Maltoni, C; Mehlman MA, eds. *Archives of research on industrial carcinogenesis, Vol. 5.* Princeton, NJ: Princeton Scientific Publishing; pp 316–342.

Mandel, JH; Kelsh, MA; Mink, PJ; et al. (2006) Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: a meta-analysis and review. *Occup Environ Med* 63:597–607.

Mandel, JS; McLaughlin, JK; Schlehofer, B; et al. (1995) Internal renal-cell cancer study. IV. Occupation. *Int J Cancer* 61:601–605.

Mandel, JS. (2001) Renal cell cancer correlated with occupational exposure to trichloroethylene. *J Cancer Res Clin Oncol* 127:265–268.

Mannetje, A; Dryson, E; Walls, C; et al. (2008) High risk occupations for non-Hodgkin's lymphoma in New Zealand: Case-control study. *Occup Environ Med* 65:354–363.

Manson, JM; Murphy, M; Richdale, N; et al. (1984) Effects of oral exposure to trichloroethylene on female reproductive function. *Toxicology* 32:229–242.

Markwald, R; Eisenberg, C; Eisenberg, L; et al. (1996) Epithelial-mesenchymal transformations in early avian heart development. *Acta Anatomica* 156:173–186.

Markwald, RR; Runyan, RB; Kitten, GT; et al. (1984) Use of collagen gel cultures to study heart development: proteoglycan and glycoprotein interactions during the formation of endocardial cushion tissue. In: *The role of extracellular matrix in development.* New York Alan R. Liss, Inc.; pp 323–350.

Maronpot, RR; Fox, T; Malarkey, DE; et al. (1995) Mutations in the ras proto-oncogene clues to etiology and molecular pathogenesis of mouse liver tumors. *Toxicology* 101:125–156.

Marrazzini, A; Betti, C; Bernacchi, F; et al. (1994) Micronucleus test and metaphase analyses in mice exposed to known and suspected spindle poisons. *Mutagenesis* 9(6):505–515

Marshall, EK; Owens, AH. (1955) Absorption, excretion and metabolic fate of chloral hydrate and trichloroethanol. *Bull Johns Hopkins Hosp* 95:1–18.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Marsman, DS; Cattley, RC; Conway, JG; et al. (1988) Relationship of hepatic peroxisome proliferation and replicative DNA synthesis to the hepatocarcinogenicity of the peroxisome proliferators di(2-ethylhexyl)phthalate and [4-chloro-6-(2,3-xylidino)-2-pyrimidinylthio]acetic acid (Wy-14,643) in rats. *Cancer Res* 48:6739–6744.
- Mather, GG; Exon, JH; Koller, LD. (1990) Subchronic 90 day toxicity of dichloroacetic and trichloroacetic acid in rats. *Toxicology* 64:71–80.
- Mattioli, S; Truffelli, D; Baldasseroni, A; et al. (2002) Occupational risk factors for renal cell cancer: a case-control study in northern Italy. *J Occup Environ Med* 44:1028–1036.
- Mazzullo, M; Bartoli, S; Bonora, B; et al. (1992) *In vivo* and *in vitro* interaction of trichloroethylene with macromolecules from various organs of rat and mouse. *Res Commun Chem Path* 76(2):192–208.
- McCarthy, TB; Jones, RD. (1983) Industrial gassing poisonings due to trichloroethylene, perchloroethylene, and 1-1-1 trichloroethane, 1961-80. *Br J Ind Med* 40(4):450–455.
- McCarver, DG; Byun, R; Hines, RN; et al. (1998) A genetic polymorphism in the regulatory sequences of human CYP2E1: association with increased chlorzoxazone hydroxylation in the presence of obesity and ethanol intake. *Toxicol Appl Pharmacol* 152(1):276–281.
- McCarver, DG; Hines, RN. (2002) The ontogeny of human drug-metabolizing enzymes: phase II conjugation enzymes and regulatory mechanisms. *J Pharmacol Exp Ther* 300(2):361–366.
- McConnell, G; Ferguson, DM; Pearson, CR. (1975) Chlorinated hydrocarbons and the environment. *Endeavour* 34:13–18.
- McCredie, M; Stewart, JH. (1993) Risk factors for kidney cancer in New South Wales. IV. Occupation. *Br J Ind Med* 50:349–354.
- McCunney, RJ. (1988) Diverse manifestations of trichloroethylene. *Br J Ind Med* 45:122–126.
- McDaniel, TV; Martin, PA; Ross, N; et al. (2004) Effects of chlorinated solvents on four species of North American amphibians. *Arch Environ Contam Toxicol* 47:101–109.
- McGregor, DB; Reynolds, DM; Zeiger, E. (1989) Conditions affecting the mutagenicity of trichloroethylene in Salmonella. *Environ Mol Mutagen* 13:197–202.
- McKinney, PA; Alexander, FE; Cartwright, RA; et al. (1991) Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *Brit J Med* 302:681–687.
- McLaughlin, JK; Blot, WJ. (1997) A critical review of epidemiology studies of trichloroethylene and perchloroethylene and risk of renal-cell cancer. *Int Arch Occup Environ Health* 70:222–31.
- McLaughlin, JK; Lipworth, L; Tarone, RE. (2006) Epidemiologic aspects of renal cell carcinoma. *Semin Oncol* 33:527–33.
- Melchiorri, C; Chieco, P; Zedda, AI; et al. (1993) Ploidy and nuclearity of rat hepatocytes after compensatory regeneration or mitogen-induced liver growth. *Carcinogenesis* 14(9):1825–1830.
- Mellemgaard, A; Engholm, G; McLaughlin, JK; et al. (1994) Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health* 20:160–165.
- Melnick, RL; Jameson, CW; Goehl, TJ; et al. (1987) Application of microencapsulation for toxicology studies. II. Toxicity of microencapsulated trichloroethylene in Fischer 344 rats. *Fundam Appl Toxicol* 8:432–442.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Mensing, T; Welge, P; Voss, B; et al. (2002) Renal toxicity after chronic inhalation exposure of rats to trichloroethylene. *Toxicol Lett* 128:243–247.
- Merdink, JL; Robison, LM; Stevens, DK; et al. (2008) Kinetics of chloral hydrate and its metabolites in male human volunteers. *Toxicology* 245:130–40.
- Merdink, JL; Stenner, RD; Stevens, DK; et al. (1999) Effect of enterohepatic circulation on the pharmacokinetics of chloral hydrate and its metabolites in F344 rats. *J Toxicol Environ Health A* 57:357–368.
- Merdink, JL; Bull, RJ; Schultz, IR. (2000) Trapping and identification of the dichloroacetate radical from the reductive dehalogenation of trichloroacetate by mouse and rat liver microsomes. *Free Radic Biol Med* 29(2):125–130.
- Merdink, JL; Gonzalez-Leon, A; Bull, RJ; et al. (1998) The extent of dichloroacetate formation from trichloroethylene, chloral hydrate, trichloroacetate, and trichloroethanol in B6C3F1 mice. *Toxicol Sci* 45(1):33–41.
- Merrick, BA; Robinson, M; Condi, LW. (1989) Differing hepatotoxicity and lethality after subacute trichloroethylene exposure in aqueous or corn oil gavage vehicles in B6C3F1 mice. *J Appl Toxicol* 9(1):15–21.
- Messing, K; Punnett, L; Bond, M; et al. (2003) Be the fairest of them all: challenges and recommendations for the treatment of gender in occupational health research. *Am J Ind Med* 43:618–629.
- Mester, B; Nieters, A; Deeg, E; et al. (2006) Occupation and malignant lymphoma: a population based case control study in Germany. *Occup Environ Med* 63:17–26.
- Mhiri, C; Choyakh, F; Ben, HM; et al. (2004) Trigeminal somatosensory evoked potentials in trichloroethylene-exposed workers. *Neurosciences* 9(2):102–107.
- Michalik, L; Desvergne, B; Dreyer, C; et al. (2002) PPAR expression and function during vertebrate development. *Int J Develop Biol* 46:105–114.
- Michel, C; Desdouets, C; Slaoui, M; et al. (2007) Diethylnitrosamine initiation does not alter clofibric acid-induced hepatocarcinogenesis in the rat. *Toxicol Sci* 99(1):58–69.
- Mikol, YB; Hoover, KL; Creasia, D; et al. (1983) Hepatocarcinogenesis in rats fed methyl-deficient, amino acid-defined diets. *Carcinogenesis* 4(12):1619–29.
- Miligi, L; Costantini, AS; Benvenuti, A; et al. (2006) Occupational exposure to solvents and the risk of lymphomas. *Epidemiology* 17:552–561.
- Miller, BM; Adler, I-D. (1992) Aneuploidy induction in mouse spermatocytes. *Mutagenesis* 7:69–76
- Miller, RT; Shah, RS; Cattley, RC; et al. (1996) The peroxisome proliferator WY-14,643 and methylclofenapate induce hepatocellular ploidy alterations and ploidy-specific DNA synthesis in F344 rats. *Toxicol Appl Pharmacol* 138:317–323.
- Miller, RE; Guengerich, FP. (1982) Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry* 21:1090–1097.
- Miller, RE; Guengerich, FP. (1983) Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted enzyme systems containing cytochrome P-450. *Cancer Res* 43(3):1145–1152.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Mills, NC; Means, AR. (1970) Sorbitol dehydrogenase of rat testis changes activity during development after hypophysectomy and following gonadotropic hormone administration. *Endocrinology* 91(1):147–156.

Mirsalis, JC; Tyson, CK; Steinmetz, KL; et al. (1989) Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following *in vivo* treatment: testing of 24 compounds. *Environ Mol Mutagen* 14:155–164.

Mishima, N; Hoffman, S; Hill, EG; et al. (2006) Chick embryos exposed to trichloroethylene in an ex ovo culture model show selective defects in early endocardial cushion tissue formation. *Birth Defects Res A Clin Mol Teratol* 76:517–527.

Mitchell, ABS; Parsons-Smith, BG. (1969) Trichloroethylene neuropathy. *Brit Med. J* 1:422–423.

Mjaatvedt, CH; Krug, EL; Markwald, RR. (1991) An antiserum (ES1) against a particulate form of extracellular matrix blocks the transition of cardiac endothelium into mesenchyme in culture. *Dev Biol* 145:219–230.

Mjaatvedt, CH; Lepera, RC; Markwald, RR. (1987) Myocardial specificity for initiating endothelial-mesenchymal cell transition in embryonic chick heart correlates with a particulate distribution of fibronectin. *Dev Biol* 119:59–67.

Moghaddam, AP; Abbas, R; Fisher, JW; et al. (1997) The role of mouse intestinal microflora in the metabolism of trichloroethylene, an *in vivo* study. *Human Exp Toxicol* 16:629–635.

Moghaddam, AP; Abbas, R; Fisher, JW; et al. (1996) Formation of dichloroacetic acid by rat and mouse gut microflora, an *in vitro* study. *Biochem Biophys Res Comm* 228:639–645.

Monster, AC; Boersma, G; Duba, WC. (1979) Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health* 42:283–292.

Monster, AC. (1979) Difference in uptake, elimination, and metabolism in exposure to trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene. *Int Arch Occup Environ Health* 42(3–4):311–317.

Monster, AC; Boersma, G; Duba, WC. (1976) Pharmacokinetics of trichloroethylene in volunteers, influence of workload and exposure concentration. *Int Arch Occup Environ Health* 38(2):87–102.

Moore, LE; Wilson, RT; Campleman, SL. (2005) Lifestyle factors, exposures, genetic susceptibility, and renal cell cancer risk: a review. *Cancer Invest* 23:240–255.

Moore, MM; Harrington-Brock, K. (2000) Mutagenicity of trichloroethylene and its metabolites: implications for the risk assessment of trichloroethylene. *Environ Health Perspect* 108(Suppl. 2):215–223.

Morgan, JW; Cassady, RE. (2002) Community cancer assessment in response to long-time exposure to perchlorate and trichloroethylene in drinking water. *J Occup Environ Med* 44(7):616–621.

Morgan, RW; Kelsh, MA; Zhao, K; et al. (1998) Mortality of aerospace workers exposed to trichloroethylene. *Epidemiology* 9:424–431.

Morgan, RW; Kelsh, MA; Zhao, K; et al. (2000) Mortality of aerospace workers exposed to trichloroethylene [erratum]. *Epidemiology* 11:360.

Morimura, K; Cheung, C; Ward, JM; et al. (2006) Differential susceptibility of mice humanized for peroxisome proliferator-activated receptor {alpha} to Wy-14,643 induced liver tumorigenesis. *Carcinogenesis*. 27:1074–1080.

Mortelmans, K; Haworth, S; Lawlor, T; et al. (1986) Salmonella mutagenicity tests: II. Results from the testing of 270 chemicals. *Environ Mutagen* 8(Suppl. 7):1–119.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Morton, LD; Youssef, AF; Lloyd, E; et al. (2002) Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicol Pathol* 30:559–564.
- Morton, LM; Turner, JJ; Cerhan, JR; et al. (2007) Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). *Blood* 110:695–708.
- Morton, LM; Wang, SS; Devesa, SS; et al. (2006) Lymphoma incidence patterns by WHO subtype in the United States, 1992–2001. *Blood* 107:265–276.
- Moser, VC; Cheek, BM; MacPhail, RC. (1995) A multidisciplinary approach to toxicological screening III: Neurobehavioral toxicity. *J Toxicol Environ Health* 45(2):173–210.
- Moser, VC; MacPhail, RC; Gennings, C. (2003) Neurobehavioral evaluations of mixtures of trichloroethylene, heptachlor, and di(2-ethylhexyl)phthalate in a full-factorial design. *Toxicology* 188(2–3):125–137.
- Moslen, MT; Reynolds, ES; Boor, PJ; et al. (1977) Trichloroethylene-induced deactivation of cytochrome P-450 and loss of liver glutathione *in vivo*. *Res Commun Chem Pathol Pharmacol* 16(1):109–120.
- Mueller, WF; Coulston, F; Korte, F. (1982) Comparative metabolism of <sup>14</sup>C TCE in chimpanzees, baboons, and rhesus monkeys. *Chemosphere* 11:215–218.
- Muijser, H; Lammers, J; Kulig, BM. (2000) Effects of exposure to trichloroethylene and noise on hearing in rats. *Noise Health* 6:57–66.
- Müller, G; Spassowski, M; Henschler, D. (1975) Metabolism of trichloroethylene in man. III. Interaction of trichloroethylene and ethanol. *Arch Toxicol* 33(3):173–89.
- Nagaya, T; Ishikawa, N; Hata, H. (1989) Sister chromatid exchanges in lymphocytes of workers exposed to trichloroethylene. *Mutat Res* 222:279–282.
- Nagaya, T; Ishikawa, N; Hata, H; et al. (1993) Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health* 64:561–563.
- Nagaya, T; Ishikawa, N; Hata, H. (1989) Urinary total protein and  $\beta$ 2-Microglobulin in workers exposed to trichloroethylene. *Environ Res* 50:86–92.
- Nagaya, T; Ishikawa, N; Hata, H. (1990) No change in serum dopamine-beta-hydroxylase activity in workers exposed to trichloroethylene. *Toxicol Lett* 54(2/3):221–227.
- Nakai, JS; Stathopoulos, PB; Campbell, GL; et al. (1999) Penetration of chloroform, trichloroethylene, and tetrachloroethylene through human skin. *J Toxicol Environ Health A*. 58(3):157–170.
- Nakajima, T; Aoyama, T. (2000) Polymorphism of drug-metabolizing enzymes in relation to individual susceptibility to industrial chemicals. *Ind Health* 38(2):143–152.
- Nakajima, T; Kamijo, Y; Usuda, N; et al. (2000) Sex-dependent regulation of hepatic peroxisome proliferation in mice by trichloroethylene via peroxisome proliferator-activated receptor alpha (PPARalpha). *Carcinogenesis* 21(4):677–682.
- Nakajima, T; Koyama, Y; Sato, A. (1982) Dietary modification of metabolism and toxicity of chemical substances--with special reference to carbohydrate. *Biochem Pharmacol* 31(6):1005–1011.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Nakajima, T; Okino, T; Okuyama, S; et al. (1988) Ethanol-induced enhancement of trichloroethylene metabolism and hepatotoxicity: difference from the effect of phenobarbital. *Toxicol Appl Pharmacol* 94(2):227–237.
- Nakajima, T; Wang, RS; Elovaara, E; et al. (1992b) A comparative study on the contribution of cytochrome P450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol* 43(2):251–257.
- Nakajima, T; Wang, RS; Elovaara, E; et al. (1993) Cytochrome P450-related differences between rats and mice in the metabolism of benzene, toluene and trichloroethylene in liver microsomes. *Biochem Pharmacol* 45(5):1079–1085.
- Nakajima, T; Wang, RS; Katakura, Y; et al. (1992a) Sex-, age- and pregnancy-induced changes in the metabolism of toluene and trichloroethylene in rat liver in relation to the regulation of cytochrome P450IIE1 and P450IIC11 content. *J Pharmacol Exp Ther* 261(3):869–874.
- Nakajima, T; Wang, RS; Murayama, N; et al. (1990) Three forms of trichloroethylene-metabolizing enzymes in rat liver induced by ethanol, phenobarbital, and 3-methylcholanthrene. *Toxicol Appl Pharmacol* 102(3):546–552.
- Nakajima, T; Yamanoshita, O; Kamijima, M; et al. (2003) Generalized skin reactions in relation to trichloroethylene exposure: a review from the viewpoint of drug-metabolizing enzymes. *J Occup Health* 45(1):8–14.
- Nakajima, T; Okino, T; Okuyama, S; et al. (1988) Ethanol-induced enhancement of trichloroethylene metabolism and hepatotoxicity: difference from the effect of phenobarbital. *Toxicol Appl Pharmacol* 94:227–237.
- Nakajima, T; Wang, RS; Elovaara, E; et al. (1993) Cytochrome P450-related differences between rats and mice in the metabolism of benzene, toluene and trichloroethylene in liver microsomes. *Biochem Pharmacol* 45(5):1079–1085.
- Nakajima, Y; Mironov, V; Yamagishi, T; et al. (1997) Expression of smooth muscle alpha-actin in mesenchymal cells during formation of avian endocardial cushion tissue: a role for transforming growth factor  $\beta$ 3. *Dev Dyn* 209:296–309.
- Nakanishi, S; Shiohara, E; Tsukada, M; et al. (1978) Acetaldehyde level in the blood and liver aldehyde dehydrogenase activities in trichloroethylene-treated rats. *Arch Toxicol* 41(3):207–214.
- Narotsky, MG; Kavlock, RJ. (1995) A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45:145–171.
- Narotsky, MG; Weller, EA; Chinchilli, VM; et al (1995) Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fundam Appl Toxicol* 27:203–216.
- Natarajan, AT; Duivenvoorden, WC; Meijers, M; et al. (1993) Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. *Mutat Res* 287(1):47–56.
- Naugler, WE; Sakurai, T; Kim, S; et al. (2007) Gender disparity in liver cancer due to sex differences in MyD88-dependent IL-6 production. *Science* 317: 121–124.
- NCHS (National Center for Health Statistics). (2007) National Vital Statistics Reports, vol. 55, no. 19; August 21, 2007, Table 3. National Center for Health Statistics, Hyattsville, MD.
- NCI (National Cancer Institute). (1976) Carcinogenesis bioassay of trichloroethylene. Division of Cancer Cause and Prevention, National Cancer Institute, U.S. Department of Health, Education, and Welfare, DHEW Publication No. (NIH) 76-802, Technical Report Series No. 2, 218 pages; NCI-CG-TR-2; NTIS PB254122. Available online at

*This document is a draft for review purposes only and does not constitute Agency policy.*

Neghab, M; Qu, S; Bai, CL; et al. (1997) Raised concentration of serum bile acids following occupational exposure to halogenated solvents, 1,1,2-trichloro-1,2,2-trifluoroethane and trichloroethylene. *Int Arch Occup Environ Health* 70:187–194.

Neghab, M; Stacey, NH. (1997) Toluene-induced elevation of serum bile acids: relationship to bile acid transport. *J Toxicol Environ Health* 52:249–268.

Nelson, MA; Bull, RJ. (1988) Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol* 94:45–54.

Nelson, MA; Lansing, AJ; Sanches, AM; et al. (1989) Dichloroacetic acid and trichloroacetic acid-induced DNA strand breaks are independent of peroxisome proliferation. *Toxicology* 58:239–248.

Nelson, MA; Sanchez, IM; Bull, RJ; et al. (1990) Increased expression of c-myc and c-H-ras in dichloroacetate and trichloroacetate-induced liver tumors in B6C3F1 mice. *Toxicology* 64:47–57.

Nelson, GM; Swank, AE; Brooks, LR; et al. (2001) Metabolism, microflora effects, and genotoxicity in haloacetic acid-treated cultures of rat cecal microbiota. *Toxicol Sci* 60(2):232–241.

Nelson, JL; Zenick, H. (1986) The effect of trichloroethylene on male sexual behavior: possible opioid role. *Neurotoxicol Teratol* 8(5):441–445.

Nelson, MA; Bull, RJ. (1988) Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver in vivo. *Toxicol Appl Pharmacol* 94:45–54.

Nesslany, F; Marzin, D. (1999) A micromethod for the in vitro micronucleus assay. *Mutagenesis* 14(4):403–410.

NYSDEC (New York State Department of Environmental Conservation). (2006a)  
<http://www.dec.state.ny.us/website/der/projects/712006.html>

NYSDEC (New York State Department of Environmental Conservation). (2006b)  
<http://www.dec.state.ny.us/website/der/projects/indicott/indicottsampling.htm>

Ni, YC; Kadlubar, FF; Fu, PP. (1995) Formation of malondialdehyde-modified 2'-deoxyguanosinyl adduct from metabolism of chloral hydrate by mouse liver microsomes. *Biochem Biophys Res Commun* 216(3):1110–1117.

Ni, YC; Wong, TY; Kadlubar, FF; et al (1994) Hepatic metabolism of chloral hydrate to free radical(s) and induction of lipid peroxidation. *Biochem Biophys Res Commun*. 204(2):937–943.

Ni, Y-C; Wong, T-Y; Lloyd, RV; et al. (1996) Mouse liver microsomal metabolism of chloral hydrate, trichloroacetic acid, and trichloroethanol leading to induction of lipid peroxidation via a free radical mechanism. *Drug Metab Disp* 24(1):81–90.

NIAMS (National Institute of Arthritis and Musculoskeletal Diseases). (2007) The future directions of lupus research. Available online at [http://www.niams.nih.gov/About\\_Us/Mission\\_and\\_Purpose/lupus\\_plan.pdf](http://www.niams.nih.gov/About_Us/Mission_and_Purpose/lupus_plan.pdf)

Nickerson, ML; Jaeger, E; Shi, Y; et al. (2008) Improved identification of von Hippel-Lindau gene alterations in clear cell renal tumors. *Clin Cancer Res* 14(15):4726–4734.

Niederlehner, BR; Cairns, J, Jr.; Smith, EP. (1998) Modeling acute and chronic toxicity of nonpolar narcotic chemicals and mixtures to *Ceriodaphnia dubia*. *Ecotoxicol Environ Saf* 39:136–146.

Nietert, PJ; Sutherland, SE; Silver, RM; et al. (1998) Is occupational organic solvent exposure a risk factor for scleroderma? *Arthritis Rheum* 41(6):1111–8. Erratum in: *Arthritis Rheum* 41(8):1512.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Niklasson, M; Tham, R; Larsby, B; et al. (1993) Effects of toluene, styrene, trichloroethylene and trichloroethane on the vestibule and opto-oculo motor system in rats. *Neurotoxicol Teratol* 15(5):327–334.

Noland-Gerbec, EA; Pfohl, RJ; Taylor, DH; et al. (1986) 2-Deoxyglucose uptake in the developing rat brain upon pre- and postnatal exposure to trichloroethylene. *Neurotoxicology* 7(3):157–164.

Nomiyama, K; Nomiyama, H. (1971) Metabolism of trichloroethylene in human. Sex difference in urinary excretion of trichloroacetic acid and trichloroethanol. *Int Arch Arbeitsmed* 28(1):37–48.

Nomiyama, H; Nomiyama, K. (1979) Pathway and rate of metabolism of TCE in rats and rabbits. *Ind Health* 17:29–37.

Nordstrom, M; Hardell, L; Magnuson, A; et al. (1998) Occupational exposures, animal exposure and smoking as risk factors for hairy cell leukaemia evaluated in a case-control study. *Br J Cancer* 77:2048-2052.

NRC (National Research Council). (1986) *Drinking water and health*, Vol. 6. Washington DC: National Academy Press.

NRC (National Research Council). (1987) *Drinking water and health, pharmacokinetics in risk assessment*, Vol. 8. Washington DC: National Academy Press.

NRC (National Research Council) (2006) *Assessing the human health risks of trichloroethylene: key scientific issues*. Committee on Human Health Risks of Trichloroethylene. Washington, DC: National Academies Press.

NRC (National Research Council). (1983) *Risk assessment in the federal government: managing the process*. Washington, DC: National Academy Press.

NRC (National Research Council). (1993) *Pesticides in the diets of infants and children*. Washington, DC: National Academy Press.

NRC (National Research Council). (2006) *Key scientific issues in the health risk assessment of trichloroethylene*. Washington: National Academy Press.

NRC (National Research Council). 1994. *Science and judgment in risk assessment*. Washington, DC: National Academy Press

NTP (National Toxicology Program). (1988) *Toxicology and carcinogenesis studies of trichloroethylene (CAS no. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies)*. Public Health Service, U.S. Department of Health and Human Services; NTP TR-273; NIH Publication No. 88-2529. Available from the National Institute of Environmental Health Sciences, Research Triangle Park, NC, and the National Technical Information Service, Springfield, VA; PB88-218896. Available online at [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr273.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr273.pdf).

NTP (National Toxicology Program). (1990) *Carcinogenesis studies of trichloroethylene (without epichlorohydrin) in F344/N rats and B6C3F1 mice (gavage studies)*. Public Health Service, U.S. Department of Health and Human Services; NTP TR-243; NIH Publication No. 90-1779. Available from the National Institute of Environmental Health Sciences, Research Triangle Park, NC. Available online at [http://ntp.niehs.nih.gov/ntp/htdocs/LT\\_rpts/tr243.pdf](http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr243.pdf).

Nunes, J; Ehrlich, M; Robertson, J. (2001) Toxicosis associated with dual oral exposure of rats to lead and trichloroethylene. *Toxicol Pathol* 29(4):451–457.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Nutley, EV; Tcheong, AC; Allen, JW; et al. (1996) Micronuclei induced in round spermatids of mice after stem-cell treatment with chloral hydrate: evaluations with centromeric DNA probes and kinetochore antibodies. *Environ Mol Mutagen* 28(2):80–89.
- O'Donnell, L; McLachlan, RI; Wreford, NG; et al. (1994) Testosterone promotes the conversion of round spermatids between stages VII and VIII of the rat spermatogenic cycle. *Endocrinology* 135:2608–2614.
- Odum, J; Foster, JR; Green, T. (1992) A mechanism for the development of clara cell lesions in the mouse lung after exposure to trichloroethylene. *Chem Biol Interact* 83:135–153.
- Ogata, M; Takatsuka, Y; Tomokuni, K. (1971) Excretion of organic chlorine compounds in the urine of persons exposed to vapours of trichloroethylene and tetrachloroethylene. *Br J Ind Med* 28(4):386–391.
- Ohta, M; Saito, T; Saito, K; et al. (2001) Effect of trichloroethylene on spatiotemporal pattern of LTP in mouse hippocampal slices. *Int J Neurosci* 111(3–4):257–271.
- Okino T, Nakajima T, Nakano M. (1991) Morphological and biochemical analyses of trichloroethylene hepatotoxicity: differences in ethanol- and phenobarbital-pretreated rats. *Toxicol Appl Pharmacol* 108(3):379–389.
- Olsson, AR; Skogh, T; Axelson, O; et al. (2004) Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med* 61:233–238.
- Olsson, AR; Skogh, T; Wingren, G. (2000) Occupational determinants for rheumatoid arthritis. *Scand J Work Environ Health* 26:243–249.
- Ono, Y; Somiya, I; Kawamura, M. (1991) The evaluation of genotoxicity using DNA repairing test for chemicals produced in chlorination and ozonation processes. *Water Sci Technol* 23(1–3):329–338.
- Opdam, JJ. (1989) Intra and interindividual variability in the kinetics of a poorly and highly metabolizing solvent. *Br J Ind Med* 46(12):831–845.
- Ou, J; Ou, Z; McCarver, G; et al. (2003) Trichloroethylene decreases heat shock protein 90 interactions with endothelial nitric oxide synthase: implications for endothelial cell proliferation. *Toxicol Sci* 73:90–97.
- Palmer, CN; Hsu, MH; Griffin, KJ; et al. (1998) Peroxisome proliferator activated receptor-alpha expression in human liver. *Mol Pharmacol* 53(1):14–22.
- Parent, ME; Hua, Y; Siemiatycki. (2000) Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med* 38:609–618.
- Parent, M-E; Siemiatycki, J; Fritschi, L. 2000 Workplace exposure and oesophageal cancer. *Occup Environ Med* 57:325–324.
- Park, PA; Gilmour, MI; Selgrade, MK. (1993) Pulmonary defenses to streptococcal infection following acute exposure to trichloroethylene (TCE) or chloroform (CHCl<sub>3</sub>). *Toxicologist* 13:107.
- Park, SB; Osterich, JD; Vamvakas, S; et al. (1992) Flavin-containing monooxygenase-dependent stereoselective S-oxygenation and cytotoxicity of cysteine S-conjugates and mercapturates. *Chem Res Toxicol* 5(2):193–201.
- Parker, MJ; Tarlow, MJ; Anderson, JM. (1984) Glue sniffing and cerebral infarction. *Arch Dis Child* 59(7):675–677.

*This document is a draft for review purposes only and does not constitute Agency policy.*



Parkinson, A; Mudra, DR; Johnson, C; et al. (2004) The effects of gender, age, ethnicity, and liver cirrhosis on cytochrome P450 enzyme activity in human liver microsomes and inducibility in cultured human hepatocytes. *Toxicol Appl Pharmacol* 199(3):193–209.

Parnell, MJ; Koller, LD; Exon, JH; et al. (1986) Trichloroacetic acid effects on rat liver peroxisomes and enzyme-altered foci. *Environ Health Perspect* 69:73–79.

Parrish, JM; Austin, EW; Stevens, DK; et al. (1996) Haloacetate-induced oxidative damage to DNA in the liver of male B6C3F1 mice. *Toxicology* 110:103–111.

Parry, JM; Parry, EM; Bourner, R; et al. (1996) The detection and evaluation of aneugenic chemicals. *Mutat Res* 353(1–2):11–46.

Partenen, T; Heikkilä, P; Hernberg, S; et al. (1991) Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health* 17:231–239.

Pastino, GM; Yap, WY; Carroquino, M. (2000) Human variability and susceptibility to trichloroethylene. *Environ Health Persp* 108(Suppl. 2):201–214.

Paycok, ZV; Powell, JF. (1945) The excretion of sodium trichloroacetate. *J Pharmacol Exper Therapeut* 85:289–293.

Peden-Adams, MM; Eudaly, JG; Heesemann, LM; et al. (2006) Developmental immunotoxicity of trichloroethylene (TCE): studies in B6C3F1 mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 41:249–271.

Peden-Adams, MM; Eudaly, JG; Lee, AM; et al. (2008) Developmental effects of trichloroethylene (TCE) on immunity: studies in MRL (+/+) mice. *J Environ Sci Health A Tox Hazard Subst Environ Eng* A43(12):1402–1409.

Peden-Adams, MM; Eudaly, JG; Heesemann, LM; et al. (2006) Developmental immunotoxicity of trichloroethylene (TCE): Studies in B6C3F1 mice. *J Environ Sci Health A* 41:249–271.

Pelekis, M; Gephart, LA; Lerman, SE. (2001) Physiological-model-based derivation of the adult and child pharmacokinetic intraspecies uncertainty factors for volatile organic compounds. *Regul Toxicol Pharmacol* 33(1):12–20.

Pellizzari, ED; Hartwell, TD; Harris, BS, 3<sup>rd</sup>; et al. (1982) Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28(3):322–328.

Perbellini, L; Olivato, D; Zedde, A; et al. (1991) Acute trichloroethylene poisoning by ingestion: clinical and pharmacokinetic aspects. *Intens Care Med* 17:234–235.

Percy, C; Stanek, E; Gloeckler, L. (1981) Accuracy of cancer death certificates and its effect on cancer mortality statistics. *Am J Public Health* 71:242–250.

Perdue, MP; Severson, RK; Colt, JS; et al. (2009) Degreasing and risk of non-Hodgkin lymphoma. *Occup Environ Med* 66(8):557–560.

Pereira, MA; Kramer, PM; Conran, PB; et al. (2001) Effect of chloroform on dichloroacetic acid and trichloroacetic acid-induced hypomethylation and expression of the c-myc gene and on their promotion of liver and kidney tumors in mice. *Carcinogenesis* 22(9):1511–1519.

Pereira, MA; Phelps, BJ. (1996) Promotion by dichloroacetic acid and trichloroacetic acid of N-methyl-N-nitrosurea-initiated cancer in the liver of female B6C3F1 mice. *Cancer Lett* 102:133–141.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Pereira, MA; Wang, W; Kramer, PM; et al. (2004) Prevention by methionine of dichloroacetic acid-induced liver cancer and DNA hypomethylation in mice. *Toxicol Sci* 77:243–248.
- Perocco, P; Prodi, G. (1981) DNA damage by haloalkanes in human lymphocytes cultured in vitro. *Cancer Lett* 13:213–218.
- Perrot, N; Nalpas, B; Yang, CS; et al. (1989) Modulation of cytochrome P450 isozymes in human liver, by ethanol and drug intake. *Eur J Clin Invest* 19(6):549–555.
- Perry, SJ; Schofield, MA; Macfarlane, M; et al. (1993) Isolation and expression of a cDNA coding for rat kidney cytosolic cysteine conjugate  $\beta$ -lyase. *Mol Pharmacol* 43:660–665.
- Persson, B; Dahlander, A-M; Fredriksson, M; et al. (1989) Malignant lymphomas and occupational exposures. *Br J Ind Med* 46:516–520.
- Persson, B; Fredriksson, M. (1999) Some risk factors for non-Hodgkin's lymphoma. *Int J Occup Med Environ Health* 12:135–142.
- Persson, B; Fredriksson, M; Olsen, K; et al. (1993) Some occupational exposure as risk factors for malignant lymphomas. *Cancer* 72:1773–1778.
- Pesch, B; Haerting, J; Ranft, U; et al. (2000) Occupational risk factors for renal cell carcinoma: agent-specific results from a case-control study in Germany. MURC Study Group. Multicenter urothelial and renal cancer study. *Int J Epidemiol* 29(6):1014–1024.
- Peter, R; Böcker, R; Beaune, PH; et al. (1990) Hydroxylation of chlorzoxazone as a specific probe for human liver cytochrome P-450IIE1. *Chem Res Toxicol* 3:566–573.
- Peters, FM; Preston-Martin, S; Yu, MC. (1981) Brain tumors in children and occupational exposure of parents. *Science* 213(4504):235–237.
- Peters, JM; Cattley, RC; Gonzalez, FJ. (1997) Role of PPAR alpha in the mechanism of action of the nongenotoxic carcinogen and peroxisome proliferator Wy-14,643. *Carcinogenesis*. 18:2029–2033.
- Peters, JM; Garabrant, DH; Wright, WE; et al. (1985) Uses of a cancer registry in the assessment of occupational cancer risks. *Natl Cancer Inst Monogr* 69:157–161. .
- Peters, JM; Preston-Martin, S; Yu, MC. (1981) Brain tumors in children and occupational exposure of parents. *Science* 213(4504):235–237.
- Pfaffenberger, CD; Peoples, AJ; Enos, HF. (1980) Distribution of volatile halogenated organic compounds between rat blood serum and adipose tissue. *Int J Environ Anal Chem* 8:55–65.
- Phillips, TJ; Macdonald, RR. (1971) Comparative effect of pethidine, trichloroethylene, and Entonox on fetal and neonatal acid-base and PO<sub>2</sub>. *Br Med J* 3(5774):558–560.
- Plewa, MJ; Kargalioglu, Y; Vanker, D; et al. (2002) Mammalian cell cytotoxicity and genotoxicity analysis of drinking water disinfection by-products. *Environ Mol Mutagen* 40:134–142.
- Poet, TS; Corley, RA; Thrall, KD; et al. (2000) Assessment of the percutaneous absorption of trichloroethylene in rats and humans using MS/MS real-time breath analysis and physiologically based pharmacokinetic modeling. *Toxicol Sci* 56:61–72.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Pogribny, IP; Tryndyak, VP; Woods, CG; et al. (2007) Epigenetic effects of the continuous exposure to peroxisome proliferator WY-14,643 in mouse liver are dependent on peroxisome proliferator activated receptor  $\alpha$ . *Mutat Res* 625:62–71.

Porru, S; Placidi, D; Carta, A; et al. (2001) Primary liver cancer and occupation in men: A case-control study in a high-incidence area in Northern Italy. *Int J Cancer* 94:878–883.

Portier, CJ; Bailer, AJ. (1989) Testing for increased carcinogenicity using a survival-adjusted quantal response test. *Fund Appl Toxicol* 12:731–737.

Povey, A; Guppy, MJ; Wood, M; et al. (2001) Cytochrome P2 polymorphisms and susceptibility to scleroderma following exposure to organic solvents. *Arthritis Rheum* 44(3):662–665.

Powell, JF. (1945) Trichlorethylene: Absorption, elimination and metabolism. *Br J Ind Med* (2):142–145.

Prasanna, HR; Hart, RW; Magee, PN. (1989) Effect of food restriction on the metabolism of dimethylnitrosamine (NDMA) in rats. *Anticancer Res* 9:93–96.

Pravecck, TL; Channel, SR; Schmidt, WJ; et al. (1996) Cytotoxicity and metabolism of dichloroacetic and trichloroacetic acid in B6C3F1 mouse liver tissue. *Toxicol In Vitro* 9(3):261–269.

Prendergast, JA; Jones, RA; Jenkins, LJ; et al. (1967) Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol* 10:270–289.

Price, PJ; Hassett, CM; Mansfield, JI. (1978) Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro Cell Dev Biol Plant* 14(3):290–293.

Price, RG; Taylor, SA; Chivers, I; et al. (1996) Development and validation of new screening tests for nephrotoxic effects. *Human Environ Toxicol* 15(Suppl. 1):510–519.

Price, RG; Wedeen, R; Lichtveld, MY; et al. (1999) Urinary biomarkers: roles in risk assessment to environmental and occupational nephrotoxins: monitoring of effects and evaluation of mechanisms of toxicity. *Renal Failure* 21:xiii–xviii.

Prout, MS; Provan, WM; Green, T. (1985) Species differences in response to trichloroethylene. I. Pharmacokinetics in rats and mice. *Toxicol Appl Pharm* 79(3):389–400.

Purdue, MP; Severson, RK; Colt, JS; et al. (2009) Degreasing and risk of non-Hodgkin lymphoma. *Occup Environ Med* 66:557–560.

Raaschou-Nielsen, O; Hansen, J; McLaughlin, JK; et al. (2003) Cancer risk among workers at Danish companies using trichloroethylene: a cohort study. *Am J Epidemiol* 158(12):1182–1192.

Radican, L; Blair, A; Stewart, P; et al. (2008) Mortality of aircraft maintenance workers exposed to trichloroethylene and other hydrocarbons and chemicals: extended follow-up. *J Occup Environ Med* 50:1306–1319.

Radican, L; Wartenberg, D; Rhoads, GG; et al. (2006) A retrospective occupational cohort study of end-stage renal disease in aircraft workers exposed to trichloroethylene and other hydrocarbons. *J Occup Environ Med* 48:1–12.

Raijmakers, MT; Steegers, EA; Peters, WH. (2001) Glutathione S-transferases and thiol concentrations in embryonic and early fetal tissues. *Hum Reprod* 16(11):2445–2450.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Rake, JP; Visser, G; Labrune, P; et al. (2002) Glycogen storage disease type I: diagnosis, management, clinical course and outcome. Results of the European Study on Glycogen Storage Disease Type I (ESGSD I). Eur J Pediatr 161(Suppl 1):S20–S34.

Rakoff-Nahoum, S; Medzhitov, R. (2007) Regulation of spontaneous intestinal tumorigenesis through the adaptor protein MyD88. Science 317(5834):124–127.

Ramanakumar, A; Nadon, L; Siemiatycki, J. (2008) Exposure in painting related occupations and risk of selected cancers: results from a case-control study in Montreal. Am J Ind Med 51:419–427.

Ramdhan, DH; Kamijima, M; Yamada, N; et al. (2008) Molecular mechanisms of trichloroethylene-induced hepatotoxicity mediated by CYP2E1. Toxicol Appl Pharmacol 231:300–307.

Ramsdell, AF; Markwald, RR. (1997) Induction of endocardial cushion tissue in the avian heart is regulated, in part, by TGFβ-3-mediated autocrine signaling. Develop Biol 188:64–74.

Ramsey, JC; Andersen, ME. (1984) A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. Toxicol Appl Pharmacol 72:159–175.

Rapson, WH; Nazar, MA; Butsky, VV. (1980) Mutagenicity produced by aqueous chlorination of organic compounds. Bull Environ Contam Toxicol 24:590–596.

Rasmussen K, Sabroe S, Wohlert M, et al. (1988) A genotoxic study of metal workers exposed to trichloroethylene. Sperm parameters and chromosome aberrations in lymphocytes. Int Arch Occup Environ Health 60(6):419–423.

Rasmussen, K; Arlien-Soborg, P; Sabroe, S. (1993a) Clinical neurological findings among metal degreasers exposed to chlorinated solvents. Acta Neurol Scand 87(3):200–204.

Rasmussen, K; Brogren, C-H; Sabroe, S. (1993b) Subclinical affection of liver and kidney function and solvent exposure. Int Arch Occup Environ Health 64:445–448.

Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993c) Solvent-induced chronic toxic encephalopathy. Am J Industr Med 23:779–792.

Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993d) Psychometric tests for assessment of brain function after solvent exposure. Am J Industr Med 24:553–565.

Rasmussen, K; Arlien-Soborg, P; Sabroe, S. (1993e) Clinical neurological findings among metal degreasers exposed to chlorinated solvents. Acta Neurol Scand 87(3):200–204.

Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993f) Solvent-induced chronic toxic encephalopathy. Am J Ind Med 23:779–792.

Rasmussen, K; Jeppesen, HJ; Sabroe, S. (1993g) Psychometric tests for assessment of brain function after solvent exposure. Am J Ind Med 24(5):553–565.

Raunio, H; Hakkola, J; Pelkonen, O; et al. (1998). Expression of xenobiotic metabolising cytochrome P450's in human pulmonary tissue. Arch Toxicol. 20:465–469.

Ray, A; Chatterjee, S; Bagchi, P; et al. (1987) Effect of Quinalphos on testicular steroidogenesis in rats. Andrologia 19(3):163–168.

Rebert, CS; Boyes, WK; Pryor, GT; et al (1993) Combined effects of solvents on the rat's auditory system: styrene and trichloroethylene. Int J Psychophysiol 14(1):49–59.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Rebert, CS; Day, VL; Matteucci, et al. (1991) Sensory-evoked potentials in rats chronically exposed to trichloroethylene: predominant auditory dysfunction. *Neurotoxicol Teratol* 13(1):83–90.
- Rebert, CS; Schwartz, RW; Svendsgaard, DJ; et al. (1995) Combined effects of paired solvents on the rat's auditory system. *Toxicology* 105(2–3):345–54.
- Reif, JS; Burch, JB; Nuckols, JR; et al. (2003) Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. *Environ Res* 93(3):248–58.
- Rennix, CP; Quinn, MM; Amoroso, PJ; et al. (2005) Risk of breast cancer among enlisted Army women occupational exposed to volatile organic compounds. *Am J Ind Med* 48:157–167.
- Reznik, G; Ward, JM; Hardisty, JF; et al. (1979) Renal carcinogenic and nephrotoxic effects of the flame retardant tris(2,3-dibromopropyl) phosphate in F344 rats and (C57Bl/6N × C3H/HeN)F1 mice. *J Natl Cancer Inst* 63(1):205–212.
- Rhee, I; Bachman, KE; Park, BH; et al. (2002) DNMT1 and DNMT3b cooperate to silence genes in human cancer cells. *Nature* 416(6880):552–556.
- Rhomberg, LR. (2000) Dose-response analyses of the carcinogenic effects of trichloroethylene in experimental animals. *Environ Health Perspect* 108(Suppl. 2):343–358.
- Rice, D; Barone, S, Jr. (2000) Critical periods of vulnerability for the developing nervous system: evidence from humans and animal models. *Environ Health Perspect* 108(Suppl. 3):511–533.
- Richard, AM; Hunter, ES. (1996) Quantitative structure-activity relationships for the developmental toxicity of haloacetic acids in mammalian whole embryo culture. *Teratology* 53:352–360.
- Richardson, DB; Terschuren, C; Hoffmann, W. (2008) Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Northern Germany. *Am J Ind Med* 51:258–268.
- Richmond, RE; Carter, JH; Carter, HW; et al. (1995) Immunohistochemical analysis of dichloroacetic acid (DCA)-induced hepatocarcinogenesis in male Fischer (F344) rats. *Cancer Lett* 92:67–76.
- Ries, LAG; Melbert, D; Krapcho, M; et al; eds. (2008) SEER Cancer Statistics Review, 1975–2005. National Cancer Institute. Bethesda, MD. Available online at [http://seer.cancer.gov/csr/1975\\_2005](http://seer.cancer.gov/csr/1975_2005) [Accessed July 9, 2008.]
- Ripp, SL; Overby, LH; Philpot, RM; et al. (1997) Oxidation of cysteine *S*-conjugates by rabbit liver microsomes and cDNA-expressed flavin-containing mono-oxygenases: Studies with *S*-(1,2-dichlorovinyl)-L-cysteine, *S*-(1,2,2-trichlorovinyl)-L-cysteine, *S*-allyl-L-cysteine, and *S*-benzyl-L-cysteine. *Mol Pharmacol* 51:507–515.
- Ripp, SL; Itagaki, K; Philpot, RM; et al. (1999) Species and sex differences in expression of flavin-containing monooxygenase form 3 in liver and kidney microsomes. *Drug Metab Dispos* 27(1):46–52.
- Ristoff, E; Larsson, A. (2007) Inborn errors in the metabolism of glutathione. *Orphanet J Rare Dis* 2:16.
- Ritz, B; Borgenstern, H; Froines, J; et al. (1999) Effects of exposure to external ionizing radiation on cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. *Am J Ind Med* 35:21–31.
- Ritz, B. (1999) Cancer mortality among workers exposed to chemicals during uranium processing. *J Occup Environ Med* 41:556–566.
- Robbiano, L; Baroni, D; Carrozzino, R; et al. (2004) DNA damage and micronuclei induced in rat and human kidney cells by six chemicals carcinogenic to the rat kidney. *Toxicology* 204(2–3):187–195.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Robbiano, L; Mereto, E; Migliazzi-Morando, A; et al. (1998) Increased frequency of micronucleated kidney cells in rats exposed to halogenated anaesthetics. *Mutat Res* 413(1):1–6.
- Rodenbeck, SE; Sanderson, LM; Rene, A. (2000) Maternal exposure to trichloroethylene in drinking water and birth-weight outcomes. *Arch Environ Health* 55(3):188–194.
- Rodriguez, CE; Mahle, DA; Gearhart, JM; et al. (2007) Predicting age-appropriate pharmacokinetics of six volatile organic compounds in the rat utilizing physiologically based pharmacokinetic modeling. *Toxicol Sci* 98(1):43–56.
- Rossi, AM; Migliore, L; Barali, R; et al. (1983) In vivo and in vitro mutagenicity studies of a possible carcinogen, trichloroethylene, and its two stabilizers, epichlorohydrin and 1,2-epoxybutane. *Teratog Carcinog Mutagen* 3:75–87.
- Rothman, KJ (1986) *Modern epidemiology*, first edition. Boston: Little, Brown and Company.
- Rothman, KJ; Greenland, S. (1998) *Modern epidemiology*, second edition. Philadelphia: Lippincott Williams & Wilkins.
- Rothman, KJ; Greenland, S; Lash, TL. (2008) Case-control studies, Chapter 2. In: *Modern Epidemiology*, 3<sup>rd</sup> ed. Philadelphia, PA: Wolters Kluwer/Lippincott Williams and Wilkins.
- Rufer, ES; Hacker, T; Lough, J; et al. (2008) Low-dose trichloroethylene exposure during valvuloseptal morphogenesis causes ventricular septal defects in hatched chicks. *Toxicologist* 102(S-1):316.
- Ruijten, M; Verberk, MM; Salle, HJ. (1991) Nerve function in workers with long term exposure to trichloroethene. *Br J Ind Med* 48(2):87–92.
- Russo, A; Levis, AG. (1992a) Detection of aneuploidy in male germ cells of mice by means of a meiotic micronucleus assay. *Mutat Res* 281(3):187–191.
- Russo, A; Levis, AG. (1992b) Further evidence for the aneuploidogenic properties of chelating agents: induction of micronuclei in mouse male germ cells by EDTA. *Environ Mol Mutagen* 19(2):125–131.
- Russo, A; Pacchierotti, F; Metallì, PN. (1984) Nondisjunction induced in mouse spermatogenesis by chloral hydrate, a metabolite of trichloroethylene. *Environ Mutagen* 6:695–703.
- Russo, A; Stocco, A; Majone, F. (1992) Identification of kinetochore-containing (CREST+) micronuclei in mouse bone marrow erythrocytes. *Mutagenesis* 7(3):195–197.
- Rusyn, I; Bradham, CA; Cohn, L; et al. (1999) Corn oil rapidly activates nuclear factor –  $\kappa$ B in hepatic Kupffer cells by oxidant-dependent mechanisms. *Carcinogenesis* 20(11):2095–2100.
- Rusyn, I; Peters, JM; Cunningham, ML. (2006) Modes of action and species-specific effects of di-(2-ethylhexyl)phthalate in the liver. *Crit Rev Toxicol* 36:459–479.
- Sabel; GV; Clark, TP. (1984) Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res* 2:119–130.
- Sagawa, K; Nishitani, H; Kawai, H; Kuge, Y; Ikeda, M. (1973) Transverse lesion of spinal cord after accidental exposure to trichloroethylene. *Int Arch Arbeitsmed* 31(4):257–64
- Saghir, SA; Schultz, IR. (2002) Low-dose pharmacokinetics and oral bioavailability of dichloroacetate in naïve and GST $\zeta$ -depleted rats. *Environ Health Persp* 110(8):757–763.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Saihan, EM; Burton, JL; Heaton, KW. (1978) A new syndrome with pigmentation, scleroderma, gynaecomastia, Raynaud's phenomenon and peripheral neuropathy. *Br J Dermatol* 99(4):437-440.
- Saillenfait, AM; Langonne, I; Sabate, JP. (1995) Developmental toxicity of trichloroethylene, tetrachloroethylene and four of their metabolites in rat whole embryo culture. *Arch Toxicol* 70:71-82.
- Sallmén, M; Lindbohm, ML; Anttila, A; Kyyronen, P; Taskinen, H; Nykyri, E; Hemminki, K. (1998) Time to pregnancy among the wives of men exposed to organic solvents. *Occup Environ Med* 55(1):24-30.
- Sallmén, M; Lindbohm, ML; Kyyronen, P; et al. (1995) Reduced fertility among women exposed to organic solvents. *Am J Ind Med* 27(5):699-713.
- Salmon, AG; Kizer, KW; Zeise, L; et al. (1995) Potential carcinogenicity of chloral hydrate--a review. *J Toxicol Clin Toxicol* 33(2):115-21.
- Salvan, A; Stayner, L; Steenland, K; et al. (1995) Selecting an exposure lag period. *Epidemiology* 6:387-390.
- Salvini, M; Binasch, S; Riva, M. (1971) Evaluation of the psychophysiological functions in humans exposed to trichloroethylene. *Br J Ind Med* 28:293-295.
- Sanchez, IM; Bull, RJ. (1990) Early induction of reparative hyperplasia in the liver of B6C3F1 mice treated with dichloroacetate and trichloroacetate. *Toxicology* 64:33-46.
- Sanders, VM; Tucker, AN; White, KL, Jr; et al. (1982) Humoral and cell-mediated immune status in mice exposed to trichloroethylene in the drinking water. *Toxicol Appl Pharmacol* 62:358-368.
- Sanders, VM; Kauffmann, BM; White, KL, Jr; et al. (1982) Toxicology of chloral hydrate in the mouse. *Environ Health Perspect* 44:137-146
- Santibañez, M; Vioque, J; Alguiciacil, J; et al. (2008) [In Press] Occupational exposures and risk of oesophageal cancer by histological type: A case control study in eastern Spain. *Occup Environ Med* DOI: 10.1135/oem.2007.037929.
- Sapkota, A; Williams, D; Buckley, T. (2005) Tollbooth workers and mobile source-related hazardous air pollutants: How protective is the indoor environment? *Environ Sci Technol* 39:2936-2943.
- Sarangapani, R; Gentry, PR; Covington, TR; et al. (2003) Evaluation of the potential impact of age- and gender-specific lung morphology and ventilation rate on the dosimetry of vapors. *Inhal Toxicol* 15:987-1016.
- Sato, A; Endoh, K; Kaneko, T; et al. (1991b) A simulation study of physiological factors affecting pharmacokinetic behaviour of organic solvent vapours. *Br J Ind Med* 48(5):342-347.
- Sato, A; Nakajima, T; Fujiwara, Y; et al. (1977) A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Brit J Ind Med* 34:56-63.
- Sato, A; Nakajima, T; Koyama, Y. (1980) Effects of chronic ethanol consumption on hepatic metabolism of aromatic and chlorinated hydrocarbons in rats. *Br J Ind Med* 37(4):382-386.
- Sato, A; Nakajima, T; Koyama, Y. (1981) Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol* 60(1):8-15.
- Sato, A; Nakajima, T; Koyama, Y. (1983) Interaction between ethanol and carbohydrate on the metabolism in rat liver of aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol* 68(2):242-249.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Sato, A; Nakajima, T. (1985) Enhanced metabolism of volatile hydrocarbons in rat liver following food deprivation, restricted carbohydrate intake, and administration of ethanol, phenobarbital, polychlorinated biphenyl and 3-methylcholanthrene: a comparative study. *Xenobiotica* 15(1):67–75.

Sato, A; Nakajima, T. (1978) Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Brit J Ind Med* 35:43–49.

Sato, A. (1993) Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health* 65(Suppl. 1):S61–S67.

Sato, A; Nakajima, T; Fujiwara, Y; et al. (1977) A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med* 34:56–63.

Sato, A; Nakajima, T. (1979) A vial-equilibration method to evaluate the drug-metabolizing enzyme activity for volatile hydrocarbons. *Toxicol Appl Pharm* 47(1):41–46.

Saunders, RA. (1967) A new hazard in closed environmental atmospheres. *Arch Environ Health* 14:380–384.

Sausen, PJ; Elfarra, AA. (1990) Cysteine conjugate S-oxidase. Characterization of a novel enzymatic activity in rat hepatic and renal microsomes. *J Biol Chem* 265(11):6139–6145.

Sausen, PJ; Elfarra, AA. (1991) Reactivity of cysteine s-conjugate sulfoxides: formation of S-[1-chloro-2-(S-glutathionyl)vinyl]-L-cysteine sulfoxide by the reaction of S-(1,2-dichlorovinyl)-L-cysteine sulfoxide with glutathione. *Chem Res Toxicol* 4:655–660.

Savolainen, H; Pfaffli, P; Tengen, M; et al. (1977) Trichloroethylene and 1,1,1-trichloroethane: effects on brain and liver after five days intermittent inhalation. *Arch Toxicol* 38:229–237.

Saxena, DK; Srivasta, RS; Lal, B; et al. (1987) The effect of lead exposure on the testis of growing rats. *Exp Pathol* 31:249–252.

Saygun, M; Cakmak, A; Ekici, A; et al. (2007) Five annual observations of respiratory findings in gun factory workers exposed to solvents. *J Occup Environ Med* 49:909–912.

Sbrana, I; Di Sibio, A; Lomi, A; et al. (1993) C-mitosis and numerical chromosome aberration analyses in human lymphocytes: 10 known or suspected spindle poisons. *Mutat Res* 281:57–70.

Scharf, JG; Dombrowski, F; Ramadori, G. (2001) The IGF axis and hepatocarcinogenesis. *Mol Pathol* 54:138–144.

Schatten, H; Chakrabarti, A. (1998) Centrosome structure and function is altered by chloral hydrate and diazepam during the first reproductive cell cycles in sea urchin eggs. *Eur J Cell Biol* 75(1):9–20.

Scheff, PA; Wadden, RA. (1993) Receptor modeling of volatile organic compounds. 1. Emission inventory and validation. *Environ Sci Technol* 27:617–625.

Schenk M; Purdue, MP; Colt, JS; et al. (2009) Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. *Occup Environ Med* 66:23–31.

Schlehofer, B; Heuer, C; Blettner, M; et al. (1995) Occupation, smoking and demographic factors, and renal cell carcinoma in Germany. *Int J Epidemiol* 24(1):51–7.

Schraml, P; Kononen, J; Bubendorf, L; et al. (1999) Tissue microarrays for gene amplification surveys in many different tumor types. *Clin Cancer Res* 5(8):1966–1975.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Schraml, P; Zhou, M; Richter, J; et al. (1999) Analysis of renal tumors in trichloroethylene-exposed workers by comparative genomic hybridization and DNA sequencing analysis. *Verh Dtsch Ges Pathol* 83:218–224.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; Bull, RJ. (1999) Comparative toxicokinetics of chlorinated and brominated haloacetates in F3444 rats. *Toxicol Appl Pharm* 158(2):103–114.
- Schultz, IR; Merdink, JL; Gonzalez-Leon, A; et al. (2002) Dichloroacetate toxicokinetics and disruption of tyrosine catabolism in B6C3F1 mice: dose-response relationships and age as a modifying factor. *Toxicology* 173:229–247.
- Schwetz, BA; Leong, BKJ; Gehring, PJ. (1975) The effect of maternally inhaled trichloroethylene, perchloroethylene, methyl chloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32:84–96.
- Scott, JE; Forkert, PG; Oulton, M; et al. (1988) Pulmonary toxicity of trichloroethylene: induction of changes in surfactant phospholipids and phospholipase A2 activity in the mouse lung. *Exp Mol Pathol* 49:141–150.
- Seelbach, A; Fissler, B; Madle, S. (1993) Further evaluation of a modified micronucleus assay with V79 cells for detection of aneugenic effects. *Mutat Res* 303(4):163–169.
- Seidler, A; Mohner, M; Berger, J; et al. (2007) Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. *J Occup Med Toxicol* 2:2.
- Seldén, A; Hultberg, B; Ulander, A; et al. (1993) Trichloroethylene exposure in vapour degreasing and the urinary excretion of N-acetyl- $\beta$ -glucosaminidase. *Arch Toxicol* 67:224–226.
- Sellers, EM; Lang-Sellers, BS; Koch-Weser, J. (1978) Comparative metabolism of chloral hydrate and triclofos. From the Division of Clinical Pharmacology, Clinical Institute, Addiction Research Foundation and Toronto Western Hospital and Departments of Pharmacology and Medicine, University of Toronto, Toronto, and the Centre de Recherche Merrell International, Strasbourg, France.
- Sellers, EM; Lang, M; Koch-Weser, J; et al. (1972) Interaction of chloral hydrate and ethanol in man. I: metabolism. *Clin Pharmacol Ther* 13:37–49.
- Selmin, O; Thorne, PA; Caldwell, PT; et al. (2008) Trichloroethylene and trichloroacetic acid regulate calcium signaling pathways in murine embryonal carcinoma cells P19. *Cardiovasc Toxicol*. 8(2):47-56. Doi:10.1007/s12012-008-9014-2.
- Seng, JE; Agrawal, N; Horsley, ETM; et al. (2003) Toxicokinetics of chloral hydrate in ad libitum-fed, dietary controlled and calorically restricted male B6C3F1 mice following short-term exposure. *Toxicol Appl Pharmacol* 193(2):281–292.
- Seo, M; Ikeda, K; Okamura, T; et al. (2008) Enhancing effect of chlorinated organic solvents on histamine release and inflammatory mediator production. *Toxicology* 243:75–83.
- Sexton, K; Adgate, JL; Church, TR; et al. (2005) Children's exposure to volatile organic compounds as determined by longitudinal measurements in blood. *Environ Health Perspect* 113(3):342–349.
- Sexton, K; Mongin, SJ; Adgate, JL; et al. (2007) Estimating volatile organic compound concentrations in selected microenvironments using time-activity and personal exposure data. *J Toxicol Environ Health A* 70(5):465–476.
- Sexton, K; Adgate, JL; Ramachandran, G; et al. (2004) Comparison of personal, indoor and outdoor exposures to hazardous air pollutants in three urban communities. *Environ Sci Technol* 38:423–430.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Shafer, TJ; Bushnell, PJ; Benignus, VA; et al. (2005) Perturbation of voltage-sensitive Ca<sup>2+</sup> channel function by volatile organic solvents. *J Pharmacol Exp Ther* 315(3):1109–1118.
- Shah, YM; Morimura, K; Yang, Q; et al. (2007) Peroxisome proliferator-activated receptor  $\alpha$  regulates a microRNA-mediated signaling cascade responsible for Hepatocellular proliferation. *Mol Cell Biol* 27(12):4238–4247.
- Shah, JJ; Singh, HB. (1988) Distribution of volatile organic chemicals in outdoor and indoor air: a national VOCs data base. *Environ Sci Technol* 22:1381–1388.
- Shahin, MM; von Borstel, RC (1977) Mutagenic and lethal effects of a-benzene hexachloride, dibutyl-phthalate and trichloroethylene in *Saccharomyces cerevisiae*. *Mutat Res* 48:173–180.
- Shaib, Y; El-Serag, HB. (2004) The epidemiology of cholangiocarcinoma. *Semin Liver Dis* 24:115–125.
- Shankar, K; Vaidya, VS; Corton, JJ; et al. (2003) Activation of PPAR- $\alpha$  in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. *FASEB J* 17(12):1748–1750
- Shao, J; Stapleton, PL; Lin, YS; et al. (2007) Cytochrome p450 and glutathione s-transferase mRNA expression in human fetal liver hematopoietic stem cells. *Drug Metab Dispos* 35(1):168–175.
- Sharp, CR; Rochon, JE; Adam, JM; Suissa, S. (1989) Case-control study of hydrocarbon exposure in patients with renal cell carcinoma. *CMAJ* 140:1309–1318.
- Sheffels, P; Schroeder, JL; Altuntas, TG; et al. (2004) Role of cytochrome P4503A in cysteine S-conjugates sulfoxidation and the nephrotoxicity of the sevoflurane degradation product fluoromethyl-2,2-difluoro-1-(trifluoromethyl)vinyl ether (compound A) in rats. *Chem Res Toxicol* 17(9):1177–1189.
- Sherins, RJ; Hodgen, GD. (1976) Testicular GT and SDH indices of Sertoli and germ cell function in man. *J Reprod Fertil* 48:191–193.
- Shiao, YH; Kamata, SI; Li, LM; et al. (2002) Mutations in the VHL gene from potassium bromate-induced rat clear cell renal tumors. *Cancer Lett* 187:207–214.
- Shiao, YH; Rice, JM; Anderson, LM; et al. (1998) von Hippel-Lindau gene mutations in N-nitrosodimethylamine-induced rat renal epithelial tumors. *J Natl Cancer Inst* 90(22):1720–1723.
- Shih, CL; Chen, HH; Chiu, TH. (2001) Acute exposure to trichloroethylene differentially alters the susceptibility to chemoconvulsants in mice. *Toxicology* 162:35–42.
- Shimada, T; Swanson, AF; Leber, P; et al. (1985) Activities of chlorinated ethane and ethylene compounds in the *Salmonella* microsome mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol* 1:159–179.
- Shimada, T; Yamazaki, H; Mimura, M; et al. (1994) Interindividual variations in human liver cytochrome P-450 enzymes involved in the oxidation of drugs, carcinogens and toxic chemicals: studies with liver microsomes of 30 Japanese and 30 Caucasians. *J Pharmacol Exp Ther* 270(1):414–423.
- Shindell, S; Ulrich, S. (1985) A cohort study of employees of a manufacturing plant using trichloroethylene. *J Occup Med* 27:577–579.
- Shroads, AL; Guo, X; Dixit, V; et al. (2008) Age-dependent kinetics and metabolism of dichloroacetate: possible relevance to toxicity. *J Pharmacol Exp Ther* 324(3):1163–1171.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Shu, XO; Perentesis, JP; Wen, W; et al. (2004) Parental exposure to medications and hydrocarbons and ras mutations in children with acute lymphoblastic leukemia: a report from the Children's Oncology Group. *Cancer Epidemiol Biomarkers Prev* 13:1230–1235.

Shu, XO; Stewart, P; Wen, WQ; et al. (1999) Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring. *Cancer Epidemiol Biomarkers Prev* 8(9):783–791.

Shultz, J; Weiner, H. (1979) Alteration of the enzymology of chloral hydrate reduction in the presence of ethanol. *Biochem Pharmacol* 28:3379–3384.

Siemiatycki, J. (1991) Risk factors for cancer in the workplace. Boca Raton: CRC Press.

Siemiatycki, J; Dewar, R; Nadon, L; et al (1994) Occupational risk factors for bladder cancer: results from a case-control study in Montreal, Quebec, Canada. *Am J Epidemiol* 140:1061–1080.

Siemiatycki, J; Wacholder, S; Dewar, R; et al. (1988) Degree of confounding bias related to smoking, ethnic group, and socioeconomic status in estimates of the associations between occupational and cancer. *J Occup Med* 30:617–625.

Simmons, JE; Boyes, WK; Bushnell, PJ; et al. (2002) A physiologically based pharmacokinetic model for trichloroethylene in the male long-evans rat. *Toxicol Sci* 69:3–15.

Singh, M; Sinha, U. (1976) Chloral hydrate induced haploidization in *Aspergillus nidulans*. *Experientia*. 32(9):1144–1145.

Sinks, T; Lushniak, B; Haussler, BJ; et al. (1992) Renal cell cancer among paperboard printing workers. *Epidemiology* 3:483–489.

Skender, LJ; Karačić, V; Prpić-Majić, D. (1991) A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure. *Arch Environ Health* 46(3):174–178.

Slikker, W, Jr; Andersen, ME; Bogdanffy, MS; et al. (2004a) Dose-dependent transitions in mechanisms of toxicity. *Toxicol Appl Pharmacol* 201:203–225.

Slikker, W, Jr; Andersen, ME; Bogdanffy, MS; et al. (2004b) Dose-dependent transitions in mechanisms of toxicity: case studies. *Toxicol Appl Pharmacol* 201:226–294.

Smith, MK; Randall, JL; Read, EJ; et al. (1989) Teratogenic activity of trichloroacetic acid in the rat. *Teratology* 40:445–451.

Smith, MK; Randall, JL; Read, EJ; et al. (1992) Developmental toxicity of dichloroacetate in the rat. *Teratology* 46:217–223.

Smith, GF. (1970) The investigation of the mental effects of trichlorethylene. *Ergonomics* 13(5):580–586.

Snyder, RD; Pullman, J; Carter, JH; et al. (1995) In vivo administration of dichloroacetic acid suppresses spontaneous apoptosis in murine hepatocytes. *Cancer Res* 55:3702–3705.

Song, BJ; Veech, RL; Saenger, P. (1990) Cytochrome P450IIE1 is elevated in lymphocytes from poorly controlled insulin-dependent diabetics. *J Clin Endocrinol Metab* 71(4):1036–1040.

Sonnenfeld, N; Hertz-Picciotto, I; Kaye, WE. (2001) Tetrachloroethylene in drinking water and birth outcomes at the US Marine Corps Base at Camp Lejeune, North Carolina. *Am J Epidemiol* 154(10):902–908.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Sora, S; Carbone, MLA. (1987) Chloral hydrate, methylmercury hydroxide and ethidium bromide affect chromosomal segregation during meiosis of *Saccharomyces cerevisiae*. *Mutat Res* 190(1):13–17.
- Soucek, B; Vlachova, D. (1960) Excretion of trichloroethylene metabolites in human urine. *Brit J Ind Med* 17:60–64.
- Spiegelhalter, D; Thomas, A; Best, N; et al. (2003) WinBUGS user manual. Version 1.4. Available online at [www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf](http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/manual14.pdf).
- Spielberg, SP. (1996) N-acetyltransferases: pharmacogenetics and clinical consequences of polymorphic drug metabolism. *J Pharmacokinet Biopharm* 24:509–519.
- Squillace, PJ; Moran, MJ; Price, CV. (2004) VOCs in shallow groundwater in new residential/commercial areas of the US. *Environ Sci Technol* 38:5327–5338.
- SRI, 1992. (1992) Directory of chemical producers-United States of America. Menlo Park, CA: SRI International, 1032.
- Srivastava, S; Srivastava, SP. (1991) Effect of di(2-ethylhexyl)phthalate on 17  $\beta$ -hydroxy steroid dehydrogenase. *Toxicol Lett* 57:235–239.
- Staats, DA; Fisher, JW; Connolly, RB. (1991) Gastrointestinal absorption of xenobiotics in physiologically based pharmacokinetic models. A two-compartment description. *Drug Metab Dispos* 19(1):144–148.
- Stadler, JC; Kennedy, GL, Jr. (1996) Evaluation of the sensory irritation potential of volatile organic chemicals from carpets—alone and in combination. *Food Chem Toxicol* 34(11–12):1125–1130.
- Stanley, LA; Blackburn, DR; Devereaux, S; et al. (1994) Ras mutations in methylclofenapate-induced B6C3F1 and C57BL/10J mouse liver tumors. *Carcinogenesis* 15(6):1125–1131.
- Staples, RE. (1974) Detection of visceral alterations in mammalian fetuses. *Teratology* 9:A37–A38.
- Stauber, AJ; Bull, RJ; Thrall, BD. (1998) Dichloroacetate and trichloroacetate promote clonal expansion of anchorage-independent hepatocytes in vivo and in vitro. *Toxicol Appl Pharmacol* 150:287–294.
- Stauber, AJ; Bull, RJ. (1997) Differences in phenotype and cell replicative behavior of hepatic tumors induced by dichloroacetate (DCA) and trichloroacetate (TCA). *Toxicol Appl Pharmacol* 144:235–246.
- Steinberg, AD. (1993) Should chloral hydrate be banned? *Pediatrics* 92(3):442–446.
- Stemhagen, A; Slade, J; Altman, R; et al. (1983) Occupational risk factors and liver cancer. *Amer J Epidemiol* 117:443–454.
- Stemmer, K; Ellinger-Ziegelbauer, H; Ahr, HJ; et al. (2007) Carcinogen-specific gene expression profiles in short-term treated Eker and wild-type rats indicative of pathways involved in renal tumorigenesis. *Cancer Res* 67(9):4052–68.
- Stenner, RD; Merdink, JL; Stevens, DK; et al. (1997) Enterohepatic recirculation of trichloroethanol glucuronide as a significant source of trichloroacetic acid. Metabolites of trichloroethylene. *Drug Metab Dispos* 25(5):529–535.
- Stephens, EA; Taylor, JA; Kaplan, N; et al. (1994) Ethnic variation in the CYP2E1 gene: polymorphism analysis of 695 African-Americans, European-Americans and Taiwanese. *Pharmacogenetics* 4(4):185–192.
- Stephenson, RP. (1956) A modification of receptor theory. *Br J Pharmacol* 11:379–393.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Stevens, JL; Robbins, JD; Byrd, RA. (1986) A purified cysteine conjugate B-lyase from rat kidney cytosol. *Journal of Biol Chem* 261:15529–15537.

Stevens, J. (1985a) Cysteine conjugate  $\beta$ -lyase activities in rat kidney cortex: subcellular localization and relationship to the hepatic enzyme. *Biochem Biophys Res Commun* 129(2):499–504.

Stevens, J. (1985b) Isolation and characterization of a rat liver enzyme with both cysteine conjugate  $\beta$ -lyase and kynureninase activity. *J Biol Chem* 260(13):7945–7950.

Stevens, J; Jakoby, WB. (1983) Cysteine conjugate  $\beta$ -lyase. *Mol Pharmacol* 23:761–765.

Stevens, JL; Robbins, JD; Byrd, RA. (1986) A purified cysteine conjugate  $\beta$ -lyase from rat kidney cytosol. *J Biol Chem* 261(33):15529–15537.

Stevens, JL; Ayoubi, N; Robbins, JD. (1988) The role of mitochondrial matrix enzymes in the metabolism and toxicity of cysteine conjugates. *J Biol Chem* 263(7):3395–3401.

Stevens, JL; Hatzinger, PB; Hayden, PJ. (1989) Quantitation of multiple pathways for the metabolism of nephrotoxic cysteine conjugates using selective inhibitors of L- $\alpha$ -hydroxy acid oxidase (L-amino acid oxidase) and cysteine conjugate  $\beta$ -lyase. *Drug Metab Dispos* 17(3):297–303.

Stewart, BW; Le Mesurier, SM; Lykke, AWJ. (1979) Correlation of biochemical and morphological changes induced by chemical injury to the lung. *Chem Biol Interact* 26:321–338.

Stewart, PA; Lee, JS; Marano, DE; et al. (1991) Retrospective cohort mortality study of workers at an aircraft maintenance facility. II. Exposures and their assessment. *Br J Ind Med* 48:531–537.

Stewart, RD; Hake, CL; Peterson, JE. (1974) “Degreaser's flush”. *Arch Environ Health* 29(1):1–5.

Stewart, P; Dosemeci, M. (2005) Exposure estimation in occupational epidemiology studies. Presentation at the Third Meeting on Assessing Human Health Risks of Trichloroethylene, June 9, 2005, Irvine, CA.

Stewart, RD; Dodd, HC; Gay, HH; et al. (1970) Experimental human exposure to trichloroethylene. *Arch Environ Health* 20(1):64–71.

Storer, RD; McKelvey, TW; Kraynak, AR; et al. (1996) Revalidation of the in vitro alkaline elution/rat hepatocyte assay for DNA damage: improved criteria for assessment of cytotoxicity and genotoxicity and results for 81 compounds. *Mutat Res* 368(2):59–101.

Stott, WT; Quast, JF; Watanabe, PG. (1982) The pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol* 62:137–151.

Stuckhardt, JL; Poppe, SM. (1984) Fresh visceral examination of rat and rabbit fetuses used in teratogenicity testing. *Teratog Carcinog Mutagen* 4:181–188.

Styles, JA; Kelly, M; Pritchard, NR; et al. (1988) A species comparison of acute hyperplasia induced by peroxisome proliferatory methylcofenapate: involvement of the binucleated hepatocyte. *Carcinogenesis* 9:1647–1655.

Styles, JA; Wyatt, I; Coutts, C. (1991) Trichloroacetic acid: studies on uptake and effects on hepatic DNA and liver growth in mouse. *Carcinogenesis* 12(9):1715–1719.

Sung, T-I; Chen P-C; Lee LJ-H; et al. (2007) Increased standardized incidence ratio of breast cancer in female electronics workers. *BMC Public Health* 7:102. Available online at <http://www.biomedcentral.com/content/pdf/1471-2458-7-102.pdf>. [Accessed July 9, 2007]

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Sung, TI; Wang, JD; Chen, PC. (2008) Increased risk of cancer in the offspring of female electronics workers. *Reprod Toxicol* 25:115–119.
- Sverdrup, B; Kallberg, H; Bengtsson, C; et al. (2005) Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. *Arthritis Res Ther* 7:R1296–R1303.
- Swaen, GM. (1995) Increased incidence of renal cell tumours in a cohort of cardboard workers exposed to trichloroethylene. *Comments on Henschler, D; et al.. Arch Toxicol* 70:127–128, 131–133.
- Swan, SH; Shaw, G; Harris, JA; et al. (1989) Congenital cardiac anomalies in relation to water contamination, Santa Clara County, California, 1981–1983. *Am J Epidemiol* 129(5):885–893.
- Sweeney, C; Farrow, DC; Schwartz, SM; et al. (2000) Glutathione S-transferase M1, T1, and P1 polymorphisms as risk factors for renal cell carcinoma: a case-control study. *Cancer Epidemiol Biomarkers Prev* 9(4):449–454.
- Sweeney, LM; Kirman, CR; Gargas, ML; et al. (2009) Contribution of trichloroacetic acid to liver tumors observed in perchloroethylene (perc)-exposed mice. *Toxicology* 260(1-3):77–83.
- Sweet, CW; Vermette, SJ (1992) Toxic volatile organic compounds in urban air in Illinois. *Environ Sci Technol* 26:165–173.
- 't Mannetje, A; Dryson, E; Walls, C; et al. (2008) High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. *Occup Environ Med* 65:354–363.
- Takashima, K; Ito, Y; Gonzalez, FJ; et al. (2008) Different mechanisms of DEHP-induced hepatocellular adenoma tumorigenesis in wild-type and PPAR alpha-null mice. *J Occup Health* 50(2):169–180.
- Tang, X; Que, B; Song, X; et al. (2008) Characterization of liver injury associated with hypersensitive skin reactions induced by trichloroethylene in the guinea pig maximization test. *J Occup Health* 50:114–121.
- Tang, XJ; Li, LY; Huang, et al. (2002) Guinea pig maximization test for trichloroethylene and its metabolites. *Biomed Environ Sci* 15:113–118.
- Tanguay, RM; Jorquera, R; Poudrier, J; et al. (1996) Tyrosine and its catabolites: from disease to cancer. *Acta Biochim Pol* 43:209–216.
- Tao, L; Li, Y; Kramer, PM; et al. (2004) Hypomethylation of DNA and the insulin-like growth factor-II gene in dichloroacetic and trichloroacetic acid-promoted mouse liver tumors. *Toxicology* 196:127–136.
- Tao, L; Yan, S; Xie, M; et al. (2000) Effect of trichloroethylene and its metabolites, dichloroacetic acid and trichloroacetic acid, on the methylation and expression of c-Jun and c-Myc protooncogenes in mouse liver: prevention by methionine. *Toxicological Sciences* 54:399–407.
- Taskinen, H; Anttila, A; Lindbohm, ML; et al. (1989) Spontaneous abortions and congenital malformations among the wives of men occupationally exposed to organic solvents. *Scand J Work Environ Health* 15(5):345–352.
- Taskinen, H; Kyyronen, P; Hemminki, K; et al. (1994) Laboratory work and pregnancy outcome. *J Occup Med* 36(3):311–319.
- Tateishi, M; Suzuki, S; Shimizu, H. (1978) Cysteine conjugate  $\beta$ -lyase in rat liver. *J Biol Chem* 253(24):8854–8859.
- Tateishi, T; Nakura, H; Asoh, M; et al. (1997) A comparison of hepatic cytochrome P450 protein expression between infancy and postinfancy. *Life Sci* 61(21):2567–2574.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Tatham, L; Tolbert, P; Kjeldsberg, C. (1997) Occupational risk factors for subgroups of non-Hodgkin's lymphoma. *Epidemiology* 8:551–558.
- Taylor, DH; Lagory, KE; Zaccaro, DJ; et al. (1985) Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ* 47:415–420.
- Templin, MV; Parker, JC; Bull, RJ. (1993) Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F1 mice. *Toxicol Appl Pharm* 123(1):1–8.
- Templin, MV; Stevens, DK; Stenner, RD; et al. (1995a). Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Env Health* 44(4):435–447.
- Terracini, B; Parker, V. (1965a) A pathological study on the toxicity of s-dichlorovinyl-L-cysteine. *Food Cosmet Toxicol* 42:67–74.
- Tham, R; Bunnfors, I; Eriksson, B; et al. (1984) Vestibulo ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol* 54(1):58–63.
- Tham, R; Larsby, B; Odkvist, LM; et al. (1979) The influence of trichloroethylene and related drugs on the vestibular system. *Acta Pharmacol Toxicol (Copenh)* 44(5):336–342.
- Thiele, DL; Eigenbrodt, EH; Ware, AJ. (1982) Cirrhosis after reported trichloroethylene and 1, 1, 1-trichlorethane exposure. *Gastroenterol* 83:926–929.
- Thrall, KD; Poet, TS. (2000) Determination of biokinetic interactions in chemical mixtures using real-time breath analysis and physiologically based pharmacokinetic modeling. *J Toxicol Environ Health A* 59:653-670.
- Till, C; Westall, CA; Rovet, JF; et al. (2001) Effects of maternal occupational exposure to organic solvents on offspring visual functioning: a prospective controlled study. *Teratology* 64:134–141.
- Tola, S; Vilhunen, R; Jarvinen, E; et al. (1980) A cohort study on workers exposed to trichloroethylene. *J Occup Med* 22(11):737–740.
- Tola, S; Vilhunen, R; Jarvinen, E; et al. (1980) A cohort study on workers exposed to trichloroethylene. *J Occup Med* 22(11):737–740.
- Toma, MI; Grosser, M; Herr, A; et al. (2008) Loss of heterozygosity and copy number abnormality in clear cell renal cell carcinoma discovered by high-density affymetrix 10K single nucleotide polymorphism mapping array. *Neoplasia* 10(7):634–642.
- Tomisawa, H; Ichihara, S; Fukazawa, H; et al. (1986) Purification and characterization of human hepatic cysteine-conjugate  $\beta$ -lyase. *Biochem J* 235:569–575.
- Tomisawa, H; Suzuki, S; Ichihara, S; et al. (1984) Purification and characterization of C-S lyase from *fusobacterium varium*. *J Biol Chem* 259(4):2588–2593.
- Tong, Z; Board, PG; Anders, MW. (1998) Glutathione transferase zeta catalyses the oxygenation of the carcinogen dichloroacetic acid to glyoxylic acid. *Biochem J* 331(Pt. 2):371–374.
- Toraason, M; Clark, J; Dankovic, D; Mathias, P; Skaggs, S; Walker, C; Werren, D. (1999) Oxidative stress and DNA damage in Fischer rats following acute exposure to trichloroethylene or perchloroethylene. *Toxicology* 138:43–53.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Toth, B; Hornung, D; Scholz, C; et al. (2007) Peroxisome proliferator-activated receptors: new players in the field of reproduction. *Am J Reprod Immunol* 58:298–310.

Travis CC, White RK. (1988) Interspecific scaling of toxicity data. *Risk Anal.* 8:119–125.

Travis, CC. (1990) Tissue dosimetry for reactive metabolites. *Risk Anal* 10:317–21.

Triebig, G; Essing, HG; Schaller, KH; et al. (1976) Biochemical and psychological examinations of trichloroethylene exposed volunteers. *Zentralbl Bakteriol [Orig B]* 163(5–6):383–416. (translated from German)

Triebig, G; Lehl, S; Kinzel, W; et al. (1977a) Psycho-pathometric results of follow-up studies of persons exposed to trichloroethylene. *Zbl Bakt Hyg, I Abt Orig B* 164, 314–3271 (translated from German).

Triebig, G; Schaller, KH; Erzigkeit, H; et al. (1977b). Biochemical investigations and psychological studies of persons chronically exposed to trichloroethylene with regard to non-exposure intervals. *Int Arch Occup Environ Health* 38(3):149–162 (translated from German).

Triebig, G; Trautner, P; Weltle, D; et al. (1982) Investigations on the Neurotoxicity of processing materials III. Measurement of Motor and Sensory Nerve Conduction Velocity in Persons with Job-Related Trichloroethylene Exposure. *Int Arch Occup Environ Health* (1982) 51: 25–34 (translated from German).

Triebig, G; Bestler, W; Baumeister, P; et al. (1983) Investigations on the neurotoxicity of chemical substances at the workplace, Part IV: Determination of the motor and sensory nerve conduction velocity in persons occupationally exposed to a mixture of organic solvents. *Int Arch Occup Environ Health* 52:139–150 (translated from German).

Troster, AI; Ruff, RM. (1990) Neuropsychological sequelae of exposure to the chlorinated hydrocarbon solvents trichloroethylene and trichloroethane. *Arch Clin Neuropsychol* 5(1):31–47.

Tryndyak, VP; Muskhelishvili, L; Kovalchuk, O; et al. (2006) Effect of long-term tamoxifen exposure on genotoxic and epigenetic changes in rat liver; implications for tamoxifen-induced hepatocarcinogenesis. *Carcinogenesis* 27(8) 1713–1720.

Tu, AS; Murray, TA; Hatch, KM; et al. (1985) In vitro transformation of BALBZC-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett* 28:85–92.

Tucker, AN; Sanders, VM; Barnes, DW; et al. (1982) Toxicology of trichloroethylene in the mouse. *Toxicol Appl Pharmacol* 62:351–357.

Tugwood, JD; Aldridge, TC; Lambe, KG; et al. (1996) Peroxisome proliferator-activated receptors: structures and function. *Ann N Y Acad Sci* 804:252–265.

Tzeng, HF; Blackburn, AC; Board, PG; et al. (2000) Polymorphism- and species-dependent inactivation of glutathione transferase zeta by dichloroacetate. *Chem Res Toxicol* 13:231–236.

U.S. EPA (Environmental Protection Agency). (1985) Assessment of trichloroethylene as a potentially toxic air pollutant; proposed rule. *Federal Register*; Part IV 50(246):52422–52425.

U.S. EPA (Environmental Protection Agency). (1986a) Guidelines for the health risk assessment of chemical mixtures. *Federal Register* 51(185):34014–34025. Available online at <http://www.epa.gov/iris/backgr-d.htm>.

U.S. EPA (Environmental Protection Agency). (1986b) Guidelines for mutagenicity risk assessment. *Federal Register* 51(185):34006–34012. Available online at <http://www.epa.gov/iris/backgr-d.htm>.

*This document is a draft for review purposes only and does not constitute Agency policy.*



U.S. EPA (Environmental Protection Agency). (1987) The total exposure assessment methodology (TEAM) study: summary and analysis, Volume 1. EPA/600/6-87/002a.

U.S. EPA (Environmental Protection Agency). (1988) Recommendations for and documentation of biological values for use in risk assessment. Prepared by the Environmental Criteria and Assessment Office, Office of Health and Environmental Assessment, Cincinnati, OH for the Office of Solid Waste and Emergency Response, Washington, DC; EPA 600/6-87/008. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1991) Guidelines for developmental toxicity risk assessment. Federal Register 56(234):63798-63826. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1992) Draft report: A cross-species scaling factor for carcinogen risk assessment based on equivalence of  $\text{mg/kg}^{3/4}/\text{Day}$ ; Notice. Federal Register 57(109): 24152–2424173. Friday, June 5, 1992.

U.S. EPA (Environmental Protection Agency). (1994a) Interim policy for particle size and limit concentration issues in inhalation toxicity studies. Federal Register 59(206):53799. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1994b) Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. Office of Research and Development, Washington, DC; EPA/600/8-90/066F. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1995) The national public water systems supervision program. The FY 1994 Compliance Report. Office of Water. EPA 812-R-94-001. Washington: U.S. Environmental Protection Agency.

U.S. EPA (Environmental Protection Agency). (1995) Use of the benchmark dose approach in health risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/R-94/007. Available from: <<http://cfpub.epa.gov/ncea/raf/recordisplay.cfm?deid=42601>>.

U.S. EPA (Environmental Protection Agency). (1996) Guidelines for reproductive toxicity risk assessment. Federal Register 61(212):56274–56322. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1997) Exposure factors handbook, Volume I – General Factors. National Center for Environmental Assessment, Office of Research and Development, Washington, DC, EPA/600/P-95/002Fa

U.S. EPA (Environmental Protection Agency). (1997) Exposure factors handbook. EPA/600/P-95/002F

U.S. EPA (Environmental Protection Agency). (1998) Guidelines for neurotoxicity risk assessment. Federal Register 63(93):26926–26954. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (1998) EPA data file. Office of Groundwater and Drinking Water. Washington, D.C.; EPA.

U.S. EPA (Environmental Protection Agency). (2000a) Science policy council handbook: risk characterization. Office of Science Policy, Office of Research and Development. Washington, DC; EPA 100-B-00-002. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (2000b) Benchmark dose technical guidance document [external review draft]. Risk Assessment Forum, Washington, DC; EPA/630/R-00/001. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

*This document is a draft for review purposes only and does not constitute Agency policy.*

U.S. EPA (Environmental Protection Agency). (2000c) Supplementary guidance for conducting for health risk assessment of chemical mixtures. Risk Assessment Forum, Washington, DC; EPA/630/R-00/002. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (2001) Trichloroethylene health risk assessment: synthesis and characterization (external review draft). Office of Research and Development, National Center for Environmental Assessment, Washington, DC, EPA/600/P-01/002A.

U.S. EPA (Environmental Protection Agency). (2002) A review of the reference dose and reference concentration processes. Risk Assessment Forum, Washington, DC; EPA/630/P-02/0002F. Available from: <<http://www.epa.gov/iris/backgr-d.htm>>.

U.S. EPA (Environmental Protection Agency). (2002) OSWER draft guidance for evaluating the vapor intrusion to indoor air pathway from groundwater and soils. Available online at <http://epa.gov/osw/hazard/correctiveaction/eis/vapor/guidance.pdf>.

U.S. EPA (Environmental Protection Agency). (2002a) Health assessment of 1,3-butadiene. Office of Research and Development. Washington, DC; EPA/600/P-98/001F.

U.S. EPA. (2003) Occurrence estimation methodology and occurrence findings report of the six-year review of existing National Primary Drinking Water Regulations. EPA/815/R-03/006.

U.S. EPA (Environmental Protection Agency). (2004a) Risk assessment guidance for superfund. Volume I: Human health evaluation manual (Part E, Supplemental guidance for dermal risk assessment). EPA/540/R/99/005.

U.S. EPA. (2004b) Estimated per capita water ingestion and body weight in the United States—an update. EPA/822/R-00/001. Office of Water, Washington, DC.

U.S. EPA (Environmental Protection Agency). (2005) The HAPEM5 user's guide. Hazardous Air Pollutant Exposure Model, Version 5. EPA Office of Air Quality Planning and Standards, Research Triangle Park, North Carolina.

U.S. EPA (Environmental Protection Agency). (2005a) Guidelines for carcinogen risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/P-03/001B. Available online at <http://www.epa.gov/iris/backgr-d.htm>. ES,

U.S. EPA (Environmental Protection Agency). (2005b) Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens. Risk Assessment Forum, Washington, DC; EPA/630/R-03/003F. Available online at <http://www.epa.gov/iris/backgr-d.htm>.

U.S. EPA (Environmental Protection Agency). (2006a) Science policy council handbook: peer review. Third edition. Office of Science Policy, Office of Research and Development, Washington, DC; EPA/100/B-06/002. Available online at <http://www.epa.gov/iris/backgr-d.htm>.

U.S. EPA (Environmental Protection Agency). (2006b) A framework for assessing health risk of environmental exposures to children. National Center for Environmental Assessment, Washington, DC, EPA/600/R-05/093F. Available online at <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>.

U.S. EPA (Environmental Protection Agency). (2007a) Technology transfer network - 1999 National-Scale Air Toxics Assessment. Available online at <http://www.epa.gov/ttn/atw/nata1999/nsata99.html>.

U.S. EPA (Environmental Protection Agency). (2007b) EPA's air quality system database at the AirData website. Office of Air Quality Planning & Standards. Research Triangle Park, NC. Available online at <http://www.epa.gov/air/data/index.html>.

*This document is a draft for review purposes only and does not constitute Agency policy.*

U.S. EPA (Environmental Protection Agency). (2008a) Child-specific exposure factors handbook. Washington, DC; EPA/600/R-06/096F, 2008.

U.S. EPA (Environmental Protection Agency). (2008b) 1,1,2-Trichloro-1, 2, 2-trifluoroethane. IRIS (Integrated Risk Information System). Available online at <http://www.epa.gov/IRIS/subst/0123.htm>. [Accessed June 2, 2008]

U.S. EPA (Environmental Protection Agency). (2008c) Benchmark dose technical guidance (Inter-Agency Review Draft).

U.S. EPA. (2008d). FACTOIDS: Drinking water and ground water statistics for 2008. EPA/816/K-08/004.

U.S. EPA (Environmental Protection Agency). (2009) Submission to Docket EPA-ORD-2008-0461 by Mr. M. Partain, February 18, 2009, EPA-ORD-2008-0451-0021. Available online at <http://www.regulations.gov/search/Regs/home.html#docketDetail?R=EPA-HQ-ORD-2008-0461>, accessed August 20, 2009.

USGS (U.S. Geologic Survey). (2006) Volatile organic compounds in the nation's ground water and drinking-water supply wells. Circular 1292. Reston, VA.

Umezū, T; Yonemoto, J; Soma, Y; et al. (1997) Behavioral effects of trichloroethylene and tetrachloroethylene in mice. *Pharmacol Biochem Behav* 58(3):665–671.

USAF (U.S. Air Force). (2004) Determination of partition coefficients for a mixture of volatile organic compounds in rats and humans at different life stages. Air Force Research Laboratory, Wright-Patterson Air Force Base, OH. AFRL-HE-WP-TR-2005-0012.

Vagnarelli, P; De Sario, A; De Carli, L. (1990) Aneuploidy induced by chloral hydrate detected in human lymphocytes with the Y97 probe. *Mutagenesis* 5(6):591–592.

Vaidya, VS; Shankar, K; Lock, EA; et al. (2003a) Renal injury and repair following S-1, 2 dichlorovinyl-L-cysteine administration to mice. *Toxicol Appl Pharmacol* 188:110–121.

Vaidya, VS; Shankar, K; Lock, EA; et al. (2003c) Molecular mechanisms of renal tissue repair in survival from acute renal tubule necrosis: role of ERK1/2 pathway. *Toxicol Pathol* 31:604–618.

Valic, E; Waldhör, T; Konnaris, C; et al. (1997) Acquired dyschromatopsia in combined exposure to solvents and alcohol. *Int Arch Occup Environ Health* 70(6):403–406.

Vamvakas, S; Bittner, D; Köster, U. (1993) Enhanced expression of the protooncogenes c-myc and c-fos in normal and malignant renal growth. *Toxicol Lett* 67(1–3):161–72.

Vamvakas, S; Brüning, T; Thomasson, B; et al. (1998) Renal cell cancer correlated with occupational exposure to trichloroethene. *J Cancer Res Clin Oncol* 124:374–382.

Vamvakas, S; Dekant, W; Berthold, K; et al. (1987) Enzymatic transformation of metcapturic acids derived from halogenated alkenes to reactive mutagenic intermediates. *Biochem Pharmacol* 36(17):2741–2748.

Vamvakas, S; Dekant, W; Henschler, D. (1989) Assessment of unscheduled DNA synthesis in a cultured line of renal epithelial cells exposed to cysteine S-conjugates of haloalkenes and haloalkanes. *Mutat Res* 222(4):329–335.

Vamvakas, S; Dekant, W; Schiffmann, D; et al. (1988b) Induction of unscheduled DNA synthesis and micronucleus formation in Syrian hamster embryo fibroblasts treated with cysteine S-conjugates of chlorinated hydrocarbons. *Cell Biol Toxicol* (4):393–403.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Vamvakas, S; Elfarra, AA; Dekant, W; et al. (1988a) Mutagenicity of amino acid and glutathione S-conjugates in the Ames test. *Mutat Res* 206(1):83–90.
- Vamvakas, S; Richter, H; Bittner, D. (1996) Induction of dedifferentiated clones of LLC-PK1 cells upon long-term exposure to dichlorovinylcysteine. *Toxicology* 106(1-3):65–74.
- van Bree, L; Commandeur, J; Lamberts, B; et al. (1990) Induction of drug metabolism enzymes by dihalogenated biphenyls. *J Biochem Toxicol* 5:57–63.
- Van Duuren, BL; Goldschmidt, BM; Loewengart, G; et al. (1979) Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J Natl Cancer Inst* 63(6):1433–1439.
- Van Hummelen, P; Kirsch-Volders, M. (1992) Analysis of eight known or suspected aneugens by the in vitro human lymphocyte micronucleus test. *Mutagenesis* 7(6):447–455.
- van Lieshout, EM; Knapen, MF; Lange, WP; et al. (1998) Localization of glutathione S-transferases alpha and pi in human embryonic tissues at 8 weeks gestational age. *Hum Reprod* 13(5):1380–1386.
- van Lieshout, EM; Peters, WH. (1998) Age and gender dependent levels of glutathione and glutathione S-transferases in human lymphocytes. *Carcinogenesis* 19(10):1873–1875.
- Vartiainen, T; Pukkala, E; Rienoja, T; et al. (1993) Population exposure to tri- and tetrachloroethene and cancer risk: two cases of drinking water pollution. *Chemosphere* 27:1171–1181.
- Veeramachaneni, DNR; Palmer, JS; Amann, RP. (2001) Long-term effects on male reproduction of early exposure to common chemical contaminants in drinking water. *Hum Reprod* 16(5):979–987.
- Verma, Y; Rana, SV. (2003) Gender differences in the metabolism of benzene, toluene and trichloroethylene in rat with special reference to certain biochemical parameters. *J Environ Biol* 24(2):135–140.
- Vernon, RJ; Ferguson, RK. (1969) Effects of trichloroethylene on visual-motor performance. *Arch Environ Health* 18(6):894–900.
- Vesterberg, O; Astrand, I. (1976) Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. *J Occup Med* 18(4):224–226.
- Vesterberg, O; Gorczak, J; Krasts, M. (1976) Exposure to trichloroethylene II. Metabolites in blood and urine. *Scand J Work Environ Health* 4:212–219.
- Vickers, AEM; Lucier, GW. (1996) Estrogen receptor levels and occupancy in hepatic sinusoidal endothelial and Kupffer cells are enhanced by initiation with diethylnitrosamine and promotion with 17  $\alpha$ -ethinylestradiol in rats. *Carcinogenesis* 17(6):1235–1242.
- Vieira, I; Sonnier, M; Cresteil, T. (1996) Developmental expression of CYP2E1 in the human liver. Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238(2):476–483.
- Villaschi, S; Giovanetti, A; Lombardi, CC; et al. (1991) Damage and repair of mouse bronchial epithelium following acute inhalation of trichloroethylene. *Exp Lung Res* 15:601–614.
- Vineis, P; Miligi, L; Costantini, AS. (2007) Exposure to solvents and risk of non-Hodgkin lymphoma: clues on putative mechanisms. *Cancer Epidemiol Biomarkers Prev* 16:381–384.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Von Tungeln, LS; Yi, P; Bucci, TJ; et al. (2002) Tumorigenicity of chloral hydrate, trichloroacetic acid, trichloroethanol, malondialdehyde, 4-hydroxy-2-nonenal, crotonaldehyde, and acrolein in the B6C3F(1) neonatal mouse. *Cancer Lett* 185(1):13–9.
- Voss, C; Zerban, H; Bannasch, P; et al. (2005) Lifelong exposure to di-(2-ethylhexyl)-phthalated induced tumors in liver and testes of Sprague-Dawley rats. *Toxicology* 2006:359–371.
- Voss, KA; Riley, R; Dunn, C; et al. (2006) The role of tumor necrosis factor alpha and the peroxisome proliferator-activated receptor alpha in modulating the effects of fumonisin in mouse liver. *Toxicology* 222:165–174.
- Wainfan, E; Poirier, LA. (1992) Methyl groups in carcinogenesis: effects on DNA methylation and gene expression. *Cancer Res* 52(Suppl. 7):2071s–2077s.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000a) Expression of PPAR(alpha) in human hepatocytes and activation by trichloroacetate and dichloroacetate. *Res Commun Mol Pathol Pharmacol* 108:116–132.
- Walgren, JE; Kurtz, DT; McMillan, JM. (2000b) The effect of the trichloroethylene metabolites trichloroacetate and dichloroacetate on peroxisome proliferation and DNA synthesis in cultured human hepatocytes. *Cell Biol Toxicol* 16:257–273.
- Wallace, LA; Pellizzari, E; Hartwell, T; et al. (1984) Personal exposure to volatile organic compounds. I. Direct measurements in breathing-zone air, drinking water, food, and exhaled breath. *Environ Res* 35(1):293–319.
- Walles, SA. (1986) Induction of single-strand breaks in DNA of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett* 31:31–35.
- Wang, G; Ansari, GA; Khan, MF. (2007a) Involvement of lipid peroxidation-derived aldehyde-protein adducts in autoimmunity mediated by trichloroethene. *J Toxicol Environ Health A* 70:1977–1985.
- Wang, G; Cai, P; Ansari, GA; et al. (2007b) Oxidative and nitrosative stress in trichloroethene-mediated autoimmune response. *Toxicology* 229:186–193.
- Wang, G; Konig, R; Ansari, GA; et al. (2008) Lipid peroxidation-derived aldehyde-protein adducts contribute to trichloroethene-mediated autoimmunity via activation of CD4(+) T cells. *Free Radic Biol Med* 44(7):1475–1482.
- Wang, G; Stacey, NH. (1990) Elevation of individual serum bile acids on exposure to trichloroethylene or  $\alpha$ -naphthylisothioncyanate. *Toxicol and Appl Pharmacol* 105:209–215.
- Wang, JL; Chen, WL; Tsai, SY; et al. (2001) An in vitro model for evaluation of vaporous toxicity of trichloroethylene and tetrachloroethylene to CHO-K1 cells. *Chem Biol Interact* 137(2):139–154.
- Wang, R; Zhang, Y; Lan, Q; et al. (2009) Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. *Am J Epidemiol* 169:176–185.
- Wang, Z; Hall, SD; Maya, JF; et al. (2003) Diabetes mellitus increases the *in vivo* activity of cytochrome P450 2E1 in humans. *Br J Clin Pharmacol* 55(1):77–85.
- Wang, G-Z; Takano, T; Tomita, K; et al. (1993) Interaction of trichloroethylene and isopropyl alcohol in the perfused rat liver. *Jpn J Hyg* 48:1000–1005.
- Ward, EM; Thun, MJ; Hannan, LM; et al. (2006) Interpreting cancer trends. *Ann Ny Acad Sci* 1076:29–53.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Ward, JM; Peters, JM; Perella, CM; et al. (1998) Receptor and nonreceptor-mediated organ-specific toxicity of di(2-ethylhexyl)phthalate (DEHP) in peroxisome proliferator-activated receptor alpha-null mice. *Toxicol Pathol* 26(2):240–246.

Warr, TJ; Parry, EM; Parry, JM. (1993) A comparison of two in vitro mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. *Mutat Res* 287(1):29–46.

Warren, DA; Graeter, LJ; Channel, SR; et al. (2006) Trichloroethylene, trichloroacetic acid, and dichloroacetic acid: do they affect eye development in the Sprague-Dawley rat? *Int J Toxicol* 25(4):279–284.

Wartenberg, D; Reyner, D; Scott, CS. (2000) Trichloroethylene and cancer: epidemiologic evidence. *Environ Health Perspect* 108(Suppl. 2):161–176.

Waseem, M; Ali, M; Dogra, S; et al. (2001) Toxicity of trichloroethylene following inhalation and drinking contaminated water. *J Appl Toxicol* 21(6):441–444.

Waskell, L. (1978) A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res* 57:141–153.

Watanabe, S; Fukui, T. (2000) Suppressive effect of curcumin on trichloroethylene-induced oxidative stress. *J Nutr Sci Vitaminol (Tokyo)* 46:230–234.

Watson, RE; Jacobson, CF; Williams, AL; et al. (2006) Trichloroethylene-contaminated drinking water and congenital heart defects: a critical analysis of the literature. *Reprod Toxicol* 21:117–147.

Weiderpass, E; Pukkala, E; Kauppinen, T; et al. (1999) Breast cancer and occupational exposure in women in Finland. *Am J Ind Med* 36:48–53.

Weiderpass, E; Vainion, H; Kauppinen, T; et al. (2003) Occupational exposure and gastrointestinal cancers among Finnish women. *J Occup Environ Med* 45:305–315.

Weisel, CP; Jo, WK. (1996) Ingestion, inhalation, and dermal exposures to chloroform and trichloroethene from tap water. *Environ Health Perspect* 104(1):48–51.

Weisenburger, DD. (1992) Pathological classification of non-Hodgkin's lymphoma for epidemiological studies. *Cancer Res* 52:5456s–5464s.

Weiss, JR; Moysich, KB; Swede, H. (2005) Epidemiology of male breast cancer. *Cancer Epidemiol Biomarkers Prev* 14:20–26.

Wells, GM; Schroth, W; Brauch, H; et al. (2009) Bilateral renal-cell carcinoma associated with anacquired VHL mutation and long-term trichloroethylene exposure. *Clin Nephrol* 71:708–713.

Welzel, TM; McGlynn, KA; Hsing, AW; et al. (2006) Impact of classification of Hilar Cholangiocarcinomas (Klatskin Tumors) on the incidence of intra- and extrahepatic cholangiocarcinoma in the United States. *J Natl Cancer Inst* 98:873–875.

Wendling, O; Chambon, P; Mark, M. (1999) Retinoid X receptors are essential for early mouse development and placentogenesis. *Proc Nat Acad Sci USA* 96:547–551.

Werner, H; Le Roith, D. (2000) New concepts in regulation and function of the insulin-like growth factors: implications for understanding normal growth and neoplasia. *Cell Mol Life Sci* 57:932–942.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Werner, M; Birner, G; Dekant, W. (1995a) The role of cytochrome P4503A1/2 in the sex-specific sulfoxidation of the hexachlorobutadiene metabolite, N-acetyl-S-(pentachlorobutadienyl)-L-cysteine in rats. *Drug Metab Dispos* 23(8):861–868.
- Werner, M; Birner, G; Dekant, W. (1996) Sulfoxidation of mercapturic acids derived from tri- and tetrachloroethene by cytochromes P450 3A: a bioactivation reaction in addition to deacetylation and cysteine conjugate beta-lyase mediated cleavage. *Chem Res Toxicol* 9(1):41–49.
- Werner, M; Guo, Z; Birner, G; et al. (1995b) The sulfoxidation of the hexachlorobutadiene metabolite N-acetyl-S-(1,2,3,4,4-pentachlorobutadienyl)-L-cysteine is catalyzed by human cytochrome P450 3A enzymes. *Chem Res Toxicol* 8(7):917–923.
- West, GB; Woodruff, WH; Brown, JH. (2002) Allometric scaling of metabolic rate from molecules and mitochondria to cells and mammals. *Proc Natl Acad Sci USA* 99:2473–2478.
- Westergren, I; Kjellstrand, P; Linder, LE; et al. (1984) Reduction of brain specific gravity in mice prenatally exposed to trichloroethylene. *Toxicol Lett* 23:223–226.
- Wheeler, CW; Guentherer, TM. (1990) Spectroscopic quantitation of cytochrome P-450 in human lung microsomes. *J Biochem Toxicol* 5:1–4.
- Wheeler, CW; Wrighton, SA; Guentherer, TM. (1992) Detection of human lung cytochromes P450 that are immunochemically related to cytochrome P450IIE1 and cytochrome P450IIIA. *Biochem Pharmacol* 44:183–186.
- White, AE; Eger, EI; Wolff, S; et al. (1979) Sister chromatid exchange induced by inhaled anesthetics. *Anesthesiology* 50:426–430.
- White, JF; Carlson, GP. (1981) Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: potentiation by ethanol. *Toxicol Appl Pharmacol* 60(3):466–471.
- White, KL; David, DW; Butterworth, LF; et al. (2000) Assessment of autoimmunity-inducing potential using the brown Norway rat challenge model. *Toxicol Lett* 112–113:443–451.
- White, RF; Feldman, RG; Eviator, II; et al. (1997) Hazardous waste and neurobehavioral effects: a developmental perspective. *Environ Res* 73(1–2):113–124.
- WHO (World Health Organization). (1985) Environmental health criteria: trichloroethylene. Geneva, Switzerland: World Health Organization.
- Wideroff, L; Gridley, G; Mellekjaer, L; et al. (1997) Cancer incidence in a population-based cohort of patients hospitalized with diabetes mellitus in Denmark. *J Natl Cancer Inst* 89:1360–1365.
- Wiesenhütter, B; Selinski, S; Golka, K; et al. (2007) Re-assessment of the influence of polymorphisms of phase-II metabolic enzymes on renal cell cancer risk of trichloroethylene-exposed workers. *Int Arch Occup Environ Health* 81:247–251.
- Wigle, DT; Turner, MC; Gomes, J; et al. (2008) Role of hormonal and other factors in human prostate cancer. *J Toxicol Environ Health B Crit Rev* 11:242–259.
- Wilcosky, TC; Checkoway, H; Marshall, EG; et al. (1984) Cancer mortality and solvent exposures in the rubber industry. *Am Ind Hyg Assoc J* 45(12):809–811.
- Williams, F; Meenagh, A; Darke, C; et al. (2001) Analysis of the distribution of HLA-B alleles in populations from five continents. *Hum Immunol* 62(6):645–650.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Williams, AL; DeSesso, JM. (2008) Trichloroethylene and ocular malformations: analysis of extant literature. *Int J Toxicol* 27:81–95.

Williams, P; Benton, L; Warmerdam, J; et al. (2002) Comparative risk analysis of six volatile organic compounds in California drinking water. *Environ Sci Technol* 36:4721–4728.

Wilson, RT; Donahue, M; Gridley, G; et al. (2008) Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. *Am J Ind Med* 51:83–99.

Wilson, JG. (1965) Methods for administering agents and detecting malformations in experimental animals. In: Wilson, JG; Warkany, T; eds. *Teratology principles and methods*. (Chicago, IL: The University of Chicago Press ; pp. 262–267.

Windemuller, FJ; Ettema, JH. (1978) Effects of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health* 41(2):77–85.

Windham, GC; Shusterman, D; Swan, SH; et al. (1991) Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20(2):241–259.

Windham, GC; Zhang, L; Gunier, R; et al. (2006) Autism spectrum disorders in relation to distribution of hazardous air pollutants in the San Francisco Bay area. *Environ Health Perspect* 114(9):1438–1444.

Winneke, G. (1987) Acute behavioral effects of exposure to some organic solvents-psychophysiological aspects. *Acta Neurol Scand* 32:117–129.

Withey, JR; Karpinski, K. (1985) The fetal distribution of some aliphatic chlorinated hydrocarbons in the rat after vapor phase exposure. *Biol Res Pregnancy Perinatol* 6(2):79–88.

Withey, JR; Collins, BT; Collins, PG. (1983) Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *J Appl Toxicol* 3(5):249–253.

Wolf, DC; Goldsworthy, TL; Janszen, DB; et al. (2000) Promotion by sodium barbital induces early development but does not increase the multiplicity of hereditary renal tumors in Eker rats. *Carcinogenesis* 21(8):1553–1558.

Wolff, DL; Siegmund, R. (1978) [The circadian-dependent effect of trichloroethylene on spontaneous locomotor activity and of tetrachloroethane on mortality in mice.] *Biol Zentralbl* 97(3):345–351.(German)

Wolfgang, GH; Gandolfi, AJ; Stevens, JL; et al. (1989b) In vitro and in vivo nephrotoxicity of the L and D isomers of S-(1,2-dichlorovinyl)-cysteine. *Toxicology* 58:33–42.

Wolfgang, GHI; Gandolfi, AJ; Stevens, JL; et al. (1989) N-acetyl S-(1,2-dichlorovinyl)--cysteine produces a similar toxicity to S-(1,2-dichlorovinyl)-L-cysteine in rabbit renal slices: differential transport and metabolism. *Toxicol Appl Pharm* 101:205–219.

Woods, CG; Burns, AM; Bradford, BU; et al. (2007) Wy-14,643-induced cell proliferation and oxidative stress in mouse liver are independent of NADPH oxidase. *Toxicol Sci* 98(2): 366–374.

Woolhiser, MR; Krieger, SM; Thomas, J; et al. (2006) Trichloroethylene (TCE): Immunotoxicity potential in CD rats following a 4-week vapor inhalation exposure. Dow Chemical Company, Toxicology & Environmental Research and Consulting, Midland, MI, Study ID 031020, July 5, 2006, unpublished.

Wright, PF; Thomas, WD; Stacey, NH. (1991) Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicology* 70:231–242.

*This document is a draft for review purposes only and does not constitute Agency policy.*



- Wu, C; Schaum, J. (2000) Exposure assessment of trichloroethylene. *Environ Health Perspect* 108 (suppl 2):359–363.
- Wu, C; Schaum, J. (2001) Sources, emissions and exposures for trichloroethylene (TCE) and related chemicals. Washington, DC: US Environmental Protection Agency, EPA/600/R-00/099.
- Wu, KL; Berger, T. (2007) Trichloroethylene metabolism in the rat ovary reduces oocyte fertilizability. *Chemico-Biological Interactions* 170:20–30.
- Wu, KL; Berger, T. (2008) Ovarian gene expression is stable after exposure to trichloroethylene. *Toxicol Lett* 177:59–65.
- Xu, W; Adler, ID. (1990) Clastogenic effects of known and suspect spindle poisons studied by chromosome analysis in mouse bone marrow cells. *Mutagenesis* 5(4):371–374.
- Xu, X; Yang, R; Wu, N; et al. (2009) Severe hypersensitivity dermatitis and liver dysfunction induced by occupational exposure to trichloroethylene. *Ind Health* 47:107–112.
- Xu, H; Tanphaichitr, N; Forkert, P-G; et al. (2004) Exposure to trichloroethylene and its metabolites causes impairment of sperm fertilizing ability in mice. *Toxicol Sci* 82:590–597.
- Yamamura, K; Ikeda, I; Sadamoto, T; et al. (1983) Effects of trichloroethylene exposure on hearing. An investigation of cochlear microphonics and action potential of the guinea pig. *Eur J Appl Physiol Occup Physiol* 52:47–50.
- Yang, Q; Ito, S; Gonzalez, FJ. (2007) Hepatocyte-restricted constitutive activation of PPAR alpha induces hepatoproliferation but not hepatocarcinogenesis. *Carcinogenesis* 28(6):1171–1177.
- Yang, Y; Heng, ZC. (2006) Study on rat's DNA damage of p53 induced by chlorinated acetic acids of drinking water disinfection by-products (article in Chinese). *Wei Sheng Yan Jiu*. 35(6):683–685.
- Yauck, JS; Malloy, ME; Blair, K; et al. (2004) Proximity of residence to trichloroethylene-emitting sites and increased risk of offspring congenital heart defects among older women. *Birth Defects Res A Clin Mol Teratol* 70(10):808–814.
- Yeh, MM; Larson, AM; Campbell, JS; et al. (2007) The expression of transforming growth factor  $\alpha$  in cirrhosis, dysplastic nodules, and hepatocellular carcinoma; an immunohistochemical study in 70 cases. *Am J Surg Pathol* 31(5):681–689.
- Yeung, RS; Xiao, GH; Everitt, JI; et al. (1995) Allelic loss at the tuberous sclerosis 2 locus in spontaneous tumors in the Eker rat. *Mol Carcinog* 14(1):28–36.
- Yoon, HS; Monks, TJ; Walker, CL; et al. (2001) Transformation of kidney epithelial cells by a quinol thioether via inactivation of the tuberous sclerosis-2 tumor suppressor gene. *Mol Carcinog* 31(1):37–45.
- Yoon, JS; Mason, JM; Valencia, R; et al. (1985) Chemical mutagenesis testing in *Drosophila*. IV. Results of 45 coded compounds tested for the National Toxicology Program. *Environ Mutagen* 7(3):349–367.
- Yoon, M; Madden, MC; Barton, HA. (2007) Extrahepatic metabolism by CYP2E1 in PBPK modeling of lipophilic volatile organic chemicals: impacts on metabolic parameter estimation and prediction of dose metrics. *J Toxicol Environ Health A* 70(18):1527–1541.
- Yoshida, M; Fukabori, S; Hara, K; et al. (1996) Concentrations of trichloroethylene and its metabolites in blood and urine after acute poisoning by ingestion. *Hum Exp Toxicol* 15:254–258.

*This document is a draft for review purposes only and does not constitute Agency policy.*

- Yoshioka, T; Krauser, JA; Guengerich, FP. (2002) Microsomal oxidation of tribromoethylene and reactions of tribromoethylene oxide. *Chem Res Toxicol* 15(11):1414–1420.
- Yu, MC; Garabrant, DH; Peters, JM; et al. (1988) Tobacco, alcohol, diet, occupation, and carcinoma of the esophagus. *Cancer Res* 48:3843–3848.
- Yu, KO; Barton, HA; Mahle, DA; et al. (2000) *In vivo* kinetics of trichloroacetate in male Fischer 344 rats. *Toxicol Sci* 54:302–311.
- Yu, S; Rao, S; Reddy, JK. (2003) Peroxisome proliferator-activated receptors, fatty acid oxidation, steatohepatitis and hepatocarcinogenesis. *Curr Mol Med* 3:561–572.
- Yuan, JM; Castelao, JE; Gago-Dominguez, M; et al. (1998) Tobacco use in relation to renal cell carcinoma. *Cancer Epidemiol Biomarkers Prev* 7(5):429–33.
- Yue, F; Huang, HL; Huang, JX; et al. (2007) HLA-DM polymorphism and risk of trichloroethylene induced medicamentosa-like dermatitis. *Biomed Environ Sci* 20(6):506–511.
- Zandi-Nejad, K; Eddy, AA; Glasscock, RJ; et al. (2004) Why is proteinuria an ominous biomarker of progressive kidney disease? *Kidney Int* 66:S76–89.
- Zanelli, U; Puccini, P; Acerbi, D; et al. (1996) Induction of peroxisomal beta-oxidation and P-450 4<sup>α</sup>-dependent activities by pivalic and trichloroacetic acid in rat liver and kidney. *Arch Toxicol* 70:145–149.
- Zeise, L; Wilson, R; Crouch, EA. (1987) Dose-response relationships for carcinogens: a review. *Environ Health Perspect* 73:259–306.
- Zenick, H; Blackburn, K; Hope, E; et al. (1984) Effects of trichloroethylene exposure on male reproductive function in rats. *Toxicology* 31(3–4):237–50.
- Zeppa, P; Benincasa, G; Troncone, G; et al. (1998) Retrospective evaluation of DNA ploidy of hepatocarcinoma on cytological samples. *Diagn Cytopathol* 19(5):323–329.
- Zhang, Y; Cantor, KP; Lynch, CF; et al. (2004) A population-based case-control study of occupation and renal cell carcinoma risk in Iowa. *J Occup Environ Med* 46:235–240.
- Zhang, G; Stevens, JL. (1989) Transport and activation of *S*-(1,2-dichlorovinyl)-L-cysteine and *N*-acetyl-*S*-(1,2-dichlorovinyl)-L-cysteine in rat kidney proximal tubules. *Toxicol Appl Pharm* 100:51–61.
- Zhao, Y; Krishnadasan, A; Kennedy, N; et al. (2005) Estimated effects of solvents and mineral oils on cancer incidence and Mortality in a cohort of aerospace workers. *Am J Ind Med* 48:249–258.
- Zhao, Y; Krishnadasan, A; Kennedy, N; et al. (2005) Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. *Am J Ind Med* 48:249–258.
- Zhou, YC; Waxman, DJ. (1998) Activation of peroxisome proliferator-activated receptors by chlorinated hydrocarbons and endogenous steroids. *Environ Health Perspect* 106(Suppl. 4):983–988 .
- Zhu, J; Newhook, R; Marro, L; et al. (2005) Selected volatile organic compounds in residential air in the city of Ottawa, Canada. *Environ Sci Technol* 39(11):3964–3971.
- Zielinska, B; Fujita, E; Sagebiel, J; et al. (1998) Arizona hazardous air pollutants monitoring program. *J Air Waste Manage Assoc* 48:1038–1050.

*This document is a draft for review purposes only and does not constitute Agency policy.*

Zielinski, A. (1973) General health state of women professionally exposed to trichloroethylene vapours. Med Pr  
24:263–271.

*This document is a draft for review purposes only and does not constitute Agency policy.*

10/20/09

R-83

DRAFT—DO NOT CITE OR QUOTE